

Mycobacterium tuberculosis*, Strain H37Rv, Purified Phosphatidylinositol Mannoside 6 (PIM₆)*Catalog No. NR-14847**

This reagent is the tangible property of the U.S. Government.

Product Description: NR-14847 is a preparation of the purified phosphatidylinositol mannoside 6 (PIM₆) cell wall glycolipids of irradiated *Mycobacterium tuberculosis*, strain H37Rv. The soluble organic fraction was extracted from irradiated cells, dried and titrated with cold acetone. The acetone-insoluble fraction was then applied to preparative thin-layer chromatography plates. PIMs were purified from the dried matrix using 40% methanol in chloroform.

Lot: 70017936**Manufacturing Date: 04DEC2018**

Production and QC testing were performed by Colorado State University (CSU). The CSU documentation for lot 18.Rv.2.12.4.PIM₆ is attached.

ATCC[®], on behalf of BEI Resources, hereby represents and warrants that the material provided under this certificate has been subjected by the contractor to the tests and procedures specified and that the results described, along with any other data provided in this certificate, are true and accurate to the best of ATCC[®]'s knowledge.

ATCC[®] is a trademark of the American Type Culture Collection.

You are authorized to use this product for research use only. It is not intended for human use.



WORK SHEET FOR PURIFIED PIM6

General Information

BEI Catalog Number: NR-14847
CSU Lot Number: 18.Rv.2.12.4.PIM6
Species: *Mycobacterium tuberculosis*
Strain: H37Rv


Purification Information

Starting material (lot #): Pooled cells (Danny Hesser, Notebook #10, pg 1-3). See additional notes below
Cells Irradiated: Yes
Viability Test Performed: No Viable Organism Detected
Cell amount (wet weight): 35 g delipidated cells (from approximately 250 g wet weight of cells)
Protocol used (SOP #): PP015.6, PP016.6, and PP017.3
Date started: 3 / 16 / 2018
Date completed: 12 / 4 / 2018
Notebook; pages: Danara Flores, Notebook #1, pg 18-27, Megan Lucas, BEI Production Notebook #4, pg 1-24
Additional notes (if applicable): A large pool of irradiated cells was delipidated and used for starting material. Approximately 1/12 of the total amount of cells (420 g delipidated cells total) was separated for this batch of product. Final product was resuspended in a small amount of DMSO which was subsequently diluted in water and removed by freeze-drying.

Quality Control Information

Endotoxin assay used: EndoZyme II
Endotoxin amount: 1.079 ng/mg Notebook and page(s): MCL, BEI Production #4, pg 22
GC Results: 0.820 mg/ml Notebook and page(s): MCL, BEI Production #4, pg 17
Total amount of PIM6: 7.25 mg
Silver stain date: 11 / 27 / 2018 Notebook and page(s): MCL, BEI Production #4, pg 18

QC MALDI-TOF and Silver Stain:



Aliquot Information:
29 x 250 µg


(Research Associate)

12-6-18
(date)


(Laboratory Supervisor)

12-6-18
(date)