

Polyclonal Anti-Shiga Toxin Type 2 Subunit B (IgG, Rabbit)

Catalog No. NR-51175

This reagent is the tangible property of the U. S. Government.

For research use only. Not for human use.

Contributor and Manufacturer:

BEI Resources

Product Description:

Antibody Class: IgG

Polyclonal antibodies to a recombinant form of the B subunit of Shiga-like toxin type 2 (Stx2; residues 20-89; C-terminal histidine-tagged) were produced in rabbit and purified by protein A affinity chromatography.

The term Shiga toxin (Stx) refers to two families of related toxins: Shiga toxin/Shiga-like toxin 1 and Shiga-like toxin 2.¹ Shiga toxin is produced by *Shigella dysenteriae*, while Shiga-like toxin 1 and Shiga-like toxin 2 are both produced by enterohemorrhagic strains of *E. coli*. Stx are multimeric molecules that are composed of two polypeptide subunits, A and B. The Stx B subunit is a pentamer that binds the toxin to glycolipids on host cell membranes and the entire Stx molecule can enter the cell via endocytosis.² Once inside the cell, the Stx A subunit undergoes proteolytic cleavage and reduction of an internal disulfide bond to generate Stx A₁ and Stx A₂. Stx A₁ is an N-glycosidase that catalytically inactivates the 28S ribosomal RNA subunit to inhibit protein synthesis.³ The nucleotide sequence of the gene for the Shiga-like toxin 2 B subunit from *E. coli* has been reported (GenBank: EF441622).⁴

Material Provided:

Each vial of NR-51175 contains approximately 100 µL of purified polyclonal antibody in PBS. The concentration, expressed as mg per mL, is shown on the Certificate of Analysis.

Packaging/Storage:

NR-51175 was packaged aseptically in screw-capped plastic cryovials and is provided frozen on dry ice. The item should be stored at -20°C or colder immediately upon arrival. Freeze-thaw cycles should be avoided.

Functional Activity:

NR-51175 is functional in ELISA analysis.

Citation:

Acknowledgment for publications should read "The following reagent was obtained through BEI Resources, NIAID, NIH: Polyclonal Anti-Shiga Toxin Type 2 Subunit B (IgG, Rabbit), NR-51175."

Biosafety Level: 1

Appropriate safety procedures should always be used with this material. Laboratory safety is discussed in the following publication: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control and Prevention, and National Institutes of Health. Biosafety in Microbiological and Biomedical Laboratories. 5th ed. Washington, DC: U.S. Government Printing Office, 2009; see www.cdc.gov/biosafety/publications/bmbl5/index.htm.

Disclaimers:

You are authorized to use this product for research use only. It is not intended for human use.

Use of this product is subject to the terms and conditions of the BEI Resources Material Transfer Agreement (MTA). The MTA is available on our Web site at www.beiresources.org.

While BEI Resources uses reasonable efforts to include accurate and up-to-date information on this product sheet, neither ATCC® nor the U.S. Government makes any warranties or representations as to its accuracy. Citations from scientific literature and patents are provided for informational purposes only. Neither ATCC® nor the U.S. Government warrants that such information has been confirmed to be accurate.

This product is sent with the condition that you are responsible for its safe storage, handling, use and disposal. ATCC® and the U.S. Government are not liable for any damages or injuries arising from receipt and/or use of this product. While reasonable effort is made to ensure authenticity and reliability of materials on deposit, the U.S. Government, ATCC®, their suppliers and contributors to BEI Resources are not liable for damages arising from the misidentification or misrepresentation of products.

Use Restrictions:

This material is distributed for internal research, non-commercial purposes only. This material, its product or its derivatives may not be distributed to third parties. Except as performed under a U.S. Government contract, individuals contemplating commercial use of the material, its products or its derivatives must contact the contributor to determine if a license is required. U.S. Government contractors may need a license before first commercial sale.

References:

1. Sandvig, K. "Shiga Toxins." Toxicon 39 (2001): 1629-1635. PubMed: 11595626.
2. Sandvig, K., et al. "Endocytosis from Coated Pits of Shiga Toxin: A Glycolipid-binding Protein from *Shigella dysenteriae* 1." J. Cell Biol. 108 (1989): 1331-1343. PubMed: 2564398.
3. Skinner, L. M. and M. P. Jackson. "Investigation of Ribosome Binding by the Shiga Toxin A1 Subunit, Using

Competition and Site-Directed Mutagenesis." J. Bacteriol. 179 (1997): 1368-1374. PubMed: 9023224.

4. Lee, J. E., et al. "Phylogenetic Analysis of Shiga Toxin 1 and Shiga Toxin 2 Genes Associated with Disease Outbreaks." BMC Microbiol. 7 (2007): 109. Pubmed: 18053224. GenBank: 18053224.

ATCC® is a trademark of the American Type Culture Collection.

