

Product Information Sheet for NR-12222

SUPPORTING INFECTIOUS DISEASE RESEARCH

Dengue Virus Type 2, PM33974

Catalog No. NR-12222

For research use only. Not for human use.

Contributor:

Rebeca Rico-Hesse, Ph.D., MPH, Department of Virology and Immunology, Southwest Foundation for Biomedical Research, San Antonio, Texas

Product Description:

Virus Classification: Flavivirus, Flaviviridae

<u>Species</u>: Dengue virus type 2 <u>Strain/Isolate</u>: PM33974

Original Source: Dengue virus type 2 (DEN-2), PM33974 was isolated in 1981 from Aedes africanus mosquito in the

Republic of Guinea.1,2

Comments: The complete genome of DEN-2, PM33974

has been sequenced (GenBank: EF105378).2

Dengue virus causes the most common vector-borne viral disease of humans, with over 50 million cases in tropical and subtropical regions each year.³ The disease is now endemic in over 110 countries in the world, with Southeast Asia and the Western Pacific being the most seriously affected. Dengue disease is caused by one of four closely related, but antigenically distinct, serotypes (designated DEN-1 to -4).³ Infections produce a spectrum of clinical illness ranging from a nonspecific viral syndrome to severe and fatal hemorrhagic disease.^{4,5} Humans are the major host of dengue virus, with *Aedes aegypti* mosquitoes the principal vectors.

Material Provided:

Each vial contains approximately 1 mL of cell lysate and supernatant from *Aedes albopictus* clone C6/36 cells $(ATCC^{\otimes} CRL-1660^{TM})$ infected with DEN-2, PM33974.

<u>Note</u>: If homogeneity is required for your intended use, please purify prior to initiating work.

Packaging/Storage:

NR-12222 was packaged aseptically in screw-capped plastic cryovials. The product is provided frozen and should be stored at -70°C or colder immediately upon arrival. For long-term storage, the vapor phase of a liquid nitrogen freezer is recommended. Freeze-thaw cycles should be avoided.

Growth Conditions:

<u>Host</u>: Aedes albopictus clone C6/36 cells (ATCC[®] CRL-1660™)

Growth Medium: Minimum Essential Medium with Earle's salts supplemented with 2% irradiated fetal bovine serum, 2 mM L-glutamine and 1 mM sodium pyruvate

<u>Infection</u>: Cells should be 80% to 90% confluent (not 100% confluent)

Incubation: 7 to 10 days at 28°C and 5% CO2

Cytopathic Effect: Cell rounding

Citation:

Acknowledgment for publications should read "The following reagent was obtained through the NIH Biodefense and Emerging Infections Research Resources Repository, NIAID, NIH: Dengue Virus Type 2, PM33974, NR-12222."

Biosafety Level: 2

Appropriate safety procedures should always be used with this material. Laboratory safety is discussed in the following publication: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control and Prevention, and National Institutes of Health. Biosafety in Microbiological and Biomedical Laboratories. 5th ed. Washington, DC: U.S. Government Printing Office, 2007; see www.cdc.gov/od/ohs/biosfty/bmbl5/bmbl5toc.htm.

Disclaimers:

You are authorized to use this product for research use only. It is not intended for human use.

Use of this product is subject to the terms and conditions of the BEI Resources Material Transfer Agreement (MTA). The MTA is available on our Web site at www.beiresources.org.

While BEI Resources uses reasonable efforts to include accurate and up-to-date information on this product sheet, neither ATCC® nor the U.S. Government make any warranties or representations as to its accuracy. Citations from scientific literature and patents are provided for informational purposes only. Neither ATCC® nor the U.S. Government warrants that such information has been confirmed to be accurate.

This product is sent with the condition that you are responsible for its safe storage, handling, use and disposal. ATCC® and the U.S. Government are not liable for any damages or injuries arising from receipt and/or use of this product. While reasonable effort is made to ensure authenticity and reliability of materials on deposit, the U.S. Government, ATCC®, their suppliers and contributors to BEI Resources are not liable for damages arising from the misidentification or misrepresentation of products.

Use Restrictions:

This material is distributed for internal research, non-commercial purposes only. This material, its product or its derivatives may not be distributed to third parties. Except as performed under a U.S. Government contract, individuals contemplating commercial use of the material, its products or its derivatives must contact the contributor to determine if a license is required. U.S. Government contractors may need a license before first commercial sale.

References:

- Wang, E., et al. "Evolutionary Relationships of Endemic/Epidemic and Sylvatic Dengue Viruses." <u>J. Virol.</u> 74 (2000): 3227-3234. PubMed: 10708439.
- 2. Vasilakis, N., et al. "Genetic and Phenotypic

Biodefense and Emerging Infections Research Resources Repository

P.O. Box 4137

Manassas, VA 20108-4137 USA

www.beiresources.org

© 2000 American True Culture Callection (ATCC). All rights recorded

Fax: 703-365-2898 E-mail: contact@beiresources.org

800-359-7370



Product Information Sheet for NR-12222

SUPPORTING INFECTIOUS DISEASE RESEARCH

- Characterization of Sylvatic Dengue Virus Type 2 Strains." Virology 377 (2008): 296-307. PubMed: 18570968.
- 3. Holmes, E. C. and S. S. Twiddy. "The Origin, Emergence and Evolutionary Genetics of Dengue Virus." <u>Infect. Genet. Evol.</u> 3 (2003): 19-28. PubMed: 12797969.
- Malavige, G. N., et al. "Dengue Viral Infections." <u>Postgrad. Med. J.</u> 80 (2004): 588-601. PubMed: 15466994.
- Kao, C.-L., et al. "Laboratory Diagnosis of Dengue Virus Infection: Current and Future Perspectives in Clinical Diagnosis and Public Health." <u>J. Microbiol. Immunol.</u> <u>Infect.</u> 38 (2005): 5-16. PubMed: 15692621.
- Mota, J. and R. Rico-Hesse R. "Humanized Mice Show Clinical Signs of Dengue Fever According to Infecting Virus Genotype." <u>J. Virol.</u> 83 (2009): 8638-8645. PubMed: 19535452.
- Vasilakis, N., et al. "Potential of Ancestral Sylvatic Dengue-2 Viruses to Re-emerge." <u>Virology</u> 358 (2007): 402-412. PubMed: 17014880.
- 8. Cologna, R., P. M. Armstrong, and R. Rico-Hesse. "Selection for Virulent Dengue Viruses Occurs in Humans and Mosquitoes." J. Virol. 79 (2005): 853-859. PubMed: 15613313.
- Diallo, M., et al. "Potential Role of Sylvatic and Domestic African Mosquito Species in Dengue Emergence." <u>Am. J.</u> <u>Trop. Med. Hyg.</u> 73 (2005): 445-449. PubMed: 16103619.
- Loroño-Pino, M. A., et al. "Introduction of the American/Asian Genotype of Dengue 2 Virus into the Yucatan State of Mexico." <u>Am. J. Trop. Med. Hyg.</u> 71 (2004): 485-492. PubMed: 15516647.
- Rico-Hesse, R. "Dengue Virus Evolution and Virulence Models." <u>Clin. Infect. Dis.</u> 44 (2007): 1462-1466. PubMed: 17479944.
- Clyde, K., J. L. Kyle, and E. Harris. "Recent Advances in Deciphering Viral and Host Determinants of Dengue Virus Replication and Pathogenesis." <u>J. Virol.</u> 80 (2006): 11418-11431. PubMed: 16928749.
- Innis, B. L. and K. H. Eckels. "Progress in Development of a Live-Attenuated, Tetravalent Dengue Virus Vaccine by the United States Army Medical Research and Materiel Command." <u>Am. J. Trop. Med. Hyg.</u> 69 (2003): 1-4. PubMed: 14756126.

ATCC® is a trademark of the American Type Culture Collection.

800-359-7370

Fax: 703-365-2898

E-mail: contact@beiresources.org