

Certificate of Analysis for NR-19054

Mycobacterium tuberculosis, Strain CDC1551, Transposon Mutant 1822 (MT0015, Rv0012)

Catalog No. NR-19054

Product Description: *Mycobacterium tuberculosis* (*M. tuberculosis*), transposon mutant 1822 was created by disruption of a conserved hypothetical protein (MT0015, Rv0012), of the wild-type strain CDC1551. *M. tuberculosis*, strain CDC1551 is a clinical isolate that exhibited high levels of infectivity and virulence during a tuberculosis outbreak that occurred in rural Kentucky and Tennessee from 1994 to 1996.

Lot¹: 59214689 Manufacturing Date: 13JUL2010

TEST	SPECIFICATIONS	RESULTS
Phenotypic Analysis Colony morphology ²		
Middlebrook 7H10 agar with OADC enrichment	Report results	Irregular, rough, peaked and white
Lowenstein-Jensen (LJ) agar	Report results	Growth
Brain Heart Infusion agar	Report results	No growth
Antibiotic Susceptibility ³	Desistant	Resistant
Kanamycin (20 μg/mL) Hygromycin (50 μg/mL)	Resistant Susceptible	Susceptible
Point of Insertion ^{3,4}		
Base number (TA site) relative to the start position of ORF	Report results	88

M. tuberculosis, transposon mutant 1822 was prepared by inoculation of a LJ agar slant (VWR Catalog No. 29447-808) with 0.1 mL of the deposited material and incubated 30 days at 37°C.

Date: 01 JUN 2015 Signature:

BEI Resources Authentication

ATCC®, on behalf of BEI Resources, hereby represents and warrants that the material provided under this certificate has been subjected to the tests and procedures specified and that the results described, along with any other data provided in this certificate, are true and accurate to the best of ATCC®'s knowledge.

ATCC® is a trademark of the American Type Culture Collection.

You are authorized to use this product for research use only. It is not intended for human use.

BEI Resources
www.beiresources.org

E-mail: contact@beiresources.org Tel: 800-359-7370

Fax: 703-365-2898

²30 days at 37°C in an aerobic atmosphere

³Performed on the seed material by Colorado State University under the TB Vaccine Testing and Research Materials Contract (NIH)

⁴The POI deviates by less than 10 bp from the POI reported by Johns Hopkins University.