

Certificate of Analysis for NR-18669

Mycobacterium tuberculosis, Strain CDC1551, Transposon Mutant 2804 (MT3684, Rv3578)

Catalog No. NR-18669

Product Description: *Mycobacterium tuberculosis* (*M. tuberculosis*), transposon mutant 2804 was created by disruption of an integral membrane protein (MT3684, Rv3578) of the wild-type strain CDC1551. *M. tuberculosis*, strain CDC1551 is a clinical isolate that exhibited high levels of infectivity and virulence during a tuberculosis outbreak that occurred in rural Kentucky and Tennessee from 1994 to 1996.

Lot¹: 60237900 Manufacturing Date: 07SEP2011

TEST	SPECIFICATIONS	RESULTS
Phenotypic Analysis Colony morphology ² Middlebrook 7H10 Agar with OADC enrichment Lowenstein-Jensen (LJ) Agar Tryptic Soy Agar Antibiotic Susceptibility ³	Report results Report results Report results	Irregular, peaked, white and rough Growth No growth
Kanamycin (20 μg/mL) Hygromycin (50 μg/mL)	Resistant Susceptible	Resistant Susceptible
Point of Insertion ^{3,4} Base number (TA site) relative to the start position of ORF	Report results	1077

M. tuberculosis, transposon mutant 2804 was prepared by inoculation of a LJ agar slant (VWR Catalog No. 29447-808) with 0.1 mL of the deposited material and incubated 30 days at 37°C.

Date: 20 JAN 2012 Signature:

Title: Technical Manager, BEI Authentication or designee

ATCC[®], on behalf of BEI Resources, hereby represents and warrants that the material provided under this certificate has been subjected by ATCC[®] and the contractor to the tests and procedures specified and that the results described, along with any other data provided in this certificate, are true and accurate to the best of ATCC[®]'s knowledge.

ATCC® is a trademark of the American Type Culture Collection.

You are authorized to use this product for research use only. It is not intended for human use.

BEI Resources www.beiresources.org E-mail: contact@beiresources.org
Tel: 800-359-7370

Fax: 703-365-2898

²30 days at 37°C and aerobic atmosphere

³Performed on the seed material by Colorado State University under the TB Vaccine Testing and Research Materials Contract (NIH)

⁴The POI deviates by less than 10 bp from the POI reported by Johns Hopkins University.