

***Klebsiella oxytoca*, Strain MIT 09-7231**

Catalog No. HM-622

Product Description: *Klebsiella oxytoca* (*K. oxytoca*), strain MIT 09-7231 was isolated from mouse feces.

Lot^{1,2}: 59920844

Manufacturing Date: 08APR2011


TEST	SPECIFICATIONS	RESULTS
Phenotypic Analysis Cellular morphology Colony morphology ³	Gram-negative rod Report results	Gram-negative rod Circular, convex, entire, smooth and cream (Figure 1)
Genotypic Analysis Sequencing of 16S ribosomal RNA gene (~ 1380 base pairs)	≥ 99% identical to depositor's sequence Consistent with <i>K. oxytoca</i>	≥ 99% identical to depositor's sequence Consistent with <i>K. oxytoca</i>
Viability (post-freeze)³	Growth	Growth

¹Quality control of HMP material is only performed to demonstrate that the material distributed by BEI Resources is identical to the deposited material. It should not be considered a complete characterization of the deposited organism.

²*K. oxytoca*, strain MIT 09-7231 was deposited by Professor James G. Fox, DVM, DACLAM, Division of Comparative Medicine, Massachusetts Institute of Technology, Cambridge, Massachusetts. HM-622 was produced by inoculation of the deposited material into Tryptic Soy Broth and incubated for 24 hours at 37°C in an aerobic atmosphere. Broth inoculum was added to Kolles which were grown 24 hours at 37°C to produce this lot.

³24 hours at 37°C in an aerobic atmosphere on Tryptic Soy Agar with 5% defibrinated sheep blood

Figure 1



Date: 13 APR 2012

Signature:

Title:

Technical Manager, BEI Authentication or designee

ATCC®, on behalf of BEI Resources, hereby represents and warrants that the material provided under this certificate has been subjected to the tests and procedures specified and that the results described, along with any other data provided in this certificate, are true and accurate to the best of ATCC®'s knowledge.

ATCC® is a trademark of the American Type Culture Collection.

You are authorized to use this product for research use only. It is not intended for human use.

