

Certificate of Analysis for NR-19816

Leptospira interrogans, Strain L495 (Serovar Manilae)

Catalog No. NR-19816

Product Description: Leptospira interrogans (L. interrogans), strain L495 (serovar Manilae) is a pathogenic wild-type strain. It has been used as the parental strain in transposon mutagenesis studies.

Lot¹: 59581723 Manufacturing Date: 04JAN2011

TEST	SPECIFICATIONS	RESULTS
Phenotypic Analysis Colony morphology	Growth below the soft agar surface (Dinger's disk)	Growth below the soft agar surface (Dinger's disk) ²
Genotypic Analysis Sequencing of 16S ribosomal RNA gene (~ 1320 base pairs)	Consistent with L. interrogans	Consistent with <i>L. interrogans</i> ³
Viability (post-vialing) Visual observation LIVE/DEAD [®] BacLight [™] Bacterial Viability	Growth Green fluorescence visible	Growth ² Green fluorescence visible ⁴

¹L. interrogans, strain L495 (serovar Manilae) was deposited by Ben Adler, Professor of Microbiology, Department of Microbiology, Monash University, Clayton, Victoria, Australia. The deposited material was inoculated into EMJH semisolid agar (0.15%) and incubated for 10 days at 30°C in an aerobic atmosphere. The material from the initial growth was passaged twice in EMJH semisolid agar (0.15%) for 18 days and 15 days, respectively, at 30°C in an aerobic atmosphere to produce this lot.

Date: 31 JAN 2013 Signature: (

Title: Technical Manager, BEI Authentication or designee

ATCC®, on behalf of BEI Resources, hereby represents and warrants that the material provided under this certificate has been subjected to the tests and procedures specified and that the results described, along with any other data provided in this certificate, are true and accurate to the best of ATCC®'s knowledge.

ATCC® is a trademark of the American Type Culture Collection.

You are authorized to use this product for research use only. It is not intended for human use.

BEI Resources www.beiresources.org E-mail: contact@beiresources.org
Tel: 800-359-7370

Tel: 800-359-7370 Fax: 703-365-2898

² Disk of dense growth below the soft agar surface (Dinger's disk) (Czekalowski, J. W., J. W. McLeod and J. Rodican. "The Growth and Respiration of *Leptospira* in Solid or Semi-Solid Media with Special Reference to Dinger's Phenomenon." <u>Br. J. Exp. Pathol.</u> 34 (1953): 588-595.) was evident after 15 days at 30°C in EMJH semisolid agar (0.15%).

³Also consistent with *Leptospira kirschneri*

⁴Determined after 15 days incubation under cultivation conditions with LIVE/DEAD[®] BacLight[™] Bacterial Viability Kit, 100x magnification (Invitrogen[™] L34856). Cells with a compromised membrane that are dead or dying will stain red, while cells with an intact membrane will stain green.