

Certificate of Analysis for NR-13619

Mycobacterium tuberculosis, Strain CDC1551, Transposon Mutant 518 (MT1864, Rv1816)

Catalog No. NR-13619

Product Description: *Mycobacterium tuberculosis* (*M. tuberculosis*), transposon mutant 518 was created by disruption of a possible transcriptional regulatory protein (MT1864, Rv1816) of the wild-type strain CDC1551. *M. tuberculosis*, strain CDC1551 is a clinical isolate that exhibited high levels of infectivity and virulence during a tuberculosis outbreak that occurred in rural Kentucky and Tennessee from 1994 to 1996.

Lot¹: 62675960 Manufacturing Date: 21JUL2014

| TEST | SPECIFICATIONS | RESULTS |
|---|----------------|-----------------------------------|
| Phenotypic Analysis | | |
| Colony morphology ² | | |
| Middlebrook 7H10 agar with OADC enrichment | Report results | Peaked, undulate, rough and cream |
| Lowenstein-Jensen (LJ) agar | Report results | Growth |
| Tryptic Soy agar | Report results | No growth |
| Antibiotic Susceptibility ³ | | |
| Kanamycin (20 μg/mL) | Resistant | Resistant |
| Hygromycin (50 μg/mL) | Susceptible | Susceptible |
| Point of Insertion ^{3,4} | | |
| Base number (TA site) relative to the start position of ORF | Report results | 390 |

¹M. tuberculosis, transposon mutant 518 was prepared by inoculation of a LJ agar slant (VWR Catalog No. 29447-808) with 0.1 mL of the deposited material and incubated 28 days at 37°C in an aerobic atmosphere with 5% CO₂.

Date: 23 SEP 2014 **Signature**:

Title: Technical Manager, BEI Authentication or designee

ATCC®, on behalf of BEI Resources, hereby represents and warrants that the material provided under this certificate has been subjected by ATCC® and the contractor to the tests and procedures specified and that the results described, along with any other data provided in this certificate, are true and accurate to the best of ATCC®'s knowledge.

ATCC® is a trademark of the American Type Culture Collection.

www.beiresources.org

You are authorized to use this product for research use only. It is not intended for human use.

BEI Resources E-mail: contact@beiresources.org

Tel: 800-359-7370 Fax: 703-365-2898

NR-13619 62675960 23SEP2014

²28 days at 37°C in an aerobic atmosphere with 5% CO₂

³Performed on the seed material by Colorado State University under the TB Vaccine Testing and Research Materials Contract (NIH)

⁴The POI deviates by less than 10 bp from the POI reported by Johns Hopkins University.