

Certificate of Analysis for NR-15657

Mycobacterium tuberculosis, Strain CDC1551, Transposon Mutant 2685 (MT0509, Rv0490)

Catalog No. NR-15657

Product Description: *Mycobacterium tuberculosis* (*M. tuberculosis*), transposon mutant 2685 was created by disruption of a putative two component sensor histidine kinase (MT0509, Rv0490) of the wild-type strain CDC1551. *M. tuberculosis*, strain CDC1551 is a clinical isolate that exhibited high levels of infectivity and virulence during a tuberculosis outbreak that occurred in rural Kentucky and Tennessee from 1994 to 1996.

Lot¹: 62910748 Manufacturing Date: 19SEP2014

TEST	SPECIFICATIONS	RESULTS
Phenotypic Analysis		
Colony morphology ²		
Middlebrook 7H10 agar with OADC enrichment	Report results	Irregular, peaked, rough and white
Lowenstein-Jensen (LJ) agar	Report results	Growth
Tryptic Soy agar (TSA)	Report results	No growth
Antibiotic Susceptibility ³		
Kanamycin (20 μg/mL)	Resistant	Resistant
Hygromycin (50 μg/mL)	Susceptible	Susceptible
Point of Insertion ^{3,4}		
Base number (TA site) relative to the start position of ORF	Report results	161

¹M. tuberculosis, transposon mutant 2685 was prepared by inoculation of a LJ agar slant (VWR Catalog No. 29447-808) with 0.1 mL of the deposited material and incubated 34 days at 37°C in an aerobic atmosphere with 5% CO₂.

Date: 02 FEB 2015 **Signature:**

Title: Technical Manager, BEI Authentication or designee

ATCC[®], on behalf of BEI Resources, hereby represents and warrants that the material provided under this certificate has been subjected by ATCC[®] and the contractor to the tests and procedures specified and that the results described, along with any other data provided in this certificate, are true and accurate to the best of ATCC[®]'s knowledge.

ATCC® is a trademark of the American Type Culture Collection.

You are authorized to use this product for research use only. It is not intended for human use.

BEI Resources
www.beiresources.org

E-mail: contact@beiresources.org
Tel: 800-359-7370

Fax: 703-365-2898

NR-15657 62910748 02FEB2015

²34 days at 37°C in an aerobic atmosphere with 5% CO₂

³Performed on the seed material by Colorado State University under the TB Vaccine Testing and Research Materials Contract (NIH)

⁴The POI deviates by less than 10 bp from the POI reported by Johns Hopkins University.