

**Genomic DNA from *Burkholderia pseudomallei*, Strain K96243**

**Catalog No. NR-9320**

**Product Description:** Genomic DNA was extracted from a preparation of *Burkholderia pseudomallei* (*B. pseudomallei*), strain K96243. *B. pseudomallei* strain K96243 was isolated in 1996 from a female diabetic patient at Khon Kaen hospital in northeast Thailand.

**Lot<sup>1</sup>: 63310221**

**Manufacturing Date: 11AUG2015**

TEST	SPECIFICATIONS	RESULTS
<b>Genotypic Analysis</b> Sequencing of 16S ribosomal RNA gene (~ 1440 base pairs)	≥ 99% sequence identity to <i>B. pseudomallei</i> , strain K96243 (GenBank: BX1571965 and BX1571966) Consistent with <i>B. pseudomallei</i> (C at position 75) <sup>2</sup>	99.9% sequence identity to <i>B. pseudomallei</i> , strain K96243 (GenBank: BX1571965 and BX1571966) Consistent with <i>B. pseudomallei</i> (C at position 75) <sup>2</sup>
<b>Agarose Gel Electrophoresis</b>	High molecular weight chromosomal DNA	High molecular weight chromosomal DNA (Figure 1)
<b>Concentration by PicoGreen<sup>®</sup> Measurement</b>	0.7 to 1.5 µg in 25 to 100 µL per vial	1.1 µg in 28 µL per vial (41 µg/mL)
<b>Functional Activity by PCR Amplification</b> 16S ribosomal RNA gene	~ 1500 base pair amplicon	~ 1500 base pair amplicon
<b>OD<sub>260</sub>/OD<sub>280</sub> Ratio</b>	1.7 to 2.1	2.1
<b>Bacterial Inactivation</b> 10% of total yield plated on agar <sup>3,4</sup>	No viable bacteria detected	No viable bacteria detected


<sup>1</sup>The bacterial preparation used for extraction of genomic DNA was produced from a culture of NR-4073 (Lot 57954614). Genomic DNA was extracted using proprietary technology.

<sup>2</sup>Gee, J. E., et al. "Use of 16S rRNA Gene Sequencing for Rapid Identification and Differentiation of *Burkholderia pseudomallei* and *B. mallei*." *J. Clin. Microbiol.* 10 (2003): 4647-4654. PubMed: 14532197.

<sup>3</sup>An extraction procedure was used that has been shown to consistently inactivate 100% of Gram-negative and Gram-positive bacteria.

<sup>4</sup>Plates were incubated for 14 days under propagation conditions.

**Figure 1: Agarose Gel Electrophoresis of Genomic DNA from *Burkholderia pseudomallei*, Strain K96243**



Lane 1: Invitrogen™ TrackIt 1 Kb Plus DNA Ladder™  
Lane 2: ~ 150 µg of NR-9320

Date: 01 MAR 2017

Signature:



BEI Authentication or designee

ATCC®, on behalf of BEI Resources, hereby represents and warrants that the material provided under this certificate has been subjected to the tests and procedures specified and that the results described, along with any other data provided in this certificate, are true and accurate to the best of ATCC®'s knowledge.

ATCC® is a trademark of the American Type Culture Collection.

You are authorized to use this product for research use only. It is not intended for human use.

