biei resources

SUPPORTING INFECTIOUS DISEASE RESEARCH

# Mycobacterium tuberculosis, Strain CDC1551, Transposon Mutant 480 (MT2572, Rv2497c)

## Catalog No. NR-17889

This reagent is the tangible property of the U.S. Government.

**Product Description:** *Mycobacterium tuberculosis (M. tuberculosis),* transposon mutant 480 was created by disruption of a probable branched-chain keto acid dehydrogenase E1 component (alpha subunit) (MT2572, Rv2497c) of the wild-type strain CDC1551. *M. tuberculosis,* strain CDC1551 is a clinical isolate that exhibited high levels of infectivity and virulence during a tuberculosis outbreak that occurred in rural Kentucky and Tennessee from 1994 to 1996.

## Lot<sup>1</sup>: 70002732

## Manufacturing Date: 24APR2017

TEST	SPECIFICATIONS	RESULTS
Phenotypic Analysis		
Colony morphology <sup>2</sup>		
Middlebrook 7H10 agar with OADC enrichment	Report results	Irregular, raised, undulate, rough, opaque and cream
Lowenstein-Jensen (LJ) agar	Report results	Growth
Tryptic Soy agar (TSA)	Report results	No growth
Antibiotic Susceptibility <sup>3</sup>		5
Kanamycin (20 µg/mL)	Resistant	Resistant
Hygromycin (50 µg/mĹ)	Susceptible	Susceptible
Point of Insertion <sup>3,4</sup>		
Base number (TA site) relative to the start position of ORF	Report results	319

<sup>1</sup>*M. tuberculosis,* transposon mutant 480 was prepared by inoculation of an LJ agar slant (VWR Catalog No. 29447-808) with 0.1 mL of the deposited material and incubated for 30 days at 37°C in an aerobic atmosphere with 5% CO<sub>2</sub>.

<sup>2</sup>30 days at 37°C in an aerobic atmosphere with 5% CO<sub>2</sub>

<sup>3</sup>Performed on the seed material by Colorado State University under the TB Vaccine Testing and Research Materials Contract (NIH)

<sup>4</sup>The POI deviates by less than 10 base pairs from the POI reported by Johns Hopkins University.

#### 15 MAY 2018

Program Manager or designee, ATCC Federal Solutions

ATCC<sup>®</sup>, on behalf of BEI Resources, hereby represents and warrants that the material provided under this certificate has been subjected to the tests and procedures specified and that the results described, along with any other data provided in this certificate, are true and accurate to the best of ATCC<sup>®</sup>'s knowledge.

Support Provided by NIAID

ATCC<sup>®</sup> is a trademark of the American Type Culture Collection. You are authorized to use this product for research use only. It is not intended for human use.