

# **Certificate of Analysis for NR-52179**

### Acinetobacter baumannii, Strain MRSN 7521

### Catalog No. NR-52179

This reagent is the tangible property of the U.S. Government.

### **Product Description:**

Acinetobacter baumannii (A. baumannii), strain MRSN 7521 was isolated in 2005 from a urine specimen in the USA as part of a global surveillance program. NR-52179 was deposited as sensitive to colistin and ampicillin/sulbactam, resistant to amikacin, ceftazidime, ciprofloxacin, ceftriaxone, gentamicin, imipenem, levofloxacin, meropenem, trimethoprim/sulfamethoxazole, tobramycin and tetracycline, and intermediately resistant to cefepime. NR-52179 lot 70038536 was produced by inoculation of the deposited material into Tryptic Soy broth and grown for 1 day at 37°C in an aerobic atmosphere. Broth inoculum was added to Tryptic Soy agar kolles, which were grown for 1 day at 37°C in an aerobic atmosphere to produce this lot. Quality control testing was completed under propagation conditions unless otherwise noted.

Lot: 70038536 Manufacturing Date: 27AUG2020

BEI Resources is committed to ensuring digital accessibility for people with disabilities. This Certificate of Analysis contains complex tables and may not be fully accessible. Please let us know if you encounter accessibility barriers and a fully accessible document will be provided: E-mail: <a href="mailto:Contact@BEIResources.org">Contact@BEIResources.org</a>. We try to respond to feedback within 24 hours.

TEST	SPECIFICATIONS	RESULTS
Phenotypic Analysis		
Cellular morphology	Gram-negative rods	Gram-negative rods
Colony morphology	Report results	Circular, convex, entire, smooth and cream (Figure 1)
Growth at 44°C ± 2°C <sup>1</sup> 1 day in an aerobic atmosphere on Tryptic Soy agar	Growth	Growth
Motility Remel™ Motility Test Medium w/TTC Indicator for 1 day at 37°C in an aerobic atmosphere	Report results	Motile
VITEK® MS (MALDI-TOF)	A. baumannii	A. baumannii (99.9%)
Antibiotic Susceptibility Profile <sup>2,3</sup>		
Amikacin	Resistant	Resistant (96 µg/mL)
Ampicillin/sulbactam	Sensitive	Sensitive (6 μg/mL)
Cefepime	Intermediate	Intermediate (24 µg/mL)
Ceftriaxone	Resistant	Resistant (32 µg/mL)
Ceftazidime	Resistant	Resistant (> 16 μg/mL)
Ciprofloxacin	Resistant	Resistant (> 2 µg/mL)
Colistin	Sensitive	Sensitive (≤ 0.25 µg/mL)
Gentamicin	Resistant	Resistant (> 8 µg/mL)
Imipenem	Resistant	Resistant (> 8 µg/mL)
Levofloxacin	Resistant	Resistant (> 8 µg/mL)
Meropenem	Resistant	Resistant (> 8 µg/mL)
Trimethoprim/sulfamethoxazole	Resistant	Resistant (> 4 µg/mL)
Tobramycin	Resistant	Resistant (> 8 µg/mL)
Tetracycline	Resistant	Resistant (256 µg/mL)
Genotypic Analysis		
Sequencing of 16S ribosomal RNA gene (~ 1470 base pairs)	≥ 99% sequence identity to  A. baumannii, strain MRSN 7521 (GenBank: VHDZ01000101.1)	99.9% sequence identity to  A. baumannii, strain MRSN 7521 (GenBank: VHDZ01000101.1)

BEI Resources www.beiresources.org E-mail: <a href="mailto:contact@beiresources.org">contact@beiresources.org</a>
Tel: 800-359-7370

Fax: 703-365-2898



# **Certificate of Analysis for NR-52179**

TEST	SPECIFICATIONS	RESULTS
Purity 7 days at 37°C in an aerobic atmosphere with and without 5% CO <sub>2</sub> on Tryptic Soy agar	Growth consistent with expected colony morphology	Growth consistent with expected colony morphology
Viability	Growth	Growth

<sup>&</sup>lt;sup>1</sup>Growth at 44°C differentiates A. baumannii from A. calcoaceticus and A. pittii, which do not grow at 44°C.

Figure 1: Colony Morphology



/Heather Couch/ Heather Couch

09 NOV 2021

Program Manager or designee, ATCC Federal Solutions

ATCC®, on behalf of BEI Resources, hereby represents and warrants that the material provided under this certificate has been subjected to the tests and procedures specified and that the results described, along with any other data provided in this certificate, are true and accurate to the best of ATCC®'s knowledge.

ATCC® is a trademark of the American Type Culture Collection.

You are authorized to use this product for research use only. It is not intended for human use.

BEI Resources www.beiresources.org E-mail: contact@beiresources.org
Tel: 800-359-7370

Fax: 703-365-2898

<sup>&</sup>lt;sup>2</sup>Minimum Inhibitory Concentration (MIC); MIC Interpretation Guideline: CLSI M100-S28 (2018)

<sup>&</sup>lt;sup>3</sup>Antibiotic susceptibility was tested using a combination of Sensititre™ GNX2F AST and E-test strips.