

Acinetobacter baumannii, Strain MRSN 7153

Catalog No. NR-52173

This reagent is the tangible property of the U.S. Government.

Product Description:

Acinetobacter baumannii (*A. baumannii*), strain MRSN 7153 was isolated in 2004 from a human wound sample in the United States as part of a global surveillance program. *A. baumannii*, strain MRSN 7153 was deposited as sensitive to amikacin, ampicillin/sulbactam, ceftazidime, cefepime, ciprofloxacin, colistin, gentamicin, imipenem, levofloxacin, meropenem, tobramycin, tetracycline and trimethoprim/sulfamethoxazole and intermediately resistant to ceftriaxone. NR-52173 was produced by inoculation of BEI Resources seed lot 70041731 into Tryptic Soy broth and grown for 1 day at 37°C in an aerobic atmosphere. Broth inoculum was added to Tryptic Soy agar kolles, which were grown for 1 day at 37°C in an aerobic atmosphere to produce this lot. Quality control testing was completed under propagation conditions unless otherwise noted.

Lot: 70059685

Manufacturing Date: 30MAR2023

BEI Resources is committed to ensuring digital accessibility for people with disabilities. This Certificate of Analysis contains complex tables and may not be fully accessible. Please let us know if you encounter accessibility barriers and a fully accessible document will be provided: E-mail: Contact@BEIResources.org. We try to respond to feedback within 24 hours.

| TEST | SPECIFICATIONS | RESULTS |
|--|---|--|
| Phenotypic Analysis Cellular morphology Colony morphology Growth at 44°C ± 2°C ¹ 1 day in an aerobic atmosphere on Tryptic Soy agar Motility Hardy Diagnostics™ Motility Test Medium w/TTC Indicator for 1 day at 37°C in an aerobic atmosphere VITEK® MS (MALDI-TOF) | Gram-negative rods Report results Growth Non-motile <i>A. baumannii</i> | Gram-negative rods Circular, convex, entire, mucoid, smooth and cream Growth Non-motile <i>A. baumannii</i> (99.9%) |
| Antibiotic Susceptibility Profile^{2,3} Amikacin Ampicillin/sulbactam Cefepime Ceftazidime Ceftriaxone Ciprofloxacin Gentamicin Imipenem Levofloxacin Meropenem Tetracycline Tobramycin Trimethoprim/sulfamethoxazole | Sensitive Sensitive Sensitive Sensitive Intermediate Sensitive Sensitive Sensitive Sensitive Sensitive Sensitive Sensitive Sensitive Sensitive | Sensitive (3 µg/mL) Sensitive (1 µg/mL) Sensitive (1.5 µg/mL) Sensitive (4 µg/mL) Intermediate (16 µg/mL) Sensitive (≤ 0.25 µg/mL) Sensitive (≤ 1 µg/mL) Sensitive (0.25 µg/mL) Sensitive (≤ 0.12 µg/mL) Sensitive (≤ 0.25 µg/mL) Sensitive (2 µg/mL) Sensitive (≤ 1 µg/mL) Sensitive (≤ 20 µg/mL) |
| Genotypic Analysis Sequencing of 16S ribosomal RNA gene (~ 1480 base pairs) | ≥ 99% sequence identity to <i>A. baumannii</i> , strain MRSN 7153 (GenBank: VHEF01000128) | 99.8% sequence identity to <i>A. baumannii</i> , strain MRSN 7153 (GenBank: VHEF01000128) |
| Purity 7 days at 37°C in an aerobic atmosphere with and without 5% CO ₂ on Tryptic Soy agar | Growth consistent with expected colony morphology | Growth consistent with expected colony morphology |

| TEST | SPECIFICATIONS | RESULTS |
|-----------|----------------|---------|
| Viability | Growth | Growth |

¹Growth at 44°C differentiates *A. baumannii* from *A. calcoaceticus* and *A. pittii*, which do not grow at 44°C.

²Minimum Inhibitory Concentration (MIC); MIC Interpretation Guideline: CLSI M100-S28 (2018)

³Antibiotic susceptibility was tested using a combination of VITEK[®]2 GN82 and E-test strips.

/Sonia Bjorum Brower/

Sonia Bjorum Brower

03 AUG 2023

Technical Manager or designee, ATCC Federal Solutions

ATCC[®], on behalf of BEI Resources, hereby represents and warrants that the material provided under this certificate has been subjected to the tests and procedures specified and that the results described, along with any other data provided in this certificate, are true and accurate to the best of ATCC[®]'s knowledge.

ATCC[®] is a trademark of the American Type Culture Collection.

You are authorized to use this product for research use only. It is not intended for human use.

