SUPPORTING INFECTIOUS DISEASE RESEARCH

Everglades Virus, FE3-7C

Catalog No. NR-331

(Derived from ATCC[®] VR-1250[™])

Product Description: Cell lysate and supernatant from African green monkey kidney (Vero) cells infected with Everglades virus, FE3-7C.

Lot¹: 4421383

Manufacturing Date²: 24JUL2005

TEST	SPECIFICATIONS	RESULTS
Identification by Infectivity in Vero Cells	Cell rounding and cell lysis	Cell rounding and cell lysis
Genotypic Analysis Sequencing of ~ 11 kb of genome	Everglades virus, FE3-7C	Everglades virus, FE3-7C
Titer by TCID ₅₀ Assay ^{3,4} in Vero Cells	Report results	2.7 X 10 ⁸ TCID ₅₀ /mL

¹Grown in Vero cells in Eagle's Minimum Essential Medium supplemented with 10% fetal bovine serum, 1% glutamine and 1% non-essential amino acids for approximately 2 days at 37°C with 5% CO₂.

²The manufacturing date on the vial is incorrect.

³The Tissue Culture Infectious Dose 50% (TCID₅₀) endpoint is the 50% infectious endpoint in cell culture. The TCID₅₀ is the dilution of virus that under the conditions of the assay can be expected to infect 50% of the culture vessels inoculated, just as a Lethal Dose 50% (LD₅₀) is expected to kill half of the animals exposed. A reciprocal of the dilution required to yield the TCID₅₀ provides a measure of the titer (or infectivity) of a virus preparation.

⁴3 days at 37°C and 5% CO₂ with agarose overlay and neutral red staining.

Date: 20 DEC 2006

Signature: Dorothy C. Young

Title:

Technical Manager, BEI Authentication

ATCC®, on behalf of BEI Resources, hereby represents and warrants that the material provided under this certificate has been subjected by the vendor to the tests and procedures specified and that the results described, along with any other data provided in this certificate, are true and accurate to the best of ATCC[®]'s knowledge.



ATCC[®] is a trademark of the American Type Culture Collection. You are authorized to use this product for research use only. It is not intended for human use.