

Certificate of Analysis for NR-33660

Acanthamoeba sp., Strain CDC:V087

Catalog No. NR-33660

Product Description: Acanthamoeba sp., strain CDC:V087 was isolated from a corneal biopsy.

Lot¹: 61178081 Manufacturing Date: 22AUG2012

TEST	SPECIFICATIONS	RESULTS
Genotyping Sequencing of 18S ribosomal RNA gene (~ 440 bp)	Consistent with type T4 Acanthamoeba sp. ²	Consistent with type T4 Acanthamoeba sp. ²
Functional Activity by PCR Amplification ³ 18S ribosomal RNA gene (amplicon ASA.S1)	423 bp to 551 bp amplicon	~ 450 bp amplicon
Viable Cell Count by Hemacytometry (pre-freeze)	> 10 ⁶ cells/mL	7.5 x 10 ⁶ cells/mL
Viability (post-freeze) ⁴	Growth	Growth
Sterility (21-day incubation) Harpo's HTYE broth ⁵ , 37°C and 26°C, aerobic Trypticase soy broth, 37°C and 26°C, aerobic Sabouraud broth, 37°C and 26°C, aerobic Brain heart infusion, 37°C and 26°C, aerobic Sheep blood agar, 37°C, aerobic Sheep blood agar, 37°C, anaerobic Thioglycollate broth, 37°C, anaerobic	No growth	No growth

NR-33660 was produced by cultivation of *Acanthamoeba* sp., strain CDC:V087 in PYG Medium (ATCC medium 712) for 7 days at 25°C in an aerobic atmosphere and preserved.

Date: 16 MAY 2013 **Signature:**

Title: Technical Manager, BEI Authentication or designee

ATCC[®], on behalf of BEI Resources, hereby represents and warrants that the material provided under this certificate has been subjected to the tests and procedures specified and that the results described, along with any other data provided in this certificate, are true and accurate to the best of ATCC[®]'s knowledge.

ATCC® is a trademark of the American Type Culture Collection.

You are authorized to use this product for research use only. It is not intended for human use.

BEI Resources www.beiresources.org E-mail: contact@beiresources.org
Tel: 800-359-7370

Tel: 800-359-7370 Fax: 703-365-2898

²Identity of >99% to GenBank: AY702990

³PCR amplification was performed using the JDP1 and JDP2 primer set as described [Schroeder, J. M. et al. "Use of Subgenic 18S Ribosomal DNA PCR and Sequencing for Genus and Genotype Identification of Acanthamoebae from Humans with Keratitis and from Sewage Sludge." <u>J. Clin. Microbiol.</u> 39 (2001): 1903-1911. PubMed: 11326011].

⁴Viable cells were observed after 1 day under cultivation conditions.

⁵Atlas, Ronald M. <u>Handbook of Microbiological Media</u>. 3rd ed. Ed. Lawrence C. Parks. Boca Raton: CRC Press, 2004, p. 798.