

Certificate of Analysis for HM-23D

Genomic DNA from Bacteroides sp., Strain 1_1_6

Catalog No. HM-23D

Product Description: Genomic DNA was obtained from a preparation of *Bacteroides* sp., strain 1 1 6.

Lot^{1,2}: 58831247 Manufacturing Date: 30NOV2009

TEST	SPECIFICATIONS	RESULTS
Sequencing of 16S Ribosomal RNA Gene (~ 1370 base pairs)	≥ 99% identical to GenBank: ACIC02000004 (<i>Bacteroides</i> sp., strain 1_1_6)	≥ 99% identical to GenBank: ACIC02000004 (<i>Bacteroides</i> sp., strain 1_1_6)
Agarose Gel Electrophoresis	High molecular weight chromosomal DNA	High molecular weight chromosomal DNA (Figure 1)
Concentration by PicoGreen® Measurement	0.7 to 1.5 μg in 25 to 100 μL per vial	0.96 μg in 39 μL per vial (25 μg/mL)
Functional Activity by PCR Amplification 16S ribosomal RNA gene	~ 1500 bp amplicon	~ 1500 bp amplicon
OD ₂₆₀ /OD ₂₈₀ Ratio	1.7 to 2.0	1.8
Bacterial Inactivation 10% of total yield plated on Tryptic Soy agar with 5% defibrinated sheep blood ^{3,4}	No viable bacteria detected	No viable bacteria detected

Quality control of HMP organisms used for DNA extraction is only performed to demonstrate that the material produced by BEI Resources is identical to the deposited material. It should not be considered a complete characterization of the deposited organism.

Date: 01 NOV 2013 Signature:

Title: Technical Manager, BEI Authentication or designee

ATCC®, on behalf of BEI Resources, hereby represents and warrants that the material provided under this certificate has been subjected to the tests and procedures specified and that the results described, along with any other data provided in this certificate, are true and accurate to the best of ATCC®'s knowledge.

ATCC® is a trademark of the American Type Culture Collection.

You are authorized to use this product for research use only. It is not intended for human use.

E-mail: contact@beiresources.org

Tel: 800-359-7370 Fax: 703-365-2898


²The bacterial preparation used for extraction of genomic DNA was produced by culture of the deposited material. Genomic DNA was extracted using proprietary technology.

³7 days at 37°C in an anaerobic atmosphere

⁴An extraction procedure was used that has been shown to consistently inactivate 100% of Gram-positive and Gram-negative bacteria.



Certificate of Analysis for HM-23D



Lane 1: Invitrogen™ TrackIt 1 Kb Plus DNA Ladder™ Lane 2: 200 ng of HM-23D