

## **Certificate of Analysis for NR-31886**

## Enterococcus faecalis, Strain B3286

## Catalog No. NR-31886


**Product Description:** *Enterococcus faecalis* (*E. faecalis*), strain B3286 is an infectious clinical isolate collected from human blood in 1987 in the United States. Strain B3286 was deposited as a hemolytic isolate with high-level resistance to gentamicin.

Lot<sup>1</sup>: 61913287 Manufacturing Date: 31JUL2013

TEST	SPECIFICATIONS	RESULTS
Phenotypic Analysis		
Cellular morphology	Gram-positive cocci	Gram-positive cocci
Colony morphology <sup>2</sup>	Report results	Circular, low convex, entire, smooth and gray (Figure 1)
Hemolysis <sup>2</sup>	Non-hemolytic or α-hemolytic	Non-hemolytic <sup>3</sup>
Motility (wet mount)	Report results	Non-motile
Analytical profile index (API <sup>®</sup> 20 Strep)	Consistent with E. faecalis	Consistent with E. faecalis
Genotypic Analysis		
Sequencing of 16S ribosomal RNA gene (~ 1510 base pairs)	Consistent with E. faecalis	Consistent with E. faecalis <sup>4</sup>
Viability (post-freeze) <sup>2</sup>	Growth	Growth

<sup>&</sup>lt;sup>1</sup>E. faecalis, strain B3286 (also referred to as EnGen0211) was deposited by Michael S. Gilmore, Sir William Osler Professor of Ophthamology, Department of Ophthamology, Massachusetts Eye and Ear Infirmary, Boston, Massachusetts, USA. NR-31886 was produced by inoculation of the deposited material into Tryptic Soy broth and incubated for 24 hours at 37°C in an aerobic atmosphere. Broth inoculum was added to Tryptic Soy agar with 5% defibrinated sheep blood kolles which were grown 24 hours at 37°C in an aerobic atmosphere to produce this lot. Purity of this lot was assessed for 7 days under propagation conditions.

Figure 1



**Date:** 25 NOV 2013

Signature:

**Title:** Technical Manager, BEI Authentication or designee

ATCC®, on behalf of BEI Resources, hereby represents and warrants that the material provided under this certificate has been subjected to the tests and procedures specified and that the results described, along with any other data provided in this certificate, are true and accurate to the best of ATCC®'s knowledge.

ATCC® is a trademark of the American Type Culture Collection.

You are authorized to use this product for research use only. It is not intended for human use.

BEI Resources
www.beiresources.org

E-mail: contact@beiresources.org

Tel: 800-359-7370 Fax: 703-365-2898

<sup>&</sup>lt;sup>2</sup>24 hours at 37°C in an aerobic atmosphere on Tryptic Soy agar with 5% defibrinated sheep blood

<sup>&</sup>lt;sup>3</sup>E. faecalis, strain B3286 was deposited as hemolytic, however lot 61913287 displayed a non-hemolytic phenotype. This may be a result of testing on sheep blood agar, as some enterococcal hemolysins are not functional with sheep blood (Huycke, M. M., C. A. Spiegel and M. S. Gilmore. "Bacteremia Caused by Hemolytic, High-Level Gentamicin-Resistant *Enterococcus faecalis*." Antimicrob. Agents Chemother. 35 (1991): 1626-1634. PubMed: 1929336.).

<sup>&</sup>lt;sup>4</sup>≥ 99% identical to GenBank: AIRI01000023 (E. faecalis, strain B3286)