

Certificate of Analysis for NR-40323

Monoclonal Anti-Langat Virus, Clone 5H12 (produced in vitro)

Catalog No. NR-40323

This reagent is the property of the U.S. Government.

Product Description: Mouse monoclonal antibody prepared against Langat virus (LGTV) was purified from clone 5H12 hybridoma supernatant by protein G affinity chromatography.

Lot: 61444342 Manufacturing Date: 24SEP2013

TEST	SPECIFICATIONS	RESULTS
Antibody Class Determination	IgG2bк	IgG2bк
Experion Pro260 Analysis	Correct molecular weight (MW) for heavy and light chains Report results	Correct MW for heavy and light chains 99.9% pure
Concentration by Spectrophotometer at OD ₂₈₀	Report results	1.1 mg per mL
Functional Activity ¹ Indirect immunofluorescence assay (IFA) ² Western blot ³	Report results Report results	Fluorescence observed Reactive
Sterility	0.22 µm filter-sterilized	0.22 µm filter-sterilized

¹Testing was performed at Rocky Mountain Laboratories, NIAID, NIH. Methods used were essentially as described in Best, S. M., et al., "Inhibition of Interferon-Stimulated JAK-STAT Signaling by a Tick-Borne Flavivirus and Identification of NS5 as an Interferon Antagonist." <u>J. Virol.</u> 79 (2005): 12828-12839. PubMed: 16188985.

Date: 23 DEC 2013

Signature: //

Title:

Technical Manager, BEI Authentication or designee

ATCC®, on behalf of BEI Resources, hereby represents and warrants that the material provided under this certificate has been subjected by ATCC® and the delegated laboratory to the tests and procedures specified and that the results described, along with any other data provided in this certificate, are true and accurate to the best of ATCC®'s knowledge.

ATCC® is a trademark of the American Type Culture Collection.

You are authorized to use this product for research use only. It is not intended for human use.

BEI Resources
www.beiresources.org

E-mail: contact@beiresources.org
Tel: 800-359-7370

Fax: 703-365-2898

²Vero cells were infected with LGTV strain TP21 at an MOI of 3 and stained 48 hours later with a 1:1000 dilution of NR-40323 followed by AlexaFluor-conjugated secondary antibody.

³Vero cells were infected with LGTV strain TP21 at an MOI of 3 and cell lysates were prepared 48 hours later. Blots were probed with a 1:1000 dilution of NR-40323 followed by horseradish peroxidase-conjugated secondary antibody.