

## **Certificate of Analysis for NR-400**

## Campylobacter jejuni subsp. jejuni, Strain D3043

Catalog No. NR-400

(Derived from ATCC® BAA-223™)

**Product Description:** Campylobacter jejuni is a Gram-negative, slender, curved, motile rod commonly found in animal feces. It is a microaerophilic organism that is very sensitive to environmental stresses.

Lot<sup>1</sup>: 7642593 Manufacturing Date: 16NOV2006

| TEST  | SPECIFICATIONS                       | RESULTS                                  |
|---|--------------------------------------|--|
| Phenotypic Analysis <sup>2</sup>                        |                                      |  |
| Cellular morphology                                     | Gram-negative rod                    | Gram-negative rod                        |
| Colony morphology <sup>3</sup>                          | Report results                       | Circular, low convex, entire, glistening |
| Biochemical tests                                       |                                      |  |
| Oxidase   | Positive                             | Positive                                 |
| Catalase  | Positive                             | Positive                                 |
| Urease  | Negative                             | Negative                                 |
| Nitrate reduction                                       | Positive                             | Positive                                 |
| H <sub>2</sub> S production                             | Negative                             | Negative                                 |
| Hippurate hydrolysis                                    | Positive                             | Positive                                 |
| Antibiotic susceptibility                               |                                      |  |
| Nalidixic acid  | Sensitive <sup>4</sup>               | Sensitive                                |
| Cephalothin   | Resistant                            | Resistant                                |
| Viability (25°C, 5 days)                                | No growth                            | No growth                                |
| Viability (42°C, 5 days)                                | Growth                               | Growth                                   |
| FAME  | Consistent with Campylobacter jejuni | Consistent with Campylobacter jejuni     |
| Genotypic Analysis                                      |                                      |  |
| Sequencing of 16S ribosomal RNA gene (~ 800 base pairs) | Consistent with Campylobacter jejuni | Consistent with Campylobacter jejuni 5   |
| Viability (post-vialing) <sup>3</sup>                   | Growth                               | Growth                                   |

NR-400 was produced by inoculation of ATCC<sup>®</sup> BAA-223<sup>™</sup> (Lot 2028452) into Brucella Broth (BD 211088) on Tryptic Soy Agar (BD 236950) with 5% defibrinated sheep blood Kolle and incubated for 48 hours at 37°C in a microaerophilic (3–5% O₂ and 5% CO₂) atmosphere.

**Date:** 18 SEP 2007 **Signature:** Signature on File

**Title:** Technical Manager, BEI Authentication or designee

ATCC®, on behalf of BEI Resources, hereby represents and warrants that the material provided under this certificate has been subjected to the tests and procedures specified and that the results described, along with any other data provided in this certificate, are true and accurate to the best of ATCC® s knowledge.

ATCC® is a trademark of the American Type Culture Collection.

You are authorized to use this product for research use only. It is not intended for human use.

**Biodefense and Emerging Infections Research Resources Repository** P.O. Box 4137

Manassas, VA 20108-4137 USA

E-mail: <a href="mailto:contact@beiresources.org">contact@beiresources.org</a>

www.beiresources.org

Fax: 703-365-2898

800-359-7370

<sup>&</sup>lt;sup>2</sup>Hunt, J. M., C. Abeyta, and T. Tran. <u>Bacteriological Analytical Manual</u>, 8th Edition, Revision A. U. S. Food and Drug Administration 1998. 26-04-2007 <a href="http://www.cfsan.fda.gov/~ebam/bam-7.html">http://www.cfsan.fda.gov/~ebam/bam-7.html</a>.

<sup>&</sup>lt;sup>3</sup>48 hours at 37°C in a microaerophilic (3–5% O<sub>2</sub> and 5% CO<sub>2</sub>) atmosphere on Tryptic Soy Agar (BD 236950) with 5% defibrinated sheep blood. <sup>4</sup>Nalidixic acid-resistant *Campylobacter jejuni* have been reported.

<sup>&</sup>lt;sup>5</sup>Also consistent with Campylobacter coli.