

Certificate of Analysis for NR-46073

Staphylococcus aureus, Strain 1045

Catalog No. NR-46073

Product Description: Staphylococcus aureus (S. aureus), strain 1045 was isolated from a wound in Washington, USA.

Lot¹: 62280955 Manufacturing Date: 17JAN2014

TEST	SPECIFICATIONS	RESULTS
Phenotypic Analysis		
Cellular morphology	Gram-positive cocci	Gram-positive cocci
Colony morphology ²	Report results	Circular, low convex, entire, smooth and cream (Figure 1)
Motility (wet mount)	Report results	Non-motile
Hemolysis ²	Report results	β-hemolytic
Biochemical Analysis	report round	p nomely as
Catalase	Positive	Positive
Coagulase ³	Report results	Positive
VITEK® 2 Compact (GP card)	Consistent with S. aureus	Consistent with S. aureus
Antibiotic Susceptibility Profile		
VITEK [®] (AST-GP71card) ⁴		
Beta-lactamase ⁵	Report results	Positive
Cefoxitin screen	Report results	Positive
Benzylpenicillin	Report results	Resistant (≥ 0.5 µg/mL)
Oxacillin	Resistant	Resistant (≥ 4 µg/mL)
Gentamicin	Sensitive	Sensitive (≤ 0.5 µg/mL)
Ciprofloxacin	Sensitive	Sensitive (≤ 0.5 µg/mL)
Levofloxin	Report results	Sensitive (= 0.25 µg/mL)
Moxifloxacin	Report results	Sensitive (≤ 0.25 μg/mL)
Clindamycin (inducible resistance)	Report results	Negative
Erythromycin	Sensitive	Sensitive (≤ 0.25 μg/mL)
Clindamycin	Sensitive	Sensitive (≤ 0.25 μg/mL)
Quinupristin/dalfopristin	Sensitive	Sensitive (≤ 0.25 μg/mL)
Linezolid	Sensitive	Sensitive (= 2 µg/mL)
Daptomycin	Report results	Sensitive (= 0.25 µg/mL)
Vancomycin	Sensitive	Sensitive (≤ 0.5 μg/mL)
Minocycline	Report results	Sensitive (≤ 0.5 µg/mL)
Tetracycline	Report results	Sensitive (≤ 1 µg/mL)
Tigecycline	Report results	Sensitive (≤ 0.12 μg/mL)
Nitrofurantoin	Report results	Sensitive (≤ 16 μg/mL)
Rifampicin	Report results	Sensitive (≤ 0.5 µg/mL)
_ Trimethoprim/sulfamethoxazole	Sensitive	Sensitive (≤ 10 μg/mL)
Etest [®] antibiotic test strips ⁶		
Chloramphenicol ⁷	Report results	Sensitive (= 2 µg/mL)
Teicoplanin ⁷	Sensitive	Sensitive (= 1 µg/mL)
Genotypic Analysis		
Sequencing of 16S ribosomal RNA gene (~ 1500 base pairs)	Consistent with S. aureus	Consistent with S. aureus
(~ 1500 base pairs) Riboprinter® Microbial Characterization System	Consistent with S. aureus	Consistent with S. aureus
Viability (post-freeze) ²	Growth	Growth
riability (post fiedzo)	Glowar	Siowaii

S. aureus, strain 1045 was deposited to BEI Resources as part of the NARSA collection. NR-46073 was produced by inoculation of the deposited material into Tryptic Soy broth and grown 23 hours at 37°C in an aerobic atmosphere. Broth inoculum was added to Tryptic Soy agar with 5% defibrinated sheep blood kolles which were grown 24 hours at 37°C in an aerobic atmosphere to produce this lot. Purity of this lot was assessed for 7 days under propagation conditions.

BEI Resources www.beiresources.org E-mail: contact@beiresources.org

Tel: 800-359-7370 Fax: 703-365-2898



SUPPORTING INFECTIOUS DISEASE RESEARCH


Certificate of Analysis for NR-46073

²24 hours at 37°C and aerobic atmosphere on Tryptic Soy agar with 5% defibrinated sheep blood

³4 hours at 37°C in rabbit serum with 0.15% EDTA (Coagulase Plasma BBL™ 240827)

⁶24 hours at 37°C and aerobic atmosphere on Mueller Hinton agar

Figure 1



Date: 09 APR 2014

Signature:

Title: Technical Manager, BEI Authentication or designee

ATCC®, on behalf of BEI Resources, hereby represents and warrants that the material provided under this certificate has been subjected to the tests and procedures specified and that the results described, along with any other data provided in this certificate, are true and accurate to the best of ATCC®'s knowledge.

ATCC® is a trademark of the American Type Culture Collection.

You are authorized to use this product for research use only. It is not intended for human use.

BEI Resources www.beiresources.org E-mail: contact@beiresources.org
Tel: 800-359-7370

Fax: 703-365-2898

⁴Minimum Inhibitory Concentration (MIC); MIC Interpretation Guideline: CLSI M100-S22 (2012)

⁵The production of beta-lactamase was detected using a Cefinase™ Paper Disc (BBL™ 231650).

⁷For both chloramphenicol (bioMérieux Etest® 412308) and teicoplanin (bioMérieux Etest® 412459), a MIC ≤ 8 μg/mL is sensitive, a MIC = 16 μg/mL is intermediate and a MIC ≥ 32 μg/mL is resistant.