

Certificate of Analysis for NR-29344

Candida albicans, Strain 24A

Catalog No. NR-29344

Product Description: Candida albicans (C. albicans), strain 24A is a human isolate collected in

China.

Lot¹: 61662602 Manufacturing Date: 19APR2013

TEST	SPECIFICATIONS	RESULTS
Phenotypic Analysis		
Cellular morphology ²	Report results	Sub-globose to ovoid, usually single or budding (Figure 1A)
Colony morphology ²	Report results	White, smooth and butyrous with entire border (Figure 1B)
Biochemical tests:		
Vitek [®] 2 Systems Version: 05.01 (YST card)	Consistent with C. albicans	Consistent with C. albicans
Genotypic Analysis		
Sequencing of partial 18S rRNA gene, internal transcribed spacer (ITS) 1, 5.8S rRNA gene, ITS 2, partial 28S rRNA (~ 500 base pairs)	Consistent with C. albicans	Consistent with C. albicans
Sequencing of 26S rRNA gene (~ 590 base pairs)	Consistent with C. albicans	Consistent with C. albicans
Purity ³		
Nutrient broth with 0.1% Yeast Extract at 25°C	No bacterial growth	No bacterial growth
Nutrient broth with 0.1% Yeast Extract at 37°C	No bacterial growth	No bacterial growth
Viability (post-freeze) ²	Growth	Growth

The deposited material was inoculated into Yeast Mold (YM) broth and incubated for 7days at 25°C and aerobic atmosphere to produce this lot.

Figure 1

A
B

Date: 21 APR 2014

Signature:

Title: Technical Manager, BEI Authentication or designee

ATCC®, on behalf of BEI Resources, hereby represents and warrants that the material provided under this certificate has been subjected to the tests and procedures specified and that the results described, along with any other data provided in this certificate, are true and accurate to the best of ATCC® s knowledge.

ATCC® is a trademark of the American Type Culture Collection.

You are authorized to use this product for research use only. It is not intended for human use.

BEI Resources www.beiresources.org E-mail: contact@beiresources.org

Tel: 800-359-7370 Fax: 703-365-2898

²6 days at 25°C and aerobic atmosphere on YM agar

³Clarity of broth was determined by visual inspection after 6 days at 25°C and 37°C and aerobic atmosphere.