

Certificate of Analysis for NR-44139

Streptococcus agalactiae, Strain SGBS022

Catalog No. NR-44139

Product Description: *Streptococcus agalactiae (S. agalactiae),* strain SGBS022 was isolated in 2008 from the blood of a bacteremia patient in Harris County, Texas, USA.

Lot¹: 63780697 Manufacturing Date: 25SEP2015

TEST	SPECIFICATIONS	RESULTS
Phenotypic Analysis		
Cellular morphology	Gram-positive cocci	Gram-positive cocci
Colony morphology ²	Report results	Circular, slight peaked, entire, smooth and gray (Figure 1)
Hemolysis on blood agar ²	Report results	β-hemolytic
Motility (wet mount) Biochemical tests:	Report results	Non-motile
Catalase	Negative	Negative
VITEK [®] MS (MALDI-TOF)	Consistent with S. agalactiae	Consistent with S. agalactiae
Genotypic Analysis		
Sequencing of 16S ribosomal RNA gene (~ 1420 base pairs)	Consistent with S. agalactiae	Consistent with S. agalactiae ^{3,4}
Purity (post-freeze) ⁵	Growth consistent with S. agalactiae	Growth consistent with S. agalactiae
Viability (post-freeze) ²	Growth	Growth

¹NR-44139 was produced by inoculation of the deposited material into Todd-Hewitt broth and incubated for 1 day at 37°C in an aerobic atmosphere with 5% CO₂. Broth inoculum was added to Tryptic Soy agar with 5% defibrinated sheep blood kolles which were grown for 1 day under propagation conditions to produce this lot.

⁵Purity of this lot was assessed for 7 days on Tryptic Soy agar with 5% defibrinated sheep blood under propagation conditions.





Date: 22 OCT 2015

Signature:

BEI Resources Authentication

ATCC®, on behalf of BEI Resources, hereby represents and warrants that the material provided under this certificate has been subjected to the tests and procedures specified and that the results described, along with any other data provided in this certificate, are true and accurate to the best of ATCC®'s knowledge.

ATCC® is a trademark of the American Type Culture Collection.

You are authorized to use this product for research use only. It is not intended for human use.

BEI Resources www.beiresources.org E-mail: contact@beiresources.org

Tel: 800-359-7370 Fax: 703-365-2898

²1 day on Tryptic Soy agar with 5% defibrinated sheep blood under propagation conditions

³100% identical to *S. agalactiae*, strain SGBS022 (GenBank: AUWD01000025.1)

⁴Also consistent with *Streptococcus difficilis*