

Certificate of Analysis for NR-4117

Genomic DNA from Campylobacter jejuni subsp. jejuni, Strain MK 7

Catalog No. NR-4117

Product Description: Genomic DNA was isolated from a preparation of *Campylobacter jejuni* subsp. *jejuni*, strain MK 7.

Lot¹: 7731471 Manufacturing Date: 26JAN2007

TEST	SPECIFICATIONS	RESULTS
Sequencing of 16S Ribosomal RNA Gene (~ 700 base pairs)	Consistent with Campylobacter jejuni	Consistent with Campylobacter jejuni 2
Agarose Gel Electrophoresis	High molecular weight chromosomal DNA	High molecular weight chromosomal DNA (Figure 1)
Concentration by PicoGreen® Measurement	4 to 6 μg in 25 to 100 μL per vial	5.4 μg in 40 μL per vial (136 μg/mL)
Functional Activity by PCR Amplification 16S ribosomal RNA gene	~ 1500 bp amplicon	~ 1500 bp amplicon
OD ₂₆₀ /OD ₂₈₀ Ratio	1.7 to 1.9	1.9
Bacterial Inactivation 10% of total yield plated on Trypticase Soy Agar with 5% defibrinated sheep blood ^{3,4}	No viable bacteria detected	No viable bacteria detected

¹The bacterial preparation used for extraction of genomic DNA was produced by inoculation of ATCC[®] 43432™ (Lot 2206706) into Brucella Broth (BD 211088) on Tryptic Soy Agar (BD 236950) with 5% defibrinated sheep blood Kolle. After incubation for 25 hours at 37°C in a microaerophilic (3–5% O₂ and 5% CO₂) atmosphere, genomic DNA was extracted using proprietary technology.

Date: 06 AUG 2007 **Signature:** Signature on File

Title: Technical Manager, BEI Authentication or designee

ATCC®, on behalf of BEI Resources, hereby represents and warrants that the material provided under this certificate has been subjected to the tests and procedures specified and that the results described, along with any other data provided in this certificate, are true and accurate to the best of ATCC®'s knowledge.

ATCC® is a trademark of the American Type Culture Collection.

You are authorized to use this product for research use only. It is not intended for human use.

800-359-7370 Fax: 703-365-2898 E-mail: contact@beiresources.org


²Also consistent with Campylobacter coli.

³Incubated for 7 days at 37°C and microaerophilic (3–5% O₂ and 5% CO₂) atmosphere.

⁴An extraction procedure was used that has been shown to consistently inactivate 100% of Gram-negative bacteria.



Certificate of Analysis for NR-4117



Lane 1: Invitrogen™ 1Kb Plus DNA Ladder™ Lane 2: 200 ng of NR-4117

Fax: 703-365-2898

E-mail: contact@beiresources.org

800-359-7370