

## Certificate of Analysis for NR-30852

## Mycobacterium tuberculosis, Strain 98-2396

## Catalog No. NR-30852

This reagent is the tangible property of the U.S. Government.

**Product Description:** *Mycobacterium tuberculosis (M. tuberculosis)*, strain 98-2396 was isolated between 1995 and 2000 from human sputum from an HIV-negative patient infected with pulmonary tuberculosis in North America.

Lot<sup>1</sup>: 70002555 Manufacturing Date: 10MAY2017

TEST	SPECIFICATIONS	RESULTS
Phenotypic Analysis <sup>2</sup>		
Cellular morphology	Gram-positive rods	Gram-positive rods
Colony morphology <sup>3</sup>	Report results	Irregular, slight peaked, undulate,
, , , ,	·	rough and cream (Figure 1)
Growth rate	≥ 7 days	21 days
Growth at 26°C	Negative	Negative
Growth at 37°C	Positive	Positive
Acid-fast stain	Positive (red colonies)	Positive (red colonies)
Pigmentation in the dark (Scotochromogen)	Negative (no pigment)	Negative (no pigment)
Photoinduction for 1 hour (Photochromogen)	Negative (no pigment)	Negative (no pigment)
Nonchromogen (no pigment)	Positive (no pigment)	Positive (no pigment)
Biochemical tests	Destation	Design
Niacin production <sup>4</sup>	Positive	Positive
Nitrate reduction	Positive	Positive
Pyrazinamidase	Positive	Positive
Antibiotic Susceptibility Profile		
Sensititre™ System <sup>5,6</sup>		
Amikacin	Report results	0.25 μg/mL
Cycloserine	Report results	8 μg/mL
Ethambutol	Report results	1 μg/mL <sup>7</sup>
Ethionamide	Report results	0.6 μg/mL <sup>7</sup>
Isoniazid	Report results	≤ 0.03 µg/mL
Kanamycin	Report results	1.2 μg/mL
Moxifloxacin	Report results	0.25 μg/mL
Ofloxacin	Report results	0.5 μg/mL
Para-aminosalicylic acid	Report results	≤ 0.5 µg/mL <sup>7</sup>
Rifabutin	Report results	$\leq 0.12  \mu \text{g/mL}^7$
Rifampin	Report results Report results	0.25 μg/mL 0.5 μg/mL <sup>7</sup>
Streptomycin	Report results	0.5 μg/ΠΕ
Genotypic Analysis		
Sequencing of Heat Shock Protein 65 gene	≥ 99% sequence identity to	100% sequence identity to
(~ 440 base pairs)	M. tuberculosis type strain	M. tuberculosis type strain
	(GenBank: AL123456)	(GenBank: AL123456) <sup>8</sup>
Purity (post-freeze)		
Middlebrook 7H10 agar with OADC enrichment9	Growth consistent with expected	Growth consistent with expected
	colony morphology	colony morphology
Tryptic Soy agar <sup>10</sup>	Report results	No growth
Viability (post-freeze) <sup>3</sup>	Growth	Growth

<sup>&</sup>lt;sup>1</sup>NR-30852 was produced by inoculation of the deposited material into Middlebrook 7H9 broth with ADC enrichment. Broth inoculum was added to Middlebrook 7H10 agar with OADC enrichment kolles, which were grown for 49 days at 37°C in an aerobic atmosphere with 5% CO<sub>2</sub> to produce this lot.

**BEI Resources** 

www.beiresources.org

E-mail: contact@beiresources.org

Tel: 800-359-7370 Fax: 703-365-2898



## Certificate of Analysis for NR-30852

mycobacteria and Lévy-Frébault, V. V. and F. Portaels. "Proposed Minimal Standards for the Genus *Mycobacterium* and for Description of New Slowly Growing *Mycobacterium* Species." Int. J. Syst. Bacteriol. 42 (1992): 315-323. PubMed: 1581193.

<sup>3</sup>21 days at 37°C in an aerobic atmosphere with 5% CO₂ on Middlebrook 7H10 agar with OADC enrichment

<sup>4</sup>All mycobacteria produce niacin but only *M. tuberculosis* accumulates it, resulting in a positive test for *M. tuberculosis*.

<sup>5</sup>Sensititre™ System *Mycobacterium tuberculosis* MIC Plate, Thermo Scientific™, catalog number MYCOTB


<sup>6</sup>Minimum Inhibitory Concentration (MIC); No Clinical & Laboratory Standards Institute (CLSI) interpretations of the Sensititre™ System data for *M. tuberculosis* are currently available.

<sup>7</sup>For streptomycin, ethionamide, para-aminosalicylic acid, rifabutin and ethambutol, the endpoint for these drugs is determined by the well with approximately 80% inhibition of growth compared to the positive control well with no drug.

<sup>8</sup>Also consistent with *M. africanum, M. bovis, M. canettii, M. caprae* and *M. microti* 

<sup>9</sup>Purity of this lot was assessed for 42 days at 37°C in an aerobic atmosphere with 5% CO<sub>2</sub>.

<sup>10</sup>Purity of this lot was assessed for 21 days at 37°C in an aerobic atmosphere with 5% CO<sub>2</sub>.





03 APR 2018

Program Manager or designee, ATCC Federal Solutions

ATCC®, on behalf of BEI Resources, hereby represents and warrants that the material provided under this certificate has been subjected to the tests and procedures specified and that the results described, along with any other data provided in this certificate, are true and accurate to the best of ATCC®'s knowledge.

ATCC® is a trademark of the American Type Culture Collection.

You are authorized to use this product for research use only. It is not intended for human use.

by NIAID

**BEI Resources** 

www.beiresources.org

E-mail: contact@beiresources.org

Tel: 800-359-7370 Fax: 703-365-2898