

Certificate of Analysis for NR-4682

Yersinia pestis, Strain KIM Derivative 2 (D2)

Catalog No. NR-4682

Product Description: Yersinia pestis (Y. pestis) is an aerobic, non-spore-forming, Gram-negative rod-shaped bacterium. Y. pestis, strain KIM(D2) is an avirulent derivative that contains the pMT1 and pPCP1 plasmids, but lacks the pCD1 plasmid that is essential for virulence as well as the unstable chromosomal pgm locus.

Lot¹: 58152438 Manufacturing Date: 16APR2008

TEST	SPECIFICATIONS	RESULTS
Phenotypic Analysis		
Cellular morphology	Gram-negative rods	Gram-negative rods
Colony morphology ²	Report results	Circular, low convex, entire, opaque (Figure 1)
Congo red (CR) agar ³	No red colonies	No red colonies
Biochemical Analyses Analytical profile index (API 20 E®) Nitrate reduction Fermentation of glycerol Urease	Consistent with <i>Y. pestis</i> Negative Positive Negative	Consistent with <i>Y. pestis</i> Negative Positive Negative
Genotypic Analysis Sequencing of 16S ribosomal RNA gene (~ 1440 bp)	Consistent with <i>Y. pestis</i> Identical to GenBank: AE009952	Consistent with <i>Y. pestis</i> ⁴ Identical to GenBank AE009952
PCR Assay of Extracted DNA 16S ribosomal RNA gene Presence of virulence-associated plasmids pMT1 (pFra; 110 kb plasmid) pCD1 (pYV; 70 kb plasmid) pPCP1 (pPla; 9.5 kb plasmid)	~ 1500 bp amplicon ~ 1200 bp amplicon None detected ~ 400 bp amplicon	~ 1500 bp amplicon ~ 1200 bp amplicon None detected ~ 400 bp amplicon
Viability (post-freeze) ²	Growth on agar	Growth on agar

¹Y. pestis, strain KIM(D2) was deposited by Professor Robert R. Brubaker of the Department of Microbiology and Molecular Genetics at Michigan State University, East Lansing, Michigan. NR-4682 was prepared by broth (Tryptic Soy Broth; BD 211768) culture of the deposited material for 48 hours at 28°C and aerobic atmosphere.

Figure 1



Biodefense and Emerging Infections Research Resources Repository P.O. Box 4137 Manassas, VA 20108-4137 USA www.beiresources.org 800-359-7370

NR-4682 58152438 31JUL2008

²48 hours at 28°C and aerobic atmosphere on Tryptic Soy Agar.

³7 days at 28°C and aerobic atmosphere on CR agar.

⁴Also consistent with other Yersinia species.



Certificate of Analysis for NR-4682

Date: 31 JUL 2008 **Signature:** Signature on File

Title: Technical Manager, BEI Authentication or designee

ATCC®, on behalf of BEI Resources, hereby represents and warrants that the material provided under this certificate has been subjected to the tests and procedures specified and that the results described, along with any other data provided in this certificate, are true and accurate to the best of ATCC®'s knowledge.

ATCC® is a trademark of the American Type Culture Collection. You are authorized to use this product for research use only. It is not intended for human use.

Fax: 703-365-2898

E-mail: contact@beiresources.org

800-359-7370