b|e|i RESOURCES

SUPPORTING INFECTIOUS DISEASE RESEARCH

Certificate of Analysis for NR-55601

Klebsiella pneumoniae, Strain MRSN 750999

Catalog No. NR-55601

This reagent is the tangible property of the U.S. Government.

Product Description:

Klebsiella pneumoniae (K. pneumoniae), strain MRSN 750999 was isolated in 2020 from a human urine sample in North America as part of a global surveillance program. NR-55601 was deposited as a susceptible strain, sensitive to amikacin, ampicillin/sulbactam, aztreonam, cefepime, ceftazidime, ceftazidime/avibactam, ceftolozane/tazobactam, ceftriaxone, ciprofloxacin, ertapenem, gentamicin, imipenem, levofloxacin, meropenem, piperacillin/tazobactam, tetracycline, tigecycline, tobramycin, and trimethoprim/sulfamethoxazole. NR-55601 was produced by inoculation of BEI Resources seed lot 70051641 into Tryptic Soy broth and grown for 1 day at 37°C in an aerobic atmosphere. Broth inoculum was added to Tryptic Soy agar kolles, which were grown for 1 day at 37°C in an aerobic atmosphere to produce this lot. Quality control testing was completed on Tryptic Soy agar under propagation conditions unless otherwise noted.

Lot: 70081982 **Manufacturing Date: 12MAR2026**

BEI Resources is committed to ensuring digital accessibility for people with disabilities. This Certificate of Analysis contains complex tables and may not be fully accessible. Please let us know if you encounter accessibility barriers and a fully accessible document will be provided: E-mail: Contact@BEIResources.org. We try to respond to feedback within 24 hours.

TEST	SPECIFICATIONS	RESULTS
Phenotypic Analysis		
Cellular morphology	Gram-negative rods	Gram-negative rods
Colony morphology	Report results	Circular, convex, entire, smooth, mucoid and cream (Figure 1)
Motility (wet mount)	Report results	Non-motile
VITEK® 2 (GN card)	*K. pneumoniae* (≥ 89%)	*K. pneumoniae* (98%)
Antibiotic Susceptibility Profile[1,2]		
Amikacin	Sensitive	Sensitive (≤ 1 µg/mL)
Ampicillin/sulbactam	Sensitive	Sensitive (4 µg/mL)
Aztreonam	Sensitive	Sensitive (≤ 1 µg/mL)
Cefepime	Sensitive	Sensitive (≤ 0.12 µg/mL)
Ceftazidime	Sensitive	Sensitive (≤ 0.5 µg/mL)
Ceftazidime/avibactam	Sensitive	Sensitive (≤ 0.12 µg/mL)
Ceftolozane/tazobactam	Sensitive	Sensitive (≤ 0.25 µg/mL)
Ceftriaxone	Sensitive	Sensitive (≤ 0.25 µg/mL)
Ciprofloxacin	Sensitive	Sensitive (≤ 0.06 µg/mL)
Ertapenem	Sensitive	Sensitive (≤ 0.12 µg/mL)
Gentamicin	Sensitive	Sensitive (≤ 1 µg/mL)
Imipenem	Sensitive	Sensitive (≤ 0.25 µg/mL)
Levofloxacin	Sensitive	Sensitive (≤ 0.12 µg/mL)
Meropenem	Sensitive	Sensitive (≤ 0.25 µg/mL)
Piperacillin/tazobactam	Sensitive	Sensitive (≤ 4 µg/mL)
Tetracycline	Sensitive	Sensitive (≤ 1 µg/mL)
Tigecycline	Sensitive	Sensitive (1 µg/mL)[3]
Tobramycin	Sensitive	Sensitive (≤ 1 µg/mL)
Trimethoprim/sulfamethoxazole	Sensitive	Sensitive (≤ 20 µg/mL)
Genotypic Analysis		
Sequencing of 16S ribosomal RNA gene (~ 1460 base pairs)	≥ 99% sequence identity to *K. pneumoniae*, strain MRSN 750999 (GenBank: JAGYBK010000105.1)	99.6% sequence identity to *K. pneumoniae*, strain MRSN 750999 (GenBank: JAGYBK010000105.1)

BEI Resources
www.beiresources.org

E-mail: contact@beiresources.org
Tel: 800-359-7370
Fax: 703-365-2898

© 2026 American Type Culture Collection (ATCC). All rights reserved.

Certificate of Analysis for NR-55601

TEST	SPECIFICATIONS	RESULTS
Purity 7 days at 37°C in an aerobic atmosphere with 5% CO_2 on Tryptic Soy agar	Growth consistent with expected colony morphology	Growth consistent with expected colony morphology
Viability	Growth	Growth

[1]Minimum Inhibitory Concentration (MIC); MIC Interpretation Guideline: CLSI M100-S28 (2018)
[2]Antibiotic susceptibility was tested using a combination of bioMérieux VITEK®2 N812, VITEK®2 XN33 and ETEST®.
[3]MIC Interpretation Guideline: EUCAST Version 8.0 (2018)

Figure 1: Colony Morphology



/Sonia Bjorum Brower/
Sonia Bjorum Brower 15 JUN 2026
Technical Manager or designee, ATCC Federal Solutions

ATCC®, on behalf of BEI Resources, hereby represents and warrants that the material provided under this certificate has been subjected to the tests and procedures specified and that the results described, along with any other data provided in this certificate, are true and accurate to the best of ATCC®'s knowledge.

ATCC® is a trademark of the American Type Culture Collection.
You are authorized to use this product for research use only. It is not intended for human use.

BEI Resources
www.beiresources.org
E-mail: contact@beiresources.org
Tel: 800-359-7370
Fax: 703-365-2898

© 2026 American Type Culture Collection (ATCC). All rights reserved.