

## **Certificate of Analysis for NR-13516**

## SUPPORTING INFECTIOUS DISEASE RESEARCH

## Genomic DNA from Acinetobacter baumannii, Isolate 6

Catalog No. NR-13516

**Product Description:** Genomic DNA was obtained from a preparation of *Acinetobacter baumannii* (*A. baumannii*) obtained from human sputum in 2008.

Lot<sup>1</sup>: 58843146 Manufacturing Date: 13JAN2010

TEST	SPECIFICATIONS	RESULTS
Sequencing of 16S Ribosomal RNA Gene (~ 1360 bp)	Consistent with A. baumannii	Consistent with A. baumannii
Agarose Gel Electrophoresis	High molecular weight chromosomal DNA	High molecular weight chromosomal DNA (Figure 1)
Concentration by PicoGreen® Measurement	4 to 6 μg in 25 to 100 μL per vial	6.2 μg in 74 μL per vial (84 μg/mL) <sup>2</sup>
Functional Activity by PCR Amplification 16S ribosomal RNA gene	~ 1500 bp amplicon	~ 1500 bp amplicon
OD <sub>260</sub> /OD <sub>280</sub> Ratio	1.7 to 1.9	1.9
Bacterial Inactivation 10% of total yield plated on Tryptic Soy Agar with 5% sheep blood <sup>3,4</sup>	No viable bacteria detected	No viable bacteria detected

<sup>&</sup>lt;sup>1</sup>The bacterial preparation used for extraction of genomic DNA was produced by Tryptic Soy Broth culture of the NR-13379 (Lot: 58666796). After incubation for 24 hours at 37°C and aerobic atmosphere, genomic DNA was extracted using proprietary technology.

**Date:** 11 MAY 2010 **Signature:** Signature on File

**Title:** Technical Manager, BEI Authentication or designee

ATCC<sup>®</sup>, on behalf of BEI Resources, hereby represents and warrants that the material provided under this certificate has been subjected to the tests and procedures specified and that the results described, along with any other data provided in this certificate, are true and accurate to the best of ATCC<sup>®</sup>'s knowledge.

ATCC® is a trademark of the American Type Culture Collection.

You are authorized to use this product for research use only. It is not intended for human use.

Biodefense and Emerging Infections Research Resources Repository

www.beiresources.org

Tel: 800-359-7370

NR-13516\_58843146\_11MAY2010


<sup>&</sup>lt;sup>2</sup> The μg of DNA in the vials is greater than required by current specifications

<sup>&</sup>lt;sup>3</sup>7 days at 37°C in an aerobic atmosphere.

<sup>&</sup>lt;sup>4</sup>An extraction procedure was used that has been shown to consistently inactivate 100% of Gram-negative bacteria.

SUPPORTING INFECTIOUS DISEASE RESEARCH

## **Certificate of Analysis for NR-13516**



Lane 1: Invitrogen™ Tracklt 1 Kb Plus DNA Ladder™ Lane 2: 200 ng of NR-13516

NR-13516\_58843146\_11MAY2010

E-mail: <a href="mailto:contact@beiresources.org">contact@beiresources.org</a>