

Certificate of Analysis for HM-8

Propionibacterium acidifaciens, Oral Taxon 191, Strain F0233

Catalog No. HM-8

Product Description: Propionibacterium acidifaciens (P. acidifaciens), Oral Taxon 191, strain F0233 was isolated in March 1983 from the subgingival plaque of a 53-year-old black male patient with moderate periodontitis.

Lot^{1,2}: 59977627 Manufacturing Date: 09NOV2011

TEST	SPECIFICATIONS	RESULTS
Phenotypic Analysis Cellular morphology Colony morphology ³	Report results Report results	Gram-positive rod Circular, low convex, entire and light gray (Figure 1)
Genotypic Analysis Sequencing of 16S ribosomal RNA gene (~ 1340 base pairs)	≥ 99% identical to GenBank: FJ577252 (<i>Propionibacterium</i> sp., Oral Taxon 191, strain F0233)	≥ 99% identical to GenBank: FJ577252 (<i>Propionibacterium</i> sp., Oral Taxon 191, strain F0233)
Viability (post-freeze) ³	Growth	Growth

¹Quality control of HMP material is only performed to demonstrate that the material distributed by BEI Resources is identical to the deposited material. It should not be considered a complete characterization of the deposited organism.

³48 hours at 37°C and anaerobic atmosphere on Tryptic Soy Agar with 5% defibrinated sheep blood

Figure 1



Date: 13 FEB 2012

Signature:

Title: Technical Manager, BEI Authentication or designee

ATCC®, on behalf of BEI Resources, hereby represents and warrants that the material provided under this certificate has been subjected to the tests and procedures specified and that the results described, along with any other data provided in this certificate, are true and accurate to the best of ATCC®'s knowledge.

ATCC® is a trademark of the American Type Culture Collection.

You are authorized to use this product for research use only. It is not intended for human use.

BEI Resources E-mail: contact@beiresources.org Tel: 800-359-7370 www.beiresources.org

Fax: 703-365-2898

²P. acidifaciens, Oral Taxon 291, strain F0233 was deposited by Jacques Izard, Assistant Member of the Staff, Department of Molecular Genetics, The Forsyth Institute, Boston, Massachusetts. The deposited material was inoculated into Modified Reinforced Clostridial Broth (ATCC medium 2107) and incubated for 72 hours at 37°C and anaerobic atmosphere (80% N2:10% CO2:10% H2). The material from the initial growth was passaged once in Modified Reinforced Clostridial Broth for 48 hours at 37°C and anaerobic atmosphere to produce this lot.