

## **Certificate of Analysis for NR-3182**

## Influenza B Virus, B/Singapore/3/1964

## Catalog No. NR-3182

This reagent is the property of the U.S. Government.

**Product Description:** Pooled allantoic fluid from embryonated chicken eggs infected with influenza B virus, B/Singapore/3/1964.

Lot: V-302-041-000 Manufacturing Date: 22NOV1965

TEST	SPECIFICATIONS	RESULTS (SEP 2011)
Infectivity Using Embryonated Chicken Eggs <sup>1</sup> Hemagglutination assay	Positive	Positive
Sequencing of Hemagglutinin Gene (903 nucleotides)	Consistent with Influenza B/Singapore/3/1964 GenBank: M22946	99% identical to Influenza B/Singapore/3/1964 GenBank: M22946
Titer by CEID <sub>50</sub> Assay <sup>2,3</sup> in Embryonated Chicken Eggs <sup>1</sup>	Report results	1.6 × 10 <sup>4</sup> CEID <sub>50</sub> per mL
Sterility (21-day incubation)  Harpo's HTYE broth <sup>4</sup> , 37°C and 26°C, aerobic  Trypticase soy broth, 37°C and 26°C, aerobic  Sabouraud broth, 37°C and 26°C, aerobic  Sheep blood agar, 37°C, aerobic  Sheep blood agar, 37°C, anaerobic  Thioglycollate broth, 37°C, anaerobic  DMEM with 10% FBS, 37°C and 5% CO <sub>2</sub>	No growth	No growth
Mycoplasma Contamination  Agar and broth culture (14-day incubation at 37°C)  DNA detection by PCR of extracted Test Article nucleic acid	None detected None detected	None detected None detected

<sup>&</sup>lt;sup>1</sup>10 to11-day-old SPF Embryonated Chicken Eggs.

**Date:** 27 FEB 2012

Signature:

Title:

Technical Manager, BEI Authentication or designee

ATCC<sup>®</sup>, on behalf of BEI Resources, hereby represents and warrants that the material provided under this certificate has been subjected to the tests and procedures specified and that the results described, along with any other data provided in this certificate, are true and accurate to the best of ATCC<sup>®</sup>'s knowledge.

ATCC® is a trademark of the American Type Culture Collection.

You are authorized to use this product for research use only. It is not intended for human use.

BEI Resources www.beiresources.org E-mail: contact@beiresources.org
Tel: 800-359-7370

Fax: 703-365-2898

<sup>&</sup>lt;sup>2</sup>The Chicken Embryo Infectious Dose 50% (CEID<sub>50</sub>) is the dilution of virus that under the conditions of the assay can be expected to infect 50% of the inoculated embryonated chicken eggs, just as a Lethal Dose 50% (LD<sub>50</sub>) is expected to kill half of the animals exposed. A reciprocal of the dilution required to yield the CEID<sub>50</sub> provides a measure of the infectious titer (or infectivity) of a virus preparation.

<sup>&</sup>lt;sup>3</sup>2 days at 35°C in a humidified chamber without CO<sub>2</sub>.

<sup>&</sup>lt;sup>4</sup>Atlas, Ronald M. <u>Handbook of Microbiological Media</u>. 3rd ed. Ed. Lawrence C. Parks. Boca Raton: CRC Press, 2004, p. 798.