

Peptide Array, *Mycobacterium tuberculosis* Antigen 85B

Catalog No. NR-34828

This reagent is the tangible property of the U.S. Government.

For research use only. Not for human use.

Contributor:

BEI Resources

Manufacturer:

Bio-Synthesis, Inc.

Product Description:

The 69-peptide array spans antigen 85B of the bacterium *Mycobacterium tuberculosis* (UniProt: P0C5B9). The initial 40-amino-acid signal peptide has been excluded; therefore the array starts from a mature N-terminus.¹ Peptides are 13- or 15-mers, with 11 amino acid overlaps. Please see Table 1 for length and sequence of individual peptides.

Material Provided:

Peptides are provided lyophilized at 1 mg per vial.

Packaging/Storage:

Lyophilized peptides should be placed in a closed dry environment with dessicants and stored at -20°C or colder immediately upon arrival. A frost-free freezer should be avoided, since changes in moisture and temperature may affect peptide stability.

Solubility:

Solubility may vary based on the amino acid content of the individual peptide (see Table 2).

Reconstitution:

Lyophilized peptides should be warmed to room temperature for 1 hour prior to reconstitution. They should be dissolved at the highest possible concentration, and then diluted with water or buffer to the working concentration. Buffer should be added only after the peptide is completely in solution because salts may cause aggregation.

The most common dissolution process is 1 mg of peptide in 1 mL of sterile, distilled water. Peptides that are not soluble in water can almost always be dissolved in DMSO. Once a peptide is in solution, the DMSO can be slowly diluted with aqueous medium. Care must be taken to ensure that the peptide does not begin to precipitate out of solution. For cell-based assays, 0.5% DMSO in medium is usually well-tolerated.

Sonication and/or the addition of small amounts of dilute (10%) aqueous acetic acid for basic peptides, aqueous ammonia for acidic peptides or acetonitrile may also help

dissolution (see Table 2). These solvents may not be appropriate for certain applications, including cell-based assays.

Storage of Reconstituted Peptides:

The shelf life of peptides in solution is very limited, especially for sequences containing cysteine, methionine, tryptophan, asparagine, glutamine, and N-terminal glutamic acid. In general, peptides may be aliquoted and stored in solution for a few days at -20°C or colder. For long-term storage, peptides should be re-lyophilized and stored at -20°C or colder. If long-term storage in solution is unavoidable, peptide solutions should be buffered to pH 5 to 6, aliquoted and stored at -20°C or colder. Freeze-thaw cycles should be avoided.

Citation:

Acknowledgment for publications should read "The following reagent was obtained through BEI Resources, NIAID, NIH: Peptide Array, *Mycobacterium tuberculosis* Antigen 85B, NR-34828."

Biosafety Level: 1

Appropriate safety procedures should always be used with this material. Laboratory safety is discussed in the following publication: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control and Prevention, and National Institutes of Health. [Biosafety in Microbiological and Biomedical Laboratories](#). 5th ed. Washington, DC: U.S. Government Printing Office, 2009; see www.cdc.gov/biosafety/publications/bmb15/index.htm.

Disclaimers:

You are authorized to use this product for research use only. It is not intended for human use.

Use of this product is subject to the terms and conditions of the BEI Resources Material Transfer Agreement (MTA). The MTA is available on our Web site at www.beiresources.org.

While BEI Resources uses reasonable efforts to include accurate and up-to-date information on this product sheet, neither ATCC® nor the U.S. Government makes any warranties or representations as to its accuracy. Citations from scientific literature and patents are provided for informational purposes only. Neither ATCC® nor the U.S. Government warrants that such information has been confirmed to be accurate.

This product is sent with the condition that you are responsible for its safe storage, handling, use and disposal. ATCC® and the U.S. Government are not liable for any damages or injuries arising from receipt and/or use of this product. While reasonable effort is made to ensure authenticity and reliability of materials on deposit, the U.S. Government, ATCC®, their suppliers and contributors to BEI Resources are not liable for damages arising from the misidentification or misrepresentation of products.

Use Restrictions:

This material is distributed for internal research, non-commercial purposes only. This material, its product or its derivatives may not be distributed to third parties. Except as performed under a U.S. Government contract, individuals contemplating commercial use of the material, its products or its derivatives must contact the contributor to determine if a license is required. U.S. Government contractors may need a license before first commercial sale. This material may be subject to third party patent rights.

References:

1. Målen, H., F. S. Berven, K. E. Fladmark and H. G. Wiker. "Comprehensive Analysis of Exported Proteins from *Mycobacterium tuberculosis* H37Rv." *Proteomics* 7 (2007): 1702-1718. PubMed: 17443846.

ATCC® is a trademark of the American Type Culture Collection.



Table 1		
Peptide	Length	Sequence
1 of 69	15	1-FSRPGLPVEYLQVPS-15
2 of 69	15	5-GLPVEYLQVPSPSMG-19
3 of 69	15	9-EYLQVPSPSMGRDIK-23
4 of 69	15	13-VPSPSMGRDIKVQFQ-27
5 of 69	15	17-SMGRDIKVQFQSGGN-31
6 of 69	15	21-DIKVQFQSGGNNSPA-35
7 of 69	15	25-QFQSGGNNSPAVYLL-39
8 of 69	15	29-GGNNSPAVYLLDGLR-43
9 of 69	15	33-SPAVYLLDGLRAQDD-47
10 of 69	15	37-YLLDGLRAQDDYNGW-51
11 of 69	15	41-GLRAQDDYNGWDINT-55
12 of 69	15	45-QDDYNGWDINTPAFE-59
13 of 69	15	49-NGWDINTPAFEWYYQ-63
14 of 69	15	53-INTPAFEWYYQSGLS-67
15 of 69	15	57-AFEWYYQSGLSIVMP-71
16 of 69	15	61-YYQSGLSIVMPVGGQ-75
17 of 69	15	65-GLSIVMPVGGQSSFY-79
18 of 69	15	69-VMPVGGQSSFYSDWY-83
19 of 69	15	73-GGQSSFYSDWYSPAC-87
20 of 69	15	77-SFYSDWYSPACGKAG-91
21 of 69	15	81-DWYSPACGKAGCQTY-95
22 of 69	15	85-PACGKAGCQTYKWET-99
23 of 69	15	89-KAGCQTYKWETFLTS-103
24 of 69	15	93-QTYKWETFLTSELPQ-107
25 of 69	15	97-WETFLTSELPQWLSA-111
26 of 69	15	101-LTSELPQWLSANRAV-115
27 of 69	15	105-LPQWLSANRAVKPTG-119
28 of 69	15	109-LSANRAVKPTGSAAI-123
29 of 69	15	113-RAVKPTGSAAIGLSM-127
30 of 69	15	117-PTGSAAIGLSMAGSS-131
31 of 69	15	121-AAIGLSMAGSSAMIL-135
32 of 69	15	125-LSMAGSSAMILAAYH-139
33 of 69	15	129-GSSAMILAAYHPQQF-143

Table 1		
Peptide	Length	Sequence
34 of 69	15	133-MILAAAYHPQQFIYAG-147
35 of 69	15	137-AYHPQQFIYAGSLSA-151
36 of 69	15	141-QQFIYAGSLSALLDP-155
37 of 69	15	145-YAGSLSALLDPSQGM-159
38 of 69	15	149-LSALLDPSQGMGPSL-163
39 of 69	15	153-LDPSQGMGPSLIGLA-167
40 of 69	15	157-QGMGPSLIGLAMGDA-171
41 of 69	15	161-PSLIGLAMGDAGGYK-175
42 of 69	15	165-GLAMGDAGGYKAADM-179
43 of 69	15	169-GDAGGYKAADMWGPS-183
44 of 69	15	173-GYKAADMWGPSSDPA-187
45 of 69	15	177-ADMWGPSSDPAWERN-191
46 of 69	15	181-GPSSDPAWERNPTQ-195
47 of 69	15	185-DPAWERNPTQQIPK-199
48 of 69	15	189-ERNPTQQIPKLVAN-203
49 of 69	15	193-PTQQIPKLVANNTRL-207
50 of 69	15	197-IPKLVANNTRLWVYC-211
51 of 69	15	201-VANNTRLWVYCGNGT-215
52 of 69	15	205-TRLWVYCGNGTPNEL-219
53 of 69	15	209-VYCGNGTPNELGGAN-223
54 of 69	15	213-NGTPNELGGANIPAE-227
55 of 69	15	217-NELGGANIPAEFLEN-231
56 of 69	15	221-GANIPAEFLENFVRS-235
57 of 69	15	225-PAEFLENFVRSSNLK-239
58 of 69	15	229-LENFVRSSNLKFQDA-243
59 of 69	15	233-VRSSNLKFQDAYNAA-247
60 of 69	15	237-NLKFQDAYNAAGGHN-251
61 of 69	15	241-QDAYNAAGGHNAVFN-255
62 of 69	15	245-NAAGGHNAVFNFPN-259
63 of 69	15	249-GHNAVFNFPNPGTHS-263
64 of 69	15	253-VFNFPNPGTHSWEYW-267
65 of 69	15	257-PPNGTHSWEYWGACL-271
66 of 69	15	261-THSWEYWGACLNAMK-275
67 of 69	15	265-EYWGACLNAMKGDLQ-279
68 of 69	15	269-AQLNAMKGDLQSSLG-283
69 of 69	13	273-AMKGDLQSSLGAG-285

Table 2		
Peptide	Solubility	Solvent
1 of 69	1 mg/mL	0.05% trifluoroacetic acid in water
2 of 69	1 mg/mL	0.05% trifluoroacetic acid in water
3 of 69	1 mg/mL	0.05% trifluoroacetic acid in water
4 of 69	1 mg/mL	0.05% trifluoroacetic acid in water
5 of 69	1 mg/mL	Water
6 of 69	1 mg/mL	100% DMSO
7 of 69	1 mg/mL	70% acetonitrile in water
8 of 69	1 mg/mL	0.05% trifluoroacetic acid in water
9 of 69	1 mg/mL	0.05% trifluoroacetic acid in water
10 of 69	1 mg/mL	50% acetonitrile in water
11 of 69	1 mg/mL	70% acetonitrile in water
12 of 69	1 mg/mL	100% DMSO
13 of 69	1 mg/mL	50% acetonitrile in water
14 of 69	1 mg/mL	0.05% trifluoroacetic acid in water
15 of 69	1 mg/mL	100% DMSO
16 of 69	1 mg/mL	70% acetonitrile in water
17 of 69	1 mg/mL	100% DMSO
18 of 69	1 mg/mL	70% acetonitrile and 30% formic acid in water
19 of 69	1 mg/mL	70% acetonitrile and 30% formic acid in water
20 of 69	1 mg/mL	70% acetonitrile in water
21 of 69	1 mg/mL	70% acetonitrile in water
22 of 69	1 mg/mL	70% acetonitrile and 30% formic acid in water
23 of 69	1 mg/mL	70% acetonitrile and 30% formic acid in water
24 of 69	1 mg/mL	70% acetonitrile and 30% formic acid in water
25 of 69	1 mg/mL	70% acetonitrile in water
26 of 69	1 mg/mL	70% acetonitrile in water
27 of 69	1 mg/mL	70% acetonitrile in water
28 of 69	1 mg/mL	70% acetonitrile in water
29 of 69	1 mg/mL	70% acetonitrile and 30% formic acid in water
30 of 69	1 mg/mL	70% acetonitrile and 30% formic acid in water
31 of 69	1 mg/mL	70% acetonitrile and 30% formic acid in water
32 of 69	1 mg/mL	70% acetonitrile and 30% formic acid in water
33 of 69	1 mg/mL	70% acetonitrile and 30% formic acid in water
34 of 69	1 mg/mL	70% acetonitrile and 30% formic acid in water
35 of 69	1 mg/mL	0.05% trifluoroacetic acid in water
36 of 69	1 mg/mL	30% acetonitrile in water
37 of 69	1 mg/mL	30% acetonitrile in water
38 of 69	1 mg/mL	0.05% trifluoroacetic acid in water
39 of 69	1 mg/mL	0.05% trifluoroacetic acid in water
40 of 69	1 mg/mL	0.05% trifluoroacetic acid in water
41 of 69	1 mg/mL	30% acetonitrile in water
42 of 69	1 mg/mL	0.05% trifluoroacetic acid in water
43 of 69	1 mg/mL	0.05% trifluoroacetic acid in water
44 of 69	1 mg/mL	70% acetonitrile in water

Table 2		
Peptide	Solubility	Solvent
45 of 69	1 mg/mL	0.05% trifluoroacetic acid in water
46 of 69	1 mg/mL	0.05% trifluoroacetic acid in water
47 of 69	1 mg/mL	0.05% trifluoroacetic acid in water
48 of 69	1 mg/mL	0.05% trifluoroacetic acid in water
49 of 69	1 mg/mL	0.05% trifluoroacetic acid in water
50 of 69	1 mg/mL	30% formic acid in water
51 of 69	1 mg/mL	30% formic acid in water
52 of 69	1 mg/mL	30% formic acid in water
53 of 69	1 mg/mL	Water
54 of 69	1 mg/mL	Water
55 of 69	1 mg/mL	Water
56 of 69	1 mg/mL	50% acetic acid in water
57 of 69	1 mg/mL	30% formic acid in water
58 of 69	1 mg/mL	30% formic acid in water
59 of 69	1 mg/mL	30% formic acid in water
60 of 69	1 mg/mL	Water
61 of 69	1 mg/mL	30% formic acid in water
62 of 69	1 mg/mL	30% formic acid in water
63 of 69	1 mg/mL	30% formic acid in water
64 of 69	1 mg/mL	0.05% trifluoroacetic acid in water
65 of 69	1 mg/mL	0.05% trifluoroacetic acid in water
66 of 69	1 mg/mL	0.05% trifluoroacetic acid in water
67 of 69	1 mg/mL	0.05% trifluoroacetic acid in water
68 of 69	1 mg/mL	100% DMSO
69 of 69	1 mg/mL	70% acetonitrile in water