

Certificate of Analysis for NR-2719

Genomic DNA from Yersinia pestis, Strain Harbin 35

Catalog No. NR-2719

This reagent is the property of the U.S. Government.

Product Description: Genomic DNA was isolated from a preparation of Yersinia pestis, strain

Harbin 35.

Lot¹: 7398290 Manufacturing Date: 31MAY2006

TEST	SPECIFICATIONS	RESULTS
Sequencing of 16S Ribosomal RNA Gene (~ 510 base pairs)	Identical to source organism Consistent with Yersinia pestis Identical to GenBank AF282306	Identical to source organism Consistent with Yersinia pestis ² Identical to GenBank AF282306
Presence of Plasmids Confirmed by PCR Amplification 110 kb plasmid 70 kb plasmid 9.5 kb plasmid	Confirmed Confirmed Confirmed	Confirmed Confirmed Confirmed
Agarose Gel Electrophoresis	High molecular weight chromosomal DNA	High molecular weight chromosomal DNA (Figure 1)
Concentration by PicoGreen® Measurement	4 to 6 μg in 25 to 100 μL per vial	5.3 μg in 56 μL per vial (95 μg/mL)
Functional Activity by PCR Amplification 16S ribosomal RNA gene Virulence markers on plasmids 110 kb plasmid 70 kb plasmid 9.5 kb plasmid	~ 1500 bp amplicon ~ 1200 bp amplicon ~ 1900 bp amplicon ~ 400 bp amplicon	~ 1500 bp amplicon ~ 1200 bp amplicon ~ 1900 bp amplicon ~ 400 bp amplicon
OD ₂₆₀ /OD ₂₈₀ Ratio	1.7 to 1.9	1.9
Bacterial Inactivation 10% of total yield plated on agar; limit of detection is 0.6 colony-forming units per vial	No viable bacteria detected	No viable bacteria detected

Y. pestis, strain Harbin 35 was deposited by the Centers for Disease Control and Prevention, Division of Vector-Borne Infectious Diseases, Fort Collins, Colorado. The deposited material was prepared by culture of a single colony isolated from the CDC Reference Collection stock. The bacterial preparation used for extraction of genomic DNA was produced by propagation of the CDC deposited material (not NR-639 as the label suggests). Genomic DNA was extracted using proprietary technology.

²Also consistent other *Yersinia* species

Date: 24 MAY 2012 Signature:

Title: Technical Manager, BEI Authentication or designee

800-359-7370

Fax: 703-365-2898

E-mail: contact@beiresources.org


ATCC®, on behalf of BEI Resources, hereby represents and warrants that the material provided under this certificate has been subjected to the tests and procedures specified and that the results described, along with any other data provided in this certificate, are true and accurate to the best of ATCC®'s knowledge.

ATCC® is a trademark of the American Type Culture Collection.

You are authorized to use this product for research use only. It is not intended for human use.



Certificate of Analysis for NR-2719



Lane 1: Invitrogen™ TrackIt™ 1 Kb Plus DNA Ladder

Lane 2: 200 ng of NR-2719

800-359-7370

Fax: 703-365-2898