

Certificate of Analysis for HM-694

Bacteriophage Phi_2986B/Sa1912, Infectious for Staphylococcus aureus

Catalog No. HM-694

Product Description: Bacteriophage phi_2986B/Sa1912 was isolated from human blood. Bacteriophage phi_2986B/Sa1912 was isolated from human blood. Bacteriophage phi_2986B/Sa1912 is a reference genome for The Human Microbiome Project (HMP).

Lot^{1,2}: 59883079 Manufacturing Date: 01APR2011

TEST	SPECIFICATIONS	RESULTS
Plaque Morphology ³	Report results	Circular and pinpoint
Titer (Post-vial) Plaque-forming units (pfu) with Staphylococcus aureus	>10 ⁶ pfu per mL	1 x 10 ⁷ pfu per mL
Sterility	0.22 µm filtered	0.22 µm filtered
Bacterial Inactivation 10% of total yield plated on Tryptic Soy Agar with 5% defibrinated sheep blood ⁴	No viable bacteria detected	No viable bacteria detected

¹Quality control of HMP material is only performed to demonstrate that the product distributed by BEI Resources is identical to the deposited material. It should not be considered a complete characterization of the deposited material.

⁴7 days at 37°C in an aerobic atmosphere

Date: 13 AUG 2012 Signature

Title: Technical Manager, BEI Authentication or designee

ATCC®, on behalf of BEI Resources, hereby represents and warrants that the material provided under this certificate has been subjected to the tests and procedures specified and that the results described, along with any other data provided in this certificate, are true and accurate to the best of ATCC®s knowledge.

ATCC® is a trademark of the American Type Culture Collection.

You are authorized to use this product for research use only. It is not intended for human use.

BEI Resources

www.beiresources.org

Tel: 800-359-7370

Tel: 800-359-7370 Fax: 703-365-2898

HM-694 59883079 13AUG2012

²The deposited material was added to an LB soft agar overlay (0.5%) supplemented with 10 mM MgSO₄ containing the phage host, *Staphylococcus aureus*, strain Sa1912. The soft agar overlay was added to an LB Agar kolle supplemented with 10 mM MgSO₄ and incubated 24 hours at 30°C in an aerobic atmosphere. After two additional passages under the above conditions, the bacteriophage was harvested to produce this lot.

³Lysis was observed on the soft agar overlay after 24 hours at 30°C in an aerobic atmosphere