

Certificate of Analysis for NR-19690

Vibrio cholerae Gateway® Clone Set, Recombinant in Escherichia coli, Plate 12

Catalog No. NR-19690

This reagent is the tangible property of the U.S. Government.

Product Description: The *Vibrio cholerae* Gateway[®] Clone Set consists of 46 plates which contain 3813 validated clones from *Vibrio cholerae*, strain El Tor N16961 cloned in *Escherichia coli* DH10B-T1 cells.

<u>Note:</u> Production in the 96-well format has increased risk of cross-contamination between adjacent wells. Individual clones should be purified (e.g. single colony isolation and purification using good microbiological practices) and sequence-verified prior to use. BEI Resources cannot confirm or validate any clone not identified on the plate information table found on the Product Information Sheet.

Lot¹: 59716134 Manufacturing Date: 09FEB2011

TEST	SPECIFICATIONS	RESULTS
Direct Sequencing of an Entry Vector Clone (Well A04)	Confirmation of plate orientation Confirmation of clone identity	Orientation confirmed Clone identity confirmed
Viability (post-freeze) ²	Report results	Growth from inoculated wells
Purity (post-freeze) ²	Report results	Wells with growth exhibit single colony type consistent with Escherichia coli

¹⁸ hours at 37°C and aerobic atmosphere on Luria Bertani agar with 50 μg/mL kanamycin

Date: 15 NOV 2012 Signature:

Title: Technical Manager, BEI Authentication or designee

ATCC®, on behalf of BEI Resources, hereby represents and warrants that the material provided under this certificate has been subjected to the tests and procedures specified and that the results described, along with any other data provided in this certificate, are true and accurate to the best of ATCC®'s knowledge.

ATCC® is a trademark of the American Type Culture Collection.

You are authorized to use this product for research use only. It is not intended for human use.

BEI Resources www.beiresources.org E-mail: contact@beiresources.org
Tel: 800-359-7370

Fax: 703-365-2898

²23 hours under propagation conditions