

Certificate of Analysis for NR-41788

Late-Immune Dengue Virus Type 3 Antisera

Catalog No. NR-41788

This reagent is the property of the U.S. Government.

Product Description: NR-41788 is a pool of late-immune sera from a non-human primate (NHP) that was immunized with dengue virus type 3, Sleman/1978.¹ Antisera was collected at approximately 30-day intervals from Day 120 through Day 390, and then pooled.

Lot: 61258683 Manufacturing Date: AUG2011

TEST	SPECIFICATIONS	RESULTS
Focus Reduction Neutralization Test (FRNT) 50% Titer ² in Vero Cells ³		
Dengue virus type 1, Western Pacific	Report results	< 16
Dengue virus type 2, New Guinea C	Report results	< 16
Dengue virus type 3, Sleman/1978	Report results	4896
Dengue virus type 4, Dominica/814669/1981	Report results	< 16
Japanese encephalitis virus, SA 14-14-2	Report results	< 16
Yellow fever virus, 17D	Report results	< 16
Focus Reduction Neutralization Test (FRNT) 50% Titer ² in C6/36 Insect Cells ⁴		
Dengue virus type 1, Western Pacific	Report results	210
Dengue virus type 2, New Guinea C	Report results	358
Dengue virus type 3, Sleman/1978	Report results	2012
Dengue virus type 4, Dominica/814669/1981	Report results	32
Japanese encephalitis virus, SA 14-14-2	Report results	ND ⁵
Yellow fever virus, 17D	Report results	ND

¹The dengue virus type 3, Sleman/1978 preparation that was used to immunize the NHP was propagated in Vero cells.

Date: 10 MAY 2013

Signature: Derothy C. Goung

Title:

Technical Manager, BEI Authentication or designee

ATCC[®], on behalf of BEI Resources, hereby represents and warrants that the material provided under this certificate has been subjected by the contributor to the tests and procedures specified and that the results described, along with any other data provided in this certificate, are true and accurate to the best of ATCC[®]'s knowledge.

ATCC® is a trademark of the American Type Culture Collection.

You are authorized to use this product for research use only. It is not intended for human use.

BEI Resources www.beiresources.org E-mail: contact@beiresources.org
Tel: 800-359-7370

Fax: 703-365-2898

²Serum dilution at which 50% neutralization occurs

³The viruses used in the FRNT assay were propagated in Vero cells and the FRNT assay was performed in Vero cells.

⁴The viruses used in the FRNT assay were propagated in C6/36 cells and the FRNT assay was performed in C6/36 cells.

⁵Not done