

Certificate of Analysis for NR-32113

Neisseria meningitidis, Strain 70030

Catalog No. NR-32113

Product Description: Neisseria meningitidis (N. meningitidis), strain 70030 was isolated in 1992 from an infected patient in Burkina Faso. N. meningitidis, strain 70030 was deposited as a member of serogroup A.

Lot¹: 60860453 Manufacturing Date: 18APR2012

TEST	SPECIFICATIONS	RESULTS
Phenotypic Analysis		
Cellular morphology	Report results	Gram-negative diplococci
Colony morphology ²	Report results	Circular, convex, entire, gray and translucent (Figure 1)
Biochemical tests:		,
Remel RapID [™] NH System	Consistent with N. meningitidis	Consistent with N. meningitidis
Genotypic Analysis Sequencing of 16S ribosomal RNA gene (~1470 base pairs)	Consistent with N. meningitidis	Consistent with <i>N. meningitidis</i> ³
Viability (post-freeze) ²	Growth	Growth

¹N. meningitidis, strain 70030 was deposited by Lee H. Harrison, M.D., Professor, Departments of Medicine and Infectious Diseases, University of Pittsburgh School of Medicine, Pittsburgh, Pennsylvania, USA. The deposited material was inoculated into Haemophilus Test Media (ATCC® medium 2167) and incubated for 24 hours at 37°C in an aerobic atmosphere with 5% CO₂. Broth was then added to kolles and incubated for 24 hours at 37°C in an aerobic atmosphere with 5% CO₂ to produce this lot.

Figure '



Date: 22 MAY 2013

Signature:

Title: Technical Manager, BEI Authentication or designee

ATCC®, on behalf of BEI Resources, hereby represents and warrants that the material provided under this certificate has been subjected to the tests and procedures specified and that the results described, along with any other data provided in this certificate, are true and accurate to the best of ATCC®'s knowledge.

ATCC® is a trademark of the American Type Culture Collection.

You are authorized to use this product for research use only. It is not intended for human use.

BEI Resources www.beiresources.org E-mail: contact@beiresources.org

Tel: 800-359-7370 Fax: 703-365-2898

²24 hours at 37°C in an aerobic atmosphere with 5%CO₂ on Chocolate Agar (ATCC® medium 814)

³≥ 99% identical to *N. meningitidis*, strain 70030 (GenBank: ANSH01000001)