

Mycobacterium tuberculosis*, Strain H37Rv, Gamma-Irradiated Whole Cells*Catalog No. NR-14819**

This reagent is the tangible property of the U.S. Government.

Product Description: *Mycobacterium tuberculosis*, strain H37Rv, was grown to late-log phase in glycerol-alanine-salts medium and inactivated by exposure to 2.4 megaRads of ionizing gamma irradiation using a ¹³⁷Cs source.

Lot: 61699472**Manufacturing Date: 11MAR2013**

Production and QC testing were performed by Colorado State University. The Colorado State University documentation for bulk lot 13.Rv.2.2.5.5.WCg is attached.

ATCC[®], on behalf of BEI Resources, hereby represents and warrants that the material provided under this certificate has been subjected by the contractor to the tests and procedures specified and that the results described, along with any other data provided in this certificate, are true and accurate to the best of ATCC[®]'s knowledge.

ATCC[®] is a trademark of the American Type Culture Collection.

You are authorized to use this product for research use only. It is not intended for human use.



WORK SHEET FOR γ -IRRADIATED CELLS

General Information

Lot Number: 13.Rv.2.2.5.5.WCg

Species: M. tuberculosis

Strain: H37Rv

Growth Conditions:

Medium: GAS

of Fernbachs: 8

of Roller bottles: 40

Inoculation Date: 2.5.13

Harvest Date: 2.19.13

SOP # used for Harvest: PP003.3 1/11/13 version

Wet Weight: 95.3g

Date irradiated: 3.11.13 By: JB

Alamar Blue QC Information

Date Started: 3.28.13 Date Checked: 3.30.13

Positive Control: Positive X Negative


OD =.1 change: 0.0454

Sample: Positive Negative X

OD=.1 change: 0.00003

Aliquot Information


1 x 95.3g in 230ml falcon tube



(Research Associate)

4-11-13

(date)



(Laboratory Supervisor)

4/11/2013

(date)

Initial 0 hr 570/600					
raw	3-28-13	0.79	0.78	0.78	0.77
13.Rv.2.2.5.5.WCg		0.78	0.77	0.77	0.77
		0.77	0.76	0.76	0.75
		0.82	0.83	0.84	0.83

24hr 570/600					
	3-29-13	0.77	0.73	0.73	0.73
		0.77	0.73	0.73	0.73
		0.76	0.73	0.73	0.73
		0.97	0.79	0.78	0.77

48 hr 570/600					
	3.30.13	0.77	0.74	0.74	0.73
		0.77	0.73	0.73	0.73
		0.76	0.73	0.73	0.73
		2.99	2.73	0.76	0.75

Initial Minus Blank				
	OD .1	OD .01	OD .001	OD.0001
Sample	0.03	0.03	0.02	0.01
	0.02	0.02	0.01	0.01
	0.01	0.00	0.00	-0.01
Pos. Cont.	0.07	0.08	0.08	0.07

24hr Minus Blank				
	OD .1	OD .01	OD .001	OD.0001
Sample	0.03	-0.01	-0.01	-0.01
	0.03	-0.01	-0.01	-0.01
	0.02	-0.01	-0.01	-0.01
Pos. Cont.	0.23	0.05	0.04	0.03

48hr Minus Blank				
	OD .1	OD .01	OD .001	OD.0001
Sample	0.02	-0.01	-0.01	-0.01
	0.03	-0.01	-0.01	-0.02
	0.02	-0.01	-0.02	-0.02
Pos. Cont.	2.25	1.98	0.02	0.01

Initial Average				
	OD .1	OD .01	OD .001	OD.0001
Sample	0.02	0.01	0.01	0.00
Pos. Ctrl.	0.07	0.08	0.08	0.07

24hr Average				
	OD .1	OD .01	OD .001	OD.0001
Sample	0.02	-0.01	-0.01	-0.01
Pos. Ctrl.	0.23	0.05	0.04	0.03

48hr Average				
	OD .1	OD .01	OD .001	OD.0001
Sample	0.02	-0.01	-0.01	-0.01
Pos. Ctrl.	2.25	1.98	0.02	0.01

	Sample .1	Sample .01	Pos .1	Pos .01
0	0.02	0.01	0.07	0.08
24	0.02	-0.01	0.23	0.05
48	0.02	-0.01	2.25	1.98

