

Certificate of Analysis for NR-12181

Salmonella enterica subsp. enterica, Strain 14028s \(\Delta STM3120 \) (Serovar Typhimurium)

Catalog No. NR-12181


Product Description: Salmonella enterica (S. enterica) subsp. enterica, strain 14028s Δ STM3120 (serovar Typhimurium) was derived from strain 14028s. The Δ STM3120 mutant was produced by creating a PCR product with STM3120 homologous sequences at the 5' and 3' ends of a linear fragment containing a kanamycin resistance cassette. S. enterica subsp. enterica, strain 14028s was transformed, and insertion of the kan cassette in place of STM3120 was confirmed by PCR. The final non-polar deletions were constructed by elimination of the kan cassette.

Lot¹: 61723944 Manufacturing Date: 03MAY2013

TEST	SPECIFICATIONS	RESULTS
Phenotypic Analysis		
Cellular morphology	Gram-negative rod	Gram-negative rod
Colony morphology ²	Report results	Circular, convex, entire, smooth and gray (Figure 1)
Analytical profile index (API [®] 20 E) ³	Consistent with Salmonella spp.	Consistent with Salmonella spp.
Genotypic Analysis		
Sequencing of 16S ribosomal RNA gene (~ 1480 base pairs)	Consistent with S. enterica	Consistent with S. enterica subsp. enterica
Riboprinter [®] Microbial Characterization System	Consistent with S. enterica	Consistent with S. enterica subsp. enterica serovar Typhimurium
Serogroup Analysis	Report results	Serogroup B ⁴
Viability (post-freeze) ²	Growth	Growth

¹NR-12181 was produced by inoculation of the deposited material into Tryptic Soy broth and grown 24 hours in an aerobic atmosphere at 37°C. Broth inoculum was added to kolles which was grown 24 hours at 37°C and aerobic atmosphere to produce this lot.

Figure 1



Date: 29 AUG 2013

Signature: Hald onch

Title: Technical Manager, BEI Authentication or designee

ATCC®, on behalf of BEI Resources, hereby represents and warrants that the material provided under this certificate has been subjected to the tests and procedures specified and that the results described, along with any other data provided in this certificate, are true and accurate to the best of ATCC®'s knowledge.

ATCC® is a trademark of the American Type Culture Collection.

You are authorized to use this product for research use only. It is not intended for human use.

BEI Resources

www.beiresources.org

E-mail: contact@beiresources.org

Tel: 800-359-7370 Fax: 703-365-2898

²24 hours at 37°C and aerobic atmosphere on Tryptic Soy agar with 5% defibrinated sheep blood

³Additional serological tests are required to determine Salmonella species using API[®] 20 E

⁴Serogroup B contains serotype Typhimurium in addition to other serotypes