SUPPORTING INFECTIOUS DISEASE RESEARCH

# N2 Neuraminidase (NA) Protein with N-Terminal Histidine Tag from Influenza Virus, A/Brisbane/10/2007 (H3N2), Recombinant from Baculovirus

### Catalog No. NR-43784

This reagent is the tangible property of the U.S. Government.

**Product Description:** A recombinant form of the N2 neuraminidase (NA) protein from influenza A virus A/Brisbane/10/2007 (H3N2) containing an N-terminal histidine tag was produced in Sf9 insect cells using a baculovirus expression vector system and purified by nickel affinity chromatography.

### Lot: 62191927

# Manufacturing Date: 15NOV2013

TEST	SPECIFICATIONS	RESULTS
Appearance	Clear and colorless	Clear and colorless
Purity by SDS-PAGE Densitometry Scan	Protein band of interest represents ≥ 95% of total staining intensity	Protein band of ~ 55 kDa accounts for ~ 95% of total staining intensity (Figure 1)
Identification by Western Blot Analysis Polyclonal anti-N2 NA <sup>1</sup> Monoclonal anti-histidine tag <sup>2</sup>	Reactive Reactive	Reactive (Figure 2A) Reactive (Figure 2B)
Concentration by Bradford Assay <sup>3</sup>	Report results	651 μg per mL
<b>Final Product</b> Quantity per vial Volume per vial	Report results Report results	195 μg 300 μL
Functional Activity Neuraminidase activity in fluorescent enzymatic assay	Report results	8.5 × 10 <sup>9</sup> relative fluorescence units per hour per mg protein <sup>4</sup>
Filtration	0.2 µm filtered	0.2 µm filtered

<sup>1</sup>BEI Resources NR-3137, Polyclonal Anti-Influenza Virus N2 Neuraminidase (NA), A/Singapore/1/1957 (H2N2), (antiserum, Goat) (1:1000 dilution)

<sup>2</sup>R & D Systems<sup>®</sup> (Cat. No. MAB050) (IgG1) (1:1000 dilution)

<sup>3</sup>Using BSA as a standard

<sup>4</sup>Using serial dilutions of NR-43784 and 0.15 mM 2'-(4-methylumbelliferyl)-α-D-N-acetylneuraminic acid (4-MUNANA), Sigma (Cat. No. M8639), as described in Wetherall, N.T., et al. "Evaluation of Neuraminidase Enzyme Assays Using Different Substrates to Measure Susceptibility of Influenza Virus Clinical Isolates to Neuraminidase Inhibitors: Report of the Neuraminidase Inhibitor Susceptibility Network." J. Clin. Microbiol. 41 (2003): 742-750. PubMed: 12574276.

Date: 20 JAN 2014

Signature: Michael Q. Cmla

Title:

Technical Manager, BEI Authentication or designee

ATCC<sup>®</sup>, on behalf of BEI Resources, hereby represents and warrants that the material provided under this certificate has been subjected to the tests and procedures specified and that the results described, along with any other data provided in this certificate, are true and accurate to the best of ATCC<sup>®</sup>'s knowledge.



ATCC<sup>®</sup> is a trademark of the American Type Culture Collection. You are authorized to use this product for research use only. It is not intended for human use.


**BEI Resources** www.beiresources.org E-mail: contact@beiresources.org Tel: 800-359-7370 Fax: 703-365-2898

# bei resources

# **Certificate of Analysis for NR-43784**

SUPPORTING INFECTIOUS DISEASE RESEARCH


### Figure 1: SDS-PAGE



Lane 1: Precision Plus™ Protein Standard Lane 2: NR-43784, 1 µg Lane 2: NR-43784, 2 µg


### Figure 2: Western Blot Analysis

### A. Polyclonal Anti-N2 NA



Lane 1: MagicMark™ XP Protein Standard Lane 2: NR-43784, 0.5 µg

### B. Monoclonal Anti-Histidine Tag



Lane 1: MagicMark<sup>™</sup> XP Protein Standard Lane 2: NR-43784, 2 µg

E-mail: <u>contact@beiresources.org</u> Tel: 800-359-7370 Fax: 703-365-2898