

Staphylococcus aureus, Strain HIP12899

Catalog No. NR-46081

Product Description: *Staphylococcus aureus* (*S. aureus*), strain HIP12899 was isolated in 1996 from a wound in Alaska, USA. *S. aureus*, strain HIP12899 is a methicillin-resistant *S. aureus* (MRSA) strain.

Lot¹: 62280966

Manufacturing Date: 16JAN2014

TEST	SPECIFICATIONS	RESULTS
Phenotypic Analysis Cellular morphology Colony morphology ² Motility (wet mount) Hemolysis ² Biochemical characterization Catalase Coagulase ³ VITEK [®] 2 Compact (GP card)	Gram-positive cocci Report results Report results Report results Positive Report results Consistent with <i>S. aureus</i>	Gram-positive cocci Circular, low convex, entire, smooth and cream (Figure 1) Non-motile β-hemolytic Positive Positive Consistent with <i>S. aureus</i>
Antibiotic Susceptibility Profile VITEK [®] (AST-GP71 card) ⁴ Beta-lactamase ⁵ Cefoxitin screen Benzylpenicillin Oxacillin Gentamicin Ciprofloxacin Levofloxacin Moxifloxacin Clindamycin (inducible resistance) Erythromycin Clindamycin Quinupristin/dalfopristin Linezolid Daptomycin Vancomycin Minocycline Tetracycline Tigecycline Nitrofurantoin Rifampicin Trimethoprim/sulfamethoxazole Etest [®] antibiotic test strips ⁶ Chloramphenicol ⁷ Teicoplanin ⁷	Report results Report results Report results Resistant Sensitive Report results Report results Report results Report results Report results Sensitive Report results Sensitive Report results Report results Report results Report results Report results Report results Report results Sensitive Report results Sensitive	Positive Positive Resistant (≥ 0.5 µg/mL) Resistant (≥ 4 µg/mL) Sensitive (≤ 0.5 µg/mL) Sensitive (≤ 0.5 µg/mL) Sensitive (= 0.25 µg/mL) Sensitive (≤ 0.25 µg/mL) Negative Sensitive (≤ 0.25 µg/mL) Sensitive (≤ 0.25 µg/mL) Sensitive (≤ 0.25 µg/mL) Sensitive (= 2 µg/mL) Sensitive (= 0.25 µg/mL) Sensitive (= 1 µg/mL) Sensitive (≤ 0.5 µg/mL) Sensitive (≤ 1 µg/mL) Sensitive (≤ 0.12 µg/mL) Sensitive (= 32 µg/mL) Sensitive (≤ 0.5 µg/mL) Sensitive (≤ 10 µg/mL) Sensitive (= 2 µg/mL) Sensitive (= 0.75 µg/mL)
Genotypic Analysis Sequencing of 16S ribosomal RNA gene (~ 1490 base pairs) Riboprinter [®] Microbial Characterization System	Consistent with <i>S. aureus</i> Consistent with <i>S. aureus</i>	Consistent with <i>S. aureus</i> Consistent with <i>S. aureus</i>
Viability (post-freeze)²	Growth	Growth

¹*S. aureus*, strain HIP12899 was deposited to BEI Resources as part of the NARSA collection. NR-46081 was produced by inoculation of the deposited material into Tryptic Soy broth and grown 21 hours at 37°C in an aerobic atmosphere. Broth inoculum was added to Tryptic Soy agar

with 5% defibrinated sheep blood kolles which were grown 23 hours at 37°C in an aerobic atmosphere to produce this lot. Purity of this lot was assessed for 7 days under propagation conditions.

²22 hours at 37°C and aerobic atmosphere on Tryptic Soy agar with 5% defibrinated sheep blood

³4 hours at 37°C in rabbit serum with 0.15% EDTA (Coagulase Plasma BBL™ 240827)


⁴Minimum Inhibitory Concentration (MIC); MIC Interpretation Guideline: CLSI M100-S22 (2012)

⁵The production of beta-lactamase was detected using a Cefinase™ Paper Disc (BBL™ 231650).

⁶24 hours at 37°C and aerobic atmosphere on Mueller Hinton agar

⁷For both chloramphenicol (bioMérieux Etest® 412308) and teicoplanin (bioMérieux Etest® 412459), a MIC ≤ 8 µg/mL is sensitive, a MIC = 16 µg/mL is intermediate, and a MIC ≥ 32 µg/mL is resistant.

Figure 1



Date: 27 MAR 2014

Signature: 

Title: Technical Manager, BEI Authentication or designee

ATCC®, on behalf of BEI Resources, hereby represents and warrants that the material provided under this certificate has been subjected to the tests and procedures specified and that the results described, along with any other data provided in this certificate, are true and accurate to the best of ATCC®'s knowledge.

ATCC® is a trademark of the American Type Culture Collection.

You are authorized to use this product for research use only. It is not intended for human use.

