

Mycobacterium tuberculosis*, Strain CDC1551, Gamma-Irradiated Whole Cells*Catalog No. NR-14820**

This reagent is the tangible property of the U.S. Government.

Product Description: *Mycobacterium tuberculosis* (*M. tuberculosis*), strain CDC1551 was grown to late-log phase in glycerol-alanine-salts medium and inactivated by exposure to 2.4 mRads of ionizing gamma irradiation using a ¹³⁷Cs source. Confirmation of inactivation was performed by Alamar Blue assay. A dose of 2.4 mRads of gamma irradiation kills *M. tuberculosis* to a 10²⁰ degree of certainty while maintaining 93% to 95% of the biological activity of the enzymes. The bacilli are harvested by filtration and washed with PBS pH 7.4.

Lot: 62795330**Manufacturing Date: 23JUN2014**

Production and QC testing were performed by Colorado State University (CSU). The CSU documentation for lot 14.CSU93.3.4.6.WCg.b is attached. Each vial contains 10 g *Mycobacterium tuberculosis*, strain CDC1551, gamma-irradiated whole cells.

ATCC[®], on behalf of BEI Resources, hereby represents and warrants that the material provided under this certificate has been subjected by the contractor to the tests and procedures specified and that the results described, along with any other data provided in this certificate, are true and accurate to the best of ATCC[®]'s knowledge.

ATCC[®] is a trademark of the American Type Culture Collection.

You are authorized to use this product for research use only. It is not intended for human use.



WORK SHEET FOR γ -IRRADIATED CELLS

General Information

Lot Number: 14.CSU93.3.4.6.WCg.b
Species: M. tuberculosis
Strain: CDC1551

Growth Conditions: Medium: GAS
of Fernbachs: 8 # of Roller bottles: 40
Inoculation Date: 3.4.14 Harvest Date: 3.18.14
SOP # used for Harvest: PP003.3 1/11/13 version

Wet Weight: 73.7g

Date irradiated: 6.23.14 By: JB

Alamar Blue QC Information

Date Started: 7.9.14 Date Checked: 7.11.14

Positive Control: Positive X Negative


OD =.01 change: 0.0194

Sample: Positive Negative X


OD=.01 change: 0.0004

Aliquot Information

1 x 73.7g in 230ml falcon tube



(Research Associate) 7-14-14
(date)



(Laboratory Supervisor) 7/15/14
(date)

Initial 0 hr 570/600	
raw	0.69
7-9-14.	0.75
14.CSU83.3.4.6.WCg.b	0.72
	0.70
	0.69
	0.74
	0.71
	0.71

Initial Minus Blank			
OD .1	OD .01	OD .001	OD.0001
Sample	0.03	-0.02	-0.05
	0.03	0.01	-0.02
	0.03	0.01	-0.01
Pos. Cont.	0.05	0.02	0.00

Initial Average			
OD .1	OD .01	OD .001	OD.0001
Sample	0.03	0.00	-0.03
Pos. Ctrl.	0.05	0.02	0.00

Sample .1	Sample .01	Pos .1	Pos .01
0	0.03	0.00	0.05
24	0.13	0.01	4.55
48	0.25	0.02	6.21

24hr 570/600	
7-10-14.	0.91
	0.85
	0.84
	5.28
	1.27
	0.78
	0.74

24hr Minus Blank			
OD .1	OD .01	OD .001	OD.0001
Sample	0.17	0.01	0.00
	0.12	0.01	0.00
	0.11	0.01	0.00
Pos. Cont.	4.55	0.53	0.05

24hr Average			
OD .1	OD .01	OD .001	OD.0001
Sample	0.13	0.01	0.00
Pos. Ctrl.	4.55	0.53	0.05

48 hr 570/600	
7-11-14.	1.08
	0.95
	0.94
	6.96
	1.70
	0.82
	0.75

48hr Minus Blank			
OD .1	OD .01	OD .001	OD.0001
Sample	0.34	0.02	0.00
	0.21	0.02	0.00
	0.20	0.01	0.00
Pos. Cont.	6.21	0.96	0.08

48hr Average			
OD .1	OD .01	OD .001	OD.0001
Sample	0.25	0.02	0.00
Pos. Ctrl.	6.21	0.96	0.08

570/600 vs Time

