

Certificate of Analysis for NR-99

Escherichia coli, Strain CDC (ATCC® 12807™)

Catalog No. NR-99

(Derived from ATCC® 12807™)

Product Description: The atypical enteropathogenic *Escherichia coli* (EPEC) is a Gram-negative, rod-shaped bacterium that causes diarrheal outbreaks and chronic diarrhea, especially in infants.

Lot¹: 3663825 Manufacturing Date: 01APR2004

TEST	SPECIFICATIONS	RESULTS
Phenotypic Analysis		
Cellular morphology	Gram-negative rods	Gram-negative rods
Colony morphology		
Tryptic soy agar	Circular, low convex, entire,	Circular, low convex, entire,
	transparent	transparent
Hektoen enteric agar	Bright yellow-orange	Bright yellow-orange (see Figure 1A)
Sorbitol-MacConkey agar	Report results	Colorless (see Figure 1B)
CHROMagar™ O157	Report results	Mauve/blue (see Figure 1C)
Analytical profile index (API [®] 20 E)	Consistent with Escherichia coli	Consistent with Escherichia coli
Genotypic Analysis of Extracted Nucleic Acid		
Sequencing of 16S rRNA gene (~ 650 bp)	Consistent with Escherichia coli	Consistent with Escherichia coli
PCR amplification of plasmid markers		
EAF (pEAF)	Report results	Positive
<i>bfpA</i> (pEAF)	Report results	Positive
elt (pJY11)	Negative	Negative
esth and/or estp (pCS1)	Negative	Negative
invE (pINV)	Negative	Negative
CVD432 (pAA)	Negative	Negative
aggR (pAA)	Negative	Negative
PCR amplification of chromosomal markers		
eaeA	Report results	Negative
stx1	Negative	Negative
sx2	Negative	Negative
astA	Report results	Negative
Viability (post-freeze) ³	Growth	Growth

¹NR-99 was produced by inoculation of ATCC[®] 12807™ into Trypticase Soy Broth (BD 211768).

³16 hours at 37°C and aerobic atmosphere in LB Broth (ATCC® 60-2100).







Figure 1

Biodefense and Emerging Infections Research Resources Repository P.O. Box 4137 Manassas, VA 20108-4137 USA

www.beiresources.org

© 2007/2008 American Type Culture Collection (ATCC). All rights reserved. Page 1 of 2

Fax: 703-365-2898

E-mail: contact@beiresources.org

800-359-7370

²Also consistent with *Shigella* species.



Certificate of Analysis for NR-99

Date: 03 MAR 2008 **Signature:** Signature on File

Title: Technical Manager, BEI Authentication or designee

ATCC®, on behalf of BEI Resources, hereby represents and warrants that the material provided under this certificate has been subjected to the tests and procedures specified and that the results described, along with any other data provided in this certificate, are true and accurate to the best of ATCC®'s knowledge.

ATCC® is a trademark of the American Type Culture Collection. You are authorized to use this product for research use only. It is not intended for human use.

Fax: 703-365-2898

E-mail: contact@beiresources.org

800-359-7370