

***Salmonella enterica* subsp. *enterica*, Strain 14028s (Serovar Typhimurium) Single-Gene Deletion Mutant Library, Plate 011/012_Cm**

Catalog No. NR-29415

For research use only. Not for human use.

Contributor:

Helene Andrews-Polymeris, Associate Professor, Department of Microbial Pathogenesis and Immunology, College of Medicine, Texas A&M Health Science Center, Bryan, Texas, USA and Michael McClelland, Professor, Scientific Director, Vaccine Research Institute of San Diego, San Diego, California, USA

Manufacturer:

BEI Resources

Product Description:

Production in the 96-well format has increased risk of cross-contamination between adjacent wells. Individual clones should be purified (e.g. single colony isolation and purification using good microbiological practices) and sequence-verified prior to use. BEI Resources does not confirm or validate individual mutants provided by the contributor.

The *Salmonella enterica* (*S. enterica*) subsp. *enterica*, strain 14028s (serovar Typhimurium) targeted single-gene deletion (SGD) mutant library contains a total of 3,773 individual genes deleted simultaneously across two collections of mutants differentiated by kanamycin or chloramphenicol resistance.^{1,2} The chloramphenicol-resistant mutant collection contains 3,376 mutants distributed among eleven 96-well plates. In these mutants, a single gene is replaced by a cassette conferring the chloramphenicol resistance gene, and includes 4 double mutants that contain both kanamycin and chloramphenicol cassettes. Deletions were confirmed by the depositor.^{1,2} The parent strain *S. enterica* subsp. *enterica*, strain 14028s is available from BEI Resources as NR-12154.

Genes were targeted for deletion by primers designed to preserve the first and last 30 bases of each deleted gene.² Gene replacement followed a modified Lambda-Red technique, with an added T7 RNA polymerase promoter positioned in plasmid [pCLF3](#) to generate a gene-specific transcript from the *Salmonella* genome directly downstream of each mutant.²⁻⁴ Detailed information about each mutant is shown in Table 1.

Material Provided:

Each inoculated well of the 96-well plate contains approximately 50 µL of culture in Luria Bertani (LB) broth containing 20 µg/mL chloramphenicol supplemented with 10% glycerol.

Packaging/Storage:

NR-29415 was packaged aseptically in a 96-well plate. The product is provided frozen and should be stored at -80°C or colder immediately upon arrival. For long-term storage, the vapor phase of a liquid nitrogen freezer is recommended. Freeze-thaw cycles should be avoided.

Growth Conditions:

Media:

LB broth or agar containing 20 µg/mL chloramphenicol

Incubation:

Temperature: 37°C

Atmosphere: Aerobic

Propagation:

1. Scrape top of frozen well with a pipette tip and streak onto agar plate.
2. Incubate the plates at 37°C for 24 hours.

Citation:

Acknowledgment for publications should read "The following reagent was obtained through BEI Resources, NIAID, NIH: *Salmonella enterica* subsp. *enterica*, Strain 14028s (Serovar Typhimurium) Single-Gene Deletion Mutant Library, Plate 011/012_Cm, NR-29415."

Biosafety Level: 2

Appropriate safety procedures should always be used with this material. Laboratory safety is discussed in the following publication: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control and Prevention, and National Institutes of Health. Biosafety in Microbiological and Biomedical Laboratories. 5th ed. Washington, DC: U.S. Government Printing Office, 2009; see www.cdc.gov/biosafety/publications/bmb15/index.htm.

Disclaimers:

You are authorized to use this product for research use only. It is not intended for human use.

Use of this product is subject to the terms and conditions of the BEI Resources Material Transfer Agreement (MTA). The MTA is available on our Web site at www.beiresources.org.

While BEI Resources uses reasonable efforts to include accurate and up-to-date information on this product sheet, neither ATCC® nor the U.S. Government makes any warranties or representations as to its accuracy. Citations from scientific literature and patents are provided for informational purposes only. Neither ATCC® nor the U.S. Government warrants that such information has been confirmed to be accurate.

This product is sent with the condition that you are responsible for its safe storage, handling, use and disposal. ATCC® and the U.S. Government are not liable for any damages or injuries arising from receipt and/or use of this product. While reasonable effort is made to ensure authenticity and reliability of materials on deposit, the U.S. Government, ATCC®, their suppliers and contributors to BEI Resources are not liable for damages arising from the

misidentification or misrepresentation of products.

Use Restrictions:

This material is distributed for internal research, non-commercial purposes only. This material, its product or its derivatives may not be distributed to third parties. Except as performed under a U.S. Government contract, individuals contemplating commercial use of the material, its products or its derivatives must contact the contributor to determine if a license is required. U.S. Government contractors may need a license before first commercial sale.

References:

1. Andrews-Polymeris, H. and M. McClelland, Personal Communication.
2. Porwollik, S., et al. "Defined Single-Gene and Multi-Gene Deletion Mutant Collections in *Salmonella enterica*

sv Typhimurium." PLoS One 9 (2014): e99820. PubMed: 25007190.

3. Santiviago, C. A., et al. "Analysis of Pools of Targeted *Salmonella* Deletion Mutants Identifies Novel Genes Affecting Fitness during Competitive Infection in Mice." PLoS Pathog. 5 (2009): e1000477. PubMed: 19578432.
4. Datsenko, K. A. and B. L. Wanner. "One-step Inactivation of Chromosomal Genes in *Escherichia coli* K-13 Using PCR Products." Proc. Natl. Acad. Sci. USA 97 (2000): 6640-6645. PubMed: 10829079.

ATCC® is a trademark of the American Type Culture Collection.



Table 1: *S. enterica* subsp. *enterica*, Strain 14028s (Serovar Typhimurium) Single-Gene Deletion Mutant Library, Plate 011/012_Cm^{1,2}

Well Position	Deleted Region of Chromosome	Deletion Start	Deletion End	Locus Tag	14028S Gene Start	14028S Gene End	14028S Gene Strand	Description
A01	chr_14028S	1341493	1341610	STM14_1498	1341463	1341640	-	
A02	chr_14028S	1359299	1359487	STM14_1529	1359269	1359517	+	Putative cytoplasmic protein
A03	chr_14028S	1440196	1441776	STM14_1640	1440166	1441806	+	Short chain acyl-CoA synthetase
A04	chr_14028S	1560873	1561171	STM14_1778	1560843	1561201	-	
A05	chr_14028S	1618035	1618862	STM14_1850	1618005	1618892	+	Putative dehydrogenase protein
A07	chr_14028S	1691102	1694023	STM14_1929	1691072	1694053	-	Putative virulence protein
A08	chr_14028S	1756622	1756900	STM14_1998	1756592	1756930	+	Putative membrane transporter of cations
A09	chr_14028S	1837652	1838470	STM14_2094	1837622	1838500	-	Putative catalase
A10	chr_14028S	1970942	1971796	STM14_2256	1970912	1971826	-	Integral membrane protein
A11	chr_14028S	2037567	2038064	STM14_2348	2037537	2038094	+	Putative intracellular protease/amidase
A12	chr_14028S	2144388	2144489					
B01	chr_14028S	1343547	1343662	STM14_1504	1343517	1343692	-	
B02	chr_14028S	1359626	1359715	STM14_1530	1359596	1359745	+	Putative cytoplasmic protein
B03	chr_14028S	1446709	1447800	STM14_1647	1446679	1447830	+	Putative acyl-CoA dehydrogenase
B04	chr_14028S	1579679	1580266	STM14_1803	1579649	1580296	+	Putative ABC transporter permease component
B05	chr_14028S	1620695	1621243	STM14_1854	1620665	1621273	+	Putative hydrogenase maturation protease
B06	chr_14028S	1637926	1638774	STM14_1874	1637896	1638804	-	Putative cytoplasmic protein
B07	chr_14028S	1694080	1696164	STM14_1930	1694050	1696194	-	Putative virulence protein
B08	chr_14028S	1769256	1769534	STM14_2013	1769226	1769564	-	
B09	chr_14028S	1852026	1852280	STM14_2111	1851996	1852310	-	Putative inner membrane protein
B10	chr_14028S	1973524	1973646	STM14_2262	1973494	1973676	+	
B11	chr_14028S	2050650	2050745	STM14_2366	2050620	2050775	-	Putative inner membrane protein
B12	chr_14028S	2144538	2144804	STM14_2496	2144508	2144834	+	Putative cytoplasmic protein
C01	chr_14028S	1344050	1344334	STM14_1505	1344020	1344364	+	Lysozyme inhibitor
C02	chr_14028S	1359858	1360343	STM14_1531	1359828	1360373	-	Chorismate mutase
C03	chr_14028S	1450426	1451232	STM14_1650	1450396	1451262	+	Quinate/shikimate dehydrogenase
C04	chr_14028S	1580336	1581178	STM14_1804	1580306	1581208	+	Putative ABC transporter periplasmic component
C05	chr_14028S ³	1621309	1621992	STM14_1855	1621279	1622022	+	Putative Ni/Fe hydrogenase 1 b-type cytochrome subunit
C06	chr_14028S	1643288	1644679	STM14_1879	1643258	1644709	-	Putative Na ⁺ /H ⁺ antiporter
C07	chr_14028S	1696269	1696472	STM14_1931	1696239	1696502	+	Putative inner membrane protein
C08	chr_14028S	1773264	1774049	STM14_2017	1773234	1774079	+	Putative lipoprotein
C09	chr_14028S	1864445	1865914	STM14_2127	1864415	1865944	+	TPR repeat-containing protein
C10 ⁴	chr_14028S	1329656	1329796	STM14_1480	1329626	1329826	+	PagJ
C11	chr_14028S	2057809	2058954	STM14_2377	2057779	2058984	+	Lysine-N-methylase
C12	chr_14028S	2190257	2192473	STM14_2555	2190227	2192503	+	Thiosulfate reductase precursor
D01	chr_14028S	1345097	1345309	STM14_1508	1345067	1345339	-	Putative cytoplasmic protein
D02	chr_14028S	1375232	1376368	STM14_1561	1375202	1376398	-	Arylsulfatase regulator

Well Position	Deleted Region of Chromosome	Deletion Start	Deletion End	Locus Tag	14028S Gene Start	14028S Gene End	14028S Gene Strand	Description
D03	chr_14028S	1451359	1452534	STM14_1651	1451329	1452564	+	Putative transport protein
D04	chr_14028S	1593481	1594440	STM14_1819	1593451	1594470	-	Putative dehydrogenase
D05	chr_14028S	1628327	1629553	STM14_1862	1628297	1629583	+	Putative transport protein
D06	chr_14028S	1644752	1645894	STM14_1880	1644722	1645924	-	Putative aminotransferase
D07	chr_14028S	1700990	1701160	STM14_1937	1700960	1701190	+	Putative inner membrane protein
D08	chr_14028S	1775652	1776701					
D09	chr_14028S	1920285	1920398	STM14_2186	1920255	1920428	+	Putative cytoplasmic protein
D10	chr_14028S ^{5b}	1328870	1329498	STM14_1479	1328944	1329528	-	Phage tail assembly-like protein
D11	chr_14028S	2060837	2062180	STM14_2380	2060807	2062210	-	Flagellar capping protein
D12	chr_14028S	2212513	2213883	STM14_2576	2212483	2213913	+	Undecaprenol-phosphate galactosephosphotransferase
E01	chr_14028S	1346327	1347310	STM14_1511	1346297	1347340	-	Putative cytoplasmic protein
E02	chr_14028S	1417124	1417996	STM14_1612	1417094	1418053	+	Putative outer membrane protein
E03	chr_14028S	1476361	1479363	STM14_1677	1476331	1479393	+	Tetrathionate reductase complex subunit A
E04	chr_14028S	1602384	1602851	STM14_1830	1602354	1602881	+	Competence damage-inducible protein A
E06	chr_14028S	1646067	1648082	STM14_1881	1646037	1648112	+	Putative glycosyl hydrolase
E07	chr_14028S	1701253	1701591	STM14_1938	1701223	1701621	+	Hypothetical protein
E08	chr_14028S	1776975	1777151	STM14_2020	1776945	1777199	+	Putative outer membrane lipoprotein
E09	chr_14028S	1936313	1937854	STM14_2209	1936181	1937884	-	Putative diguanylate cyclase/phosphodiesterase
E10	chr_14028S	2015953	2017764	STM14_2324	2015923	2017794	-	Putative penicillin-binding protein
E11	chr_14028S	2066937	2067263	STM14_2387	2066907	2067293	-	Putative 50S ribosomal protein
E12	chr_14028S	2214015	2215388	STM14_2577	2213985	2215418	+	Phosphomannomutase
F01	chr_14028S	1352532	1353269	STM14_1518	1352502	1353299	-	Putative ABC-type transport system ATPase component
F02	chr_14028S	1418226	1418480	STM14_1613	1418196	1418510	-	Putative inner membrane protein
F03	chr_14028S	1479416	1480378	STM14_1678	1479386	1480408	+	Tetrathionate reductase complex subunit C
F05	chr_14028S	1632647	1634095	STM14_1865	1632617	1634125	+	Hypothetical protein
F06	chr_14028S	1663831	1664595	STM14_1896	1663744	1664625	-	Hypothetical protein
F07	chr_14028S	1717365	1717742	STM14_1958	1717335	1717772	-	Cryptic aminoglycoside resistance protein
F10	chr_14028S	2019646	2021664	STM14_2327	2019616	2021694	+	Flagellar biosynthesis protein FlhA
F12	chr_14028S	2215435	2216814	STM14_2578	2215405	2216844	+	Mannose-1-phosphate guanylyltransferase
G01	chr_14028S	1353323	1353853	STM14_1519	1353293	1353883	-	Putative ABCtype transport system ATPase component
G02	chr_14028S	1419564	1419710	STM14_1615	1419534	1419740	-	Hypothetical protein
G03	chr_14028S	1520127	1520921	STM14_1730	1520097	1520951	+	Putative cell wall-associated hydrolase
G04	chr_14028S	1616422	1617480	STM14_1848	1616392	1617510	-	Putative outer membrane protein
G06	chr_14028S	1666412	1666732	STM14_1899	1666322	1666762	-	Putative cytoplasmic protein
G07	chr_14028S	1732647	1732931	STM14_1975	1732617	1732961	+	Putative inner membrane protein
G08	chr_14028S	1799815	1800349	STM14_2047	1799672	1800379	+	Hypothetical protein
G09	chr_14028S	1967231	1967440	STM14_2251	1967201	1967470	+	Putative cytoplasmic protein
G10	chr_14028S	2021717	2022808	STM14_2328	2021687	2022838	-	Flagellar biosynthesis protein FlhB
G11	chr_14028S	2136039	2136452	STM14_2489	2136009	2136482	-	Putative endoprotease
G12	chr_14028S	2216875	2217759	STM14_2579	2216845	2217789	+	Rhamnosyl transferase
H01	chr_14028S	1355869	1356432	STM14_1523	1355815	1356462	-	Hypothetical protein
H02	chr_14028S	1420093	1421256	STM14_1616	1420063	1421286	+	O-antigen polymerase
H03	chr_14028S ⁷	1559683	1560756	STM14_1777	1559653	1560786	+	Outer membrane protein N precursor
H04	chr_14028S	1617681	1617962	STM14_1849	1617651	1617992	+	Putative hydrogenase
H05	chr_14028S	1636572	1636796	STM14_1870	1636542	1636826	+	Putative cytoplasmic protein
H06	chr_14028S	1682226	1682387	STM14_1917	1682196	1682417	+	Putative outer membrane lipoprotein
H07	chr_14028S	1735338	1736009	STM14_1979	1735308	1736039	-	Putative ABC-type polar amino acid transport system ATPase component
H08	chr_14028S	1807261	1809183	STM14_2058	1807231	1809213	-	RNase II stability modulator
H09	chr_14028S ⁸	1969270	1969578					
H10	chr_14028S	2034175	2034231	STM14_2343	2034145	2034261	-	Hypothetical protein
H11	chr_14028S	2140253	2141923	STM14_2492	2140223	2141953	-	Putative periplasmic protein

¹All information in this table was provided by the depositor at the time of deposition.

²Construction of each listed mutant has been confirmed either by PCR or by an array indicating a functional T7 promoter in the correct location and orientation. Mutants that did not produce such a signal on the array, or did not yield the expected mutant product during PCR, are not listed.

³Deleted region also overlaps STM14_1856 (1.1%)

⁴Alternative deleted regions: 1974614 - 1974754, 2784599 - 2784739

⁵Alternative deleted region: 1974911 - 1975732

⁶Deleted region also overlaps STM14_1478 (3.2%)

⁷Deleted region also overlaps STM14_1776 (2.6%)

⁸Alternative deleted region: 1969270 - 1979297