

***Salmonella enterica* subsp. *enterica*, Strain 14028s (Serovar Typhimurium) Single-Gene Deletion Mutant Library, Plate 007/008_Cm**

Catalog No. NR-29413

For research use only. Not for human use.

Contributor:

Helene Andrews-Polymeris, Associate Professor, Department of Microbial Pathogenesis and Immunology, College of Medicine, Texas A&M Health Science Center, Bryan, Texas, USA and Michael McClelland, Professor, Scientific Director, Vaccine Research Institute of San Diego, San Diego, California, USA

Manufacturer:

BEI Resources

Product Description:

Production in the 96-well format has increased risk of cross-contamination between adjacent wells. Individual clones should be purified (e.g. single colony isolation and purification using good microbiological practices) and sequence-verified prior to use. BEI Resources does not confirm or validate individual mutants provided by the contributor.

The *Salmonella enterica* (*S. enterica*) subsp. *enterica*, strain 14028s (serovar Typhimurium) targeted single-gene deletion (SGD) mutant library contains a total of 3,773 individual genes deleted simultaneously across two collections of mutants differentiated by kanamycin or chloramphenicol resistance.^{1,2} The chloramphenicol-resistant mutant collection contains 3,376 mutants distributed among eleven 96-well plates. In these mutants, a single gene is replaced by a cassette conferring the chloramphenicol resistance gene, and includes 4 double mutants that contain both kanamycin and chloramphenicol cassettes. Deletions were confirmed by the depositor.^{1,2} The parent strain *S. enterica* subsp. *enterica*, strain 14028s is available from BEI Resources as NR-12154.

Genes were targeted for deletion by primers designed to preserve the first and last 30 bases of each deleted gene.² Gene replacement followed a modified Lambda-Red technique, with an added T7 RNA polymerase promoter positioned in plasmid [pCLF3](#) to generate a gene-specific transcript from the *Salmonella* genome directly downstream of each mutant.²⁻⁴ Detailed information about each mutant is shown in Table 1.

Material Provided:

Each inoculated well of the 96-well plate contains approximately 50 µL of culture in Luria Bertani (LB) broth containing 20 µg/mL chloramphenicol supplemented with 10% glycerol.

Packaging/Storage:

NR-29413 was packaged aseptically in a 96-well plate. The product is provided frozen and should be stored at -80°C or colder immediately upon arrival. For long-term storage, the vapor phase of a liquid nitrogen freezer is recommended. Freeze-thaw cycles should be avoided.

Growth Conditions:

Media:

LB broth or agar containing 20 µg/mL chloramphenicol

Incubation:

Temperature: 37°C

Atmosphere: Aerobic

Propagation:

1. Scrape top of frozen well with a pipette tip and streak onto agar plate.
2. Incubate the plates at 37°C for 24 hours.

Citation:

Acknowledgment for publications should read “The following reagent was obtained through BEI Resources, NIAID, NIH: *Salmonella enterica* subsp. *enterica*, Strain 14028s (Serovar Typhimurium) Single-Gene Deletion Mutant Library, Plate 007/008_Cm, NR-29413.”

Biosafety Level: 2

Appropriate safety procedures should always be used with this material. Laboratory safety is discussed in the following publication: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control and Prevention, and National Institutes of Health. Biosafety in Microbiological and Biomedical Laboratories. 5th ed. Washington, DC: U.S. Government Printing Office, 2009; see www.cdc.gov/biosafety/publications/bmb15/index.htm.

Disclaimers:

You are authorized to use this product for research use only. It is not intended for human use.

Use of this product is subject to the terms and conditions of the BEI Resources Material Transfer Agreement (MTA). The MTA is available on our Web site at www.beiresources.org.

While BEI Resources uses reasonable efforts to include accurate and up-to-date information on this product sheet, neither ATCC® nor the U.S. Government makes any warranties or representations as to its accuracy. Citations from scientific literature and patents are provided for informational purposes only. Neither ATCC® nor the U.S. Government warrants that such information has been confirmed to be accurate.

This product is sent with the condition that you are responsible for its safe storage, handling, use and disposal. ATCC® and the U.S. Government are not liable for any damages or injuries arising from receipt and/or use of this product. While reasonable effort is made to ensure authenticity and reliability of materials on deposit, the U.S. Government, ATCC®, their suppliers and contributors to BEI Resources are not liable for damages arising from the

misidentification or misrepresentation of products.

Use Restrictions:

This material is distributed for internal research, non-commercial purposes only. This material, its product or its derivatives may not be distributed to third parties. Except as performed under a U.S. Government contract, individuals contemplating commercial use of the material, its products or its derivatives must contact the contributor to determine if a license is required. U.S. Government contractors may need a license before first commercial sale.

References:

1. Andrews-Polymeris, H. and M. McClelland, Personal Communication.
2. Porwollik, S., et al. "Defined Single-Gene and Multi-Gene Deletion Mutant Collections in *Salmonella enterica*

sv Typhimurium." PLoS One 9 (2014): e99820. PubMed: 25007190.

3. Santiviago, C. A., et al. "Analysis of Pools of Targeted *Salmonella* Deletion Mutants Identifies Novel Genes Affecting Fitness during Competitive Infection in Mice." PLoS Pathog. 5 (2009): e1000477. PubMed: 19578432.
4. Datsenko, K. A. and B. L. Wanner. "One-step Inactivation of Chromosomal Genes in *Escherichia coli* K-13 Using PCR Products." Proc. Natl. Acad. Sci. USA 97 (2000): 6640-6645. PubMed: 10829079.

ATCC® is a trademark of the American Type Culture Collection.



Table 1: *S. enterica* subsp. *enterica*, Strain 14028s (Serovar Typhimurium) Single-Gene Deletion Mutant Library, Plate 007/008_Cm^{1,2}

Well Position	Deleted Region of Chromosome	Deletion Start	Deletion End	Locus Tag	14028S Gene Start	14028S Gene End	14028S Gene Strand	Description
A01	chr_14028S	1454310	1454609	STM14_1655	1454280	1454639	+	Putative cytoplasmic protein
A02	chr_14028S	1730158	1730814	STM14_1971	1730128	1730844	+	Putative inner membrane protein
A03	chr_14028S	2002539	2003374	STM14_2307	2002455	2003404	-	
A04	chr_14028S	2290123	2291028	STM14_2645	2290093	2291058	-	Putative sugar kinase
A05	chr_14028S	2385596	2385979	STM14_2759	2385566	2386009	+	Putative cytoplasmic protein
A06	chr_14028S	2772309	2773175	STM14_3155	2772279	2773205	-	Putative transcriptional regulator
A07	chr_14028S	3026636	3027493	STM14_3458	3026606	3027523	-	Putative periplasmic binding protein
A08	chr_14028S	3311428	3312244	STM14_3788	3311398	3312274	+	
A10	chr_14028S	3997670	3998083	STM14_4563	3997640	3998113	+	Phosphotransferase system mannitol/fructose-specific IIA component
A11	chr_14028S	4439562	4440431	STM14_5055	4439532	4440461	+	Putative phage glycosyltransferase
A12	chr_14028S	4798786	4799028	STM14_5442	4798756	4799058	-	Putative cytoplasmic protein
B01	chr_14028S	1474063	1474740	STM14_1675	1474033	1474770	+	Putative cytoplasmic protein
B02	chr_14028S	1733898	1734599	STM14_1977	1733868	1734629	-	Putative periplasmic binding protein
B03	chr_14028S	2004061	2004600	STM14_2308	2004031	2004630	-	Hypothetical protein
B04	chr_14028S	2294415	2295362	STM14_2652	2294385	2295392	+	Putative outer membrane lipoprotein
B05	chr_14028S	2386417	2386884	STM14_2760	2386387	2386914	+	Putative phage tail fiber assembly protein
B06	chr_14028S	2785464	2786228	STM14_3169	2785434	2786258	+	Phage tail assembly-like protein
B07	chr_14028S	3080971	3081834	STM14_3520	3080941	3081864	+	3-hydroxyisobutyrate dehydrogenase
B08	chr_14028S	3318900	3319898	STM14_3799	3318870	3319928	+	Putative methyl-accepting chemotaxis protein
B09	chr_14028S	3840387	3841025	STM14_4386	3840357	3841055	+	Long polar fimbrial chaperone precursor
B10	chr_14028S	4005966	4007222	STM14_4573	4005936	4007252	+	Putative L-fucose permease
B12	chr_14028S	4819666	4820280	STM14_5464	4819687	4820310	-	DNA-binding transcriptional activator BglJ
C01	chr_14028S	1474812	1475978	STM14_1676	1474782	1476008	+	Putative regulatory protein
C02	chr_14028S	1736066	1736686	STM14_1980	1736036	1736716	-	Putative ABC-type transport system membrane component
C03	chr_14028S	2044024	2044290	STM14_2357	2043994	2044320	+	Putative glucose-6-phosphate dehydrogenase
C04	chr_14028S	2295438	2297867	STM14_2653	2295408	2297897	+	Putative outer membrane protein
C05	chr_14028S	2389407	2390678	STM14_2765	2389377	2390708	-	Hypothetical protein
C06	chr_14028S	2832610	2833200	STM14_3233	2832580	2833230	+	Anti-RNA polymerase sigma factor SigE
C07	chr_14028S	3176243	3176590	STM14_3613	3176213	3176620	+	Hypothetical protein
C08	chr_14028S	3414143	3414466	STM14_3909	3414113	3414496	-	Hypothetical protein
C10	chr_14028S	4172895	4173215	STM14_4755	4172865	4173245	+	Putative inner membrane protein
C11	chr_14028S	4593517	4594044	STM14_5217	4593487	4594074	+	Putative regulatory protein
C12	chr_14028S	4841752	4842399	STM14_5493	4841722	4842429	+	Putative periplasmic chaperone protein
D01	chr_14028S	1484134	1485033	STM14_1683	1484104	1485063	+	Putative inner membrane protein
D02	chr_14028S	1736883	1738373	STM14_1981	1736853	1738403	-	Putative inner membrane protein
D03	chr_14028S	2062662	2062970	STM14_2382	2062632	2063000	-	Flagellar biosynthesis protein FliT

Well Position	Deleted Region of Chromosome	Deletion Start	Deletion End	Locus Tag	14028S Gene Start	14028S Gene End	14028S Gene Strand	Description
D04	chr_14028S	2297941	2298564	STM14_2654	2297911	2298594	+	Putative periplasmic chaperone protein
D06	chr_14028S	2907656	2908414	STM14_3311	2907626	2908444	-	Putative cytoplasmic protein
D07	chr_14028S	3207608	3208291	STM14_3656	3207578	3208321	+	Putative fimbrial chaperone
D08	chr_14028S	3441789	3442607	STM14_3940	3441723	3442637	-	Putative fructose-1-phosphate kinase
D09	chr_14028S	3892270	3892800	STM14_4445	3892240	3892830	-	Mannitol repressor protein
D10	chr_14028S	4276166	4276789	STM14_4874	4276136	4276819	-	Putative outer membrane protein
D11	chr_14028S	4689752	4690714	STM14_5324	4689722	4690744	-	Myo-inositol 2-dehydrogenase
D12	chr_14028S	4842537	4843166	STM14_5494	4842507	4843196	+	Putative outer membrane protein
E01	chr_14028S	1622003	1623745	STM14_1856	1621973	1623775	+	Putative hydrogenase-1 large subunit
E02	chr_14028S	1766779	1767750	STM14_2010	1766749	1767780	-	Putative integral membrane protein
E03	chr_14028S	2138502	2140136	STM14_2491	2137998	2140166	-	TPR repeat-containing protein
E04	chr_14028S	2298680	2299150	STM14_2655	2298650	2299180	+	Putative fimbrial-like protein
E05	chr_14028S	2428340	2429482	STM14_2807	2428310	2429512	+	Putative dehydratase
E06	chr_14028S	2913940	2914515	STM14_3320	2913910	2914545	+	Putative hexulose 6 phosphate synthase
E07	chr_14028S	3208392	3210821	STM14_3657	3208362	3210851	+	Putative outer membrane usher protein
E08	chr_14028S	3522045	3522878	STM14_4030	3522015	3522908	+	N-acetylneuraminate lyase
E09	chr_14028S	3894223	3894846	STM14_4449	3894193	3894876	-	Putative inner membrane lipoprotein
E10	chr_14028S	4292635	4293297	STM14_4892	4292605	4293327	-	Putative regulatory protein
E11	chr_14028S	4715375	4715761	STM14_5350	4715345	4715791	+	Putative transposase
E12	chr_14028S	4860674	4861699	STM14_5512	4860644	4861729	+	Putative major fimbrial subunit
F01	chr_14028S	1629790	1631286	STM14_1863	1629760	1631316	+	PhoPQ-regulated protein
F04	chr_14028S	2325215	2325856	STM14_2684	2325185	2325886	+	Putative glutathione S-transferase
F05	chr_14028S	2462529	2462846	STM14_2841	2462499	2462876	-	Hypothetical protein
F06	chr_14028S	2937838	2941431	STM14_3345	2937808	2941461	-	Putative ABC transporter protein
F07	chr_14028S	3211001	3211501	STM14_3659	3210971	3211681	+	Putative fimbrial-like protein
F08	chr_14028S	3539204	3539809	STM14_4049	3539174	3539839	+	Putative regulatory protein
F09	chr_14028S	3986271	3989009	STM14_4550	3986241	3989039	+	Putative transcriptional regulator
F10	chr_14028S	4295901	4296800	STM14_4897	4295871	4296830	+	Putative transcriptional repressor
F11	chr_14028S	4728547	4729674	STM14_5370	4728517	4729704	-	Putative inner membrane protein
F12	chr_14028S	4861800	4862297	STM14_5513	4861770	4862327	+	Putative fimbrial subunit
G01	chr_14028S	1653565	1653834	STM14_1885	1653535	1653864	+	Acid-resistance protein
G02	chr_14028S	1774403	1775201	STM14_2018	1774373	1775231	-	
G03	chr_14028S	2249063	2249491	STM14_2609	2249033	2249521	+	Putative colanic acid biosynthesis acetyltransferase WcaB
G04	chr_14028S	2345849	2346676	STM14_2711	2345819	2346706	-	Putative phosphoserine phosphatase
G05	chr_14028S	2599136	2599942	STM14_2993	2599106	2599972	+	Pyridoxal kinase
G06	chr_14028S	2943854	2945974	STM14_3348	2943824	2946004	+	Outer membrane receptor FepA
G07	chr_14028S	3296458	3296925	STM14_3768	3296428	3296955	+	Putative monoamine oxidase
G08	chr_14028S	3788260	3788919	STM14_4332	3788230	3788949	+	Putative regulatory protein
G09	chr_14028S	3992516	3992815	STM14_4556	3992486	3992845	-	Putative cytoplasmic protein
G10	chr_14028S	4301766	4302581	STM14_4903	4301736	4302611	-	Aldolase
G11	chr_14028S	4744826	4748281	STM14_5386	4744796	4748311	-	Putative DNA helicase
G12	chr_14028S	4862375	4864852	STM14_5514	4862345	4864882	+	Putative fimbrial usher protein
H01	chr_14028S	1719063	1719569	STM14_1960	1719033	1719608	+	Putative periplasmic protein
H02	chr_14028S	1972157	1972711	STM14_2258	1972127	1972741	-	Putative inner membrane protein
H03	chr_14028S	2250483	2252582	STM14_2611	2250453	2252612	+	Tyrosine kinase
H04	chr_14028S	2383713	2385482	STM14_2758	2383683	2385512	-	O-antigen acetylase
H05	chr_14028S	2600085	2601317	STM14_2994	2600055	2601347	-	Putative regulatory protein
H06	chr_14028S	2965416	2965805	STM14_3371	2965386	2965835	+	Hypothetical protein
H07	chr_14028S	3297943	3298761	STM14_3770	3297913	3298791	-	Putative transcriptional regulator
H08	chr_14028S	3836216	3836683	STM14_4383	3836186	3836713	+	Long polar fimbrial minor protein
H09	chr_14028S	3993552	3994352	STM14_4559	3993522	3994382	+	Putative fructose-1,6-bisphosphate aldolase
H10	chr_14028S	4438015	4439502	STM14_5054	4437985	4439532	+	Putative inner membrane protein
H11	chr_14028S	4790469	4791818	STM14_5436	4790439	4791848	+	Type I restriction enzyme specificity protein
H12	chr_14028S	4864958	4865581	STM14_5515	4864928	4865611	+	Putative fimbrial chaperone

¹All information in this table was provided by the depositor at the time of deposition.

²Construction of each listed mutant has been confirmed either by PCR or by an array indicating a functional T7 promoter in the correct location and orientation. Mutants that did not produce such a signal on the array, or did not yield the expected mutant product during PCR, are not listed.