

N8 Neuraminidase (NA) Protein from Influenza Virus, A/chicken/Netherlands/14015531/2014 (H5N8), Recombinant from Baculovirus

Catalog No. NR-50134

This reagent is the tangible property of the U.S. Government.

Product Description: A recombinant form of the N8 neuraminidase (NA) protein from influenza A virus, A/chicken/Netherlands/14015531/2014 (H5N8) was produced in Sf9 insect cells using a baculovirus expression vector system. The protein was purified by nickel affinity chromatography and then treated with thrombin to remove the tetramerization domain and the histidine tag.

Lot: 64268413

Manufacturing Date: 15DEC2016

TEST	SPECIFICATIONS	RESULTS
Appearance	Clear and colorless	Clear and colorless
SDS-PAGE	Protein band of interest represents ≥ 95% of total staining intensity	Dominant band of ~ 40 kDa accounts for ~ 95% of total staining intensity (Figure 1)
Identification by Western Blot Analysis Polyclonal anti-N8 NA ¹ Monoclonal anti-histidine tag ²	Reactive Not reactive	Reactive (Figure 2) Not reactive (Figure 3)
Concentration by Bradford Assay³	Report results	143 µg per mL
Final Product Quantity per vial Volume per vial	Report results Report results	61 µg 430 µL
Functional Activity Neuraminidase activity in fluorescent enzymatic assay	Report results	7.4 × 10 ¹⁰ relative fluorescence units per hour per mg protein ⁴
Endotoxin Content (Limulus Amoebocyte Lysate Assay)	Report results	12.3 EU per mg
Filtration	0.2 µm sterile-filtered	0.2 µm sterile-filtered

¹BEI Resources NR-3145, Polyclonal Anti-Influenza Virus N8 (Neq2) Neuraminidase (NA), A/equine/Miami/1/63 (H3N8), (antiserum, Goat) (1:2000 dilution)

²R & D Systems® (Cat. No. MAB050) (IgG1) (1:1000 dilution)

³Using BSA as a standard

⁴Using serial dilutions of NR-50111 and 0.15 mM 2'-(4-methylumbelliferyl)-α-D-N-acetylneuraminic acid (4-MUNANA), Sigma (Cat. No. M8639), as described in Wetherall, N.T., et al. "Evaluation of Neuraminidase Enzyme Assays Using Different Substrates to Measure Susceptibility of Influenza Virus Clinical Isolates to Neuraminidase Inhibitors: Report of the Neuraminidase Inhibitor Susceptibility Network." *J. Clin. Microbiol.* 41 (2003): 742-750. PubMed: 12574276

Date: 31 JAN 2017

Signature: 

BEI Resources Authentication


ATCC®, on behalf of BEI Resources, hereby represents and warrants that the material provided under this certificate has been subjected to the tests and procedures specified and that the results described, along with any other data provided in this certificate, are true and accurate to the best of ATCC®'s knowledge.

ATCC® is a trademark of the American Type Culture Collection.

You are authorized to use this product for research use only. It is not intended for human use.




Figure 1: SDS-PAGE




Lane 1: Precision Plus Protein™ Standard
 Lane 2: NR-50134, 2.0 µg
 Lane 3: BSA, 2.0 µg

Figure 2: Western Blot with Polyclonal Anti-N8 NA



Lane 1: MagicMark™ XP Protein Standard
 Lane 2: NR-50134, 0.5 µg

Figure 3: Western Blot with Monoclonal Anti-Histidine Tag



Lane 1: MagicMark™ XP Protein Standard
 Lane 2: NR-50134, 0.5 µg