

## Genomic DNA from *Streptococcus anginosus*, Strain F0211

Catalog No. HM-282D

**For research use only. Not for human use.**

### Contributor:

Jacques Izard, Ph.D., Assistant Member of the Staff, Department of Molecular Genetics, The Forsyth Institute, Boston, Massachusetts, USA

### Product Description:

Genomic DNA was extracted from a preparation of *Streptococcus anginosus* (*S. anginosus*), strain F0211. Note: The HMP material used for DNA extraction was taxonomically classified by the depositor. Quality control of HMP organisms is only performed to demonstrate that the material produced by BEI Resources is identical to the deposited material.

*S. anginosus*, strain F0211 was isolated from human airways.<sup>1</sup> *S. anginosus*, strain F0211 ([HMP ID 0813](#)) is a reference genome for [The Human Microbiome Project](#) (HMP). HMP is an initiative to identify and characterize human microbial flora. The complete genome of *S. anginosus*, strain F0211 was sequenced at the Genome Institute at [Washington University](#) (GenBank: [AECT00000000](#)).

HM-282D has been qualified for PCR applications by amplification of approximately 1500 base pairs of the 16S ribosomal RNA gene.

### Material Provided:

Each vial contains 0.7 to 1.5 µg of bacterial genomic DNA in TE buffer (10 mM Tris-HCl and 1 mM EDTA, pH ~ 8.0). The concentration is shown on the Certificate of Analysis. The vial should be centrifuged prior to opening.

### Packaging/Storage:

HM-282D was packaged aseptically in screw-capped plastic cryovials. The product is provided frozen on dry ice and should be stored at -20°C or colder immediately upon arrival. Freeze-thaw cycles should be minimized.

### Citation:

Acknowledgment for publications should read "The following reagent was obtained through BEI Resources, NIAID, NIH as part of the Human Microbiome Project: Genomic DNA from *Streptococcus anginosus*, Strain F0211, HM-282D."

### Biosafety Level: 1

Appropriate safety procedures should always be used with this material. Laboratory safety is discussed in the following publication: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control and Prevention, and National Institutes of Health. [Biosafety in Microbiological and Biomedical Laboratories](#). 5th ed.

Washington, DC: U.S. Government Printing Office, 2009; see [www.cdc.gov/biosafety/publications/bmbl5/index.htm](http://www.cdc.gov/biosafety/publications/bmbl5/index.htm)

### Disclaimers:

You are authorized to use this product for research use only. It is not intended for human use.

Use of this product is subject to the terms and conditions of the BEI Resources Material Transfer Agreement (MTA). The MTA is available on our Web site at [www.beiresources.org](http://www.beiresources.org).

While BEI Resources uses reasonable efforts to include accurate and up-to-date information on this product sheet, neither ATCC® nor the U.S. Government makes any warranties or representations as to its accuracy. Citations from scientific literature and patents are provided for informational purposes only. Neither ATCC® nor the U.S. Government warrants that such information has been confirmed to be accurate.

This product is sent with the condition that you are responsible for its safe storage, handling, use and disposal. ATCC® and the U.S. Government are not liable for any damages or injuries arising from receipt and/or use of this product. While reasonable effort is made to ensure authenticity and reliability of materials on deposit, the U.S. Government, ATCC®, their suppliers and contributors to BEI Resources are not liable for damages arising from the misidentification or misrepresentation of products.

### Use Restrictions:

**This material is distributed for internal research, non-commercial purposes only.** This material, its product or its derivatives may not be distributed to third parties. Except as performed under a U.S. Government contract, individuals contemplating commercial use of the material, its products or its derivatives must contact the contributor to determine if a license is required. U.S. Government contractors may need a license before first commercial sale.

### References:

1. [HMP 0813](#) (*Streptococcus anginosus*, strain F0211)

ATCC® is a trademark of the American Type Culture Collection.

