

Certificate of Analysis for NR-29383

Schistosoma mansoni, Microsatellite SMD43 Forward Primer

Catalog No. NR-29383

This reagent is the tangible property of the U.S. Government.


Product Description: NR-29383 is a twenty nucleotide forward primer designed to amplify microsatellite SMD43 from *Schistosoma mansoni* when paired with the SMD43 reverse primer (NR-29382). The sequence of the SMD43-F 20-mer is 5'-TCCTCTTGGATGGGGTAGCCGGA-3'.

Lot¹: 70004293 Manufacturing Date: 11FEB2016

TEST	SPECIFICATIONS	RESULTS
PCR Amplification and Sequencing ² Amplicon size NCBI blast of sequence	~ 400 base pairs Identical to GenBank: AF325697	~ 400 base pairs (Figure 1) Identical to GenBank: AF325697
Primer Characteristics ¹		
Molecular weight	Report results	7112 g/mol
Primer melting temperature (Tm)	Report results	68.1°C
GC content	Report results	60.9%
Primer concentration	Report results	100 μΜ
Moles of primer	Report results	3.0 nmoles per vial
Micrograms of primer	Report results	21.4 µg per vial

¹NR-29383 Lot 70004293 was manufactured by Eurofins MWG Operon. Primer characteristics were determined by the manufacturer.

Figure 1: PCR Amplification of *Schistosoma mansoni* Microsatellite SMD43 Using NR-29382 and NR-29383



Lane 1: 100 base pair ladder Lane 2: NR-29382 and NR-29383

Date: 18 JUL 2017 Signature:

BEI Resources Authentication

ATCC®, on behalf of BEI Resources, hereby represents and warrants that the material provided under this certificate has been subjected by the contributor and manufacturer to the tests and procedures specified and that the results described, along with any other data provided in this certificate, are true and accurate to the best of ATCC®'s knowledge.

ATCC® is a trademark of the American Type Culture Collection.

You are authorized to use this product for research use only. It is not intended for human use.

BEI Resources www.beiresources.org E-mail: contact@beiresources.org

Tel: 800-359-7370 Fax: 703-365-2898

²PCR completed by the Biomedical Research Institute. Additional information is available in: Gower, C. M., et al. "Development and Application of an Ethically and Epidemiologically Advantageous Assay for the Multi-Locus Microsatellite Analysis of *Schistosoma mansoni*." <u>Parasitology</u> 134 (2007): 523-536. PubMed: 17096873.