

***Mycobacterium riyadhense*, Strain NLA000201958T**

Catalog No. NR-49076

Product Description: *Mycobacterium riyadhense* (*M. riyadhense*), strain NLA000201958T was isolated in 2009 from a maxillary sinus lavage of a 19-year-old male in Riyadh, Saudi Arabia.

Lot¹: 64362438

Manufacturing Date: 27JUL2016

TEST	SPECIFICATIONS	RESULTS
Phenotypic Analysis^{2,3} Cellular morphology Colony morphology ⁴ Growth rate Growth at 45°C Growth at 55°C Acid-fast stain Pigmentation in the dark (Scotochromogen) Photoinduction for 1 hour (Photochromogen) Nonchromogen (no pigment) Biochemical tests Catalase Catalase (semiquantitative) Catalase (68°C) Iron uptake Nitrate reduction Tween 80 hydrolysis Urease Growth in the presence of 5% sodium chloride Growth in the presence of thiophene-2-carboxylic acid hydrazide (TCH)	Rods Report results ≥ 7 days Negative Report results Positive (red colonies) Negative (no pigment) Negative (no pigment) Positive Report results Positive Negative Report results Positive Positive Positive Positive Report results Positive	Rods Circular, convex, entire, rough and cream 9 days Positive⁵ Positive Positive (red colonies) Negative (no pigment) Negative (no pigment) Positive Positive Negative⁶ Positive⁷ Negative Positive Positive Positive Positive Positive
Genotypic Analysis Sequencing of 16S ribosomal RNA gene (~ 1480 base pairs) Digital DNA-DNA hybridization (dDDH) ⁸	≥ 99% sequence identity to <i>M. riyadhense</i> type strain (GenBank: EU274642) ≥ 70% for species identification	99.9% sequence identity to <i>M. riyadhense</i> type strain (GenBank: EU274642) Not determined ^{9,10} (Table 1)
Purity (post-freeze) Middlebrook 7H10 agar with OADC enrichment ¹¹ Tryptic Soy agar ¹¹	Growth consistent with expected colony morphology Report results	Growth consistent with expected colony morphology Growth consistent with expected colony morphology
Viability (post-freeze)⁴	Growth	Growth

¹NR-49076 was produced by inoculation of the deposited material into Middlebrook 7H9 broth with ADC enrichment and grown for 10 days at 37°C in an aerobic atmosphere with 5% CO₂. Broth inoculum was added to Middlebrook 7H10 agar with OADC enrichment kolles, which were grown for 6 days at 37°C in an aerobic atmosphere with 5% CO₂ to produce this lot.

²Information on Mycobacterium testing is available from Ribón, W. "Biochemical Isolation and Identification of Mycobacteria." *Biochemical Testing*. (2012) Jose C. Jimenez-Lopez (Ed.), InTech, <http://www.intechopen.com/books/biochemical-testing/biochemical-isolation-and-identification-of-mycobacteria> and Lévy-Frébault, V. V. and F. Portaels. "Proposed Minimal Standards for the Genus *Mycobacterium* and for Description of New Slowly Growing *Mycobacterium* Species." *Int. J. Syst. Bacteriol.* 42 (1992): 315-323. PubMed: 1581193.

³Phenotypic characterization of *M. riyadhense* was performed following: van Ingen, J., et al. "*Mycobacterium riyadhense* sp. nov., a Non-Tuberculous Species Identified as *Mycobacterium tuberculosis* Complex by a Commercial Line-Probe Assay." *Int. J. Syst. Evol. Microbiol.* 59 (2009): 1049-1053. PubMed: 19406791.

⁴9 days at 37°C in an aerobic atmosphere with 5% CO₂ on Middlebrook 7H10 agar with OADC enrichment

⁵NR-49076 was deposited as *M. riyadhense* and reported to be negative for growth at 45°C. Testing performed in triplicate by BEI Resources indicates a positive result.

⁶NR-49076 was deposited as *M. riyadhense* and reported to be positive for catalase (semiquantitative). Testing performed in triplicate by BEI Resources indicates a negative result.

⁷NR-49076 was deposited as *M. riyadhense* and reported to be negative for catalase (68°C). Testing performed in triplicate by BEI Resources indicates a positive result.

⁸Relatedness between bacterial strains has traditionally been determined using DDH. For additional information, refer to Auch, A.F., et al. "Digital DNA-DNA Hybridization for Microbial Species Delineation by Means of Genome-to-Genome Sequence Comparison." *Stand. Genomic Sci.* 2 (2010): 117-134. PubMed: 21304684.

⁹The whole genome of *M. riyadhense*, strain NLA000201958T (Contig Total Length ~ 6.1 megabase pairs) was sequenced using the Illumina® MiSeq® system and was assembled and analyzed with CLC Genomics Workbench Version 7.0.2.

¹⁰The required whole genome sequence for the type strain of this species is not available. dDDH testing rules out all species listed in Table 1, however, this does not rule out species for which the type strains whole genome sequences are not available.

¹¹Purity of this lot was assessed for 9 days at 37°C in an aerobic atmosphere with 5% CO₂.

Table 1: Digital DNA-DNA hybridization (dDDH)

Species	Strain	Accession #	GGD vs. NR-49076 (Deposited as: <i>M. riyadhense</i>)
<i>M. abscessus</i> subsp. <i>abscessus</i>	Hauduroy L948 ^T	NC_010397.1	19.2
<i>M. abscessus</i> subsp. <i>bolletii</i>	BD ^T	AHAS00000000.1	19.2
<i>M. abscessus</i> subsp. <i>massiliense</i>	CCUG 48898 ^T	NZ_AP014547.1	19.2
<i>M. aromaticivorans</i>	JS19b1 ^T	JALN00000000.2	19.4
<i>M. aurum</i>	ATCC 23366 ^T	CVQQ01000001.1	20.1
<i>M. austroafricanum</i>	E9789-SA12441 ^T	HG964450.1	18.8
<i>M. avium</i> subsp. <i>avium</i>	ATCC 25291 ^T	ACFI00000000.1	22.8
<i>M. avium</i> subsp. <i>paratuberculosis</i>	ATCC 19698 ^T	AGAR00000000.1	23.2
<i>M. avium</i> subsp. <i>silvaticum</i>	6409 ^T	AYOC00000000.1	23.3
<i>M. bohemicum</i>	CIP 105808 ^T	CSTD01000001.1	22.3
<i>M. canariasense</i>	502329 ^T	BCSY00000000.1	19.6
<i>M. celatum</i>	ATCC 51131 ^T	BBUN00000000.1	22
<i>M. chelonae</i>	CM 6388 ^T	CP010946.1	19.5
<i>M. chlorophenicolum</i>	PCP-I ^T	JYNL00000000.1	19.7
<i>M. chubuense</i>	48013 ^T	NC_018027.1	19.7
<i>M. colombiense</i>	10B ^T	AFVW00000000.2	22.5
<i>M. conceptionense</i>	D16 ^T	CTEF00000000.1	19.8
<i>M. cosmeticum</i>	LTA-388 ^T	CCBB00000000.1	19.5
<i>M. crocinum</i>	czh-42 ^T	BBHD00000000.1	21.1
<i>M. farcinogenes</i>	IEMVT 75 ^T	CCAY00000000.1	19.6
<i>M. fluoranthenorans</i>	FA4 ^T	BBFT00000000.1	20.7
<i>M. fortuitum</i> subsp. <i>fortuitum</i>	ATCC 6841 ^T	CP014258.1	19.6
<i>M. fortuitum</i> subsp. <i>acetamidolyticum</i>	NCH E11620 ^T	BCSZ00000000.1	19.6
<i>M. gastris</i>	ATCC 15754 ^T	AZYN00000000.1	24
<i>M. genavense</i>	2289 ^T	JAGZ00000000.1	22.2
<i>M. haemophilum</i>	ATCC 29548 ^T	CP011883.2	23.3
<i>M. hassiacum</i>	3849 ^T	ARBU00000000.1	19.9
<i>M. hodleri</i>	EMI2 ^T	BBGO00000000.1	22.2
<i>M. intracellulare</i>	ATCC 13950 ^T	NC_016946.1	20.7
<i>M. kansasii</i>	ATCC 12478 ^T	NC_022663.1	23.4
<i>M. kyorinense</i>	KUM 060204 ^T	BBKA00000000.1	21.7
<i>M. mageritense</i>	938 ^T	CCBF00000000.1	19.6
<i>M. neoaurum</i>	ATCC 25795 ^T	JMDW00000000.1	19.4
<i>M. neworleansense</i>	W6705 ^T	CWKH00000000.1	19.7
<i>M. novocastrense</i>	73 ^T	BCTA00000000.1	19.8

Species	Strain	Accession #	GGD vs. NR-49076 (Deposited as: <i>M. riyadhense</i>)
<i>M. obuense</i>	47001 ^T	JYNU00000000.1	19.8
<i>M. pallens</i>	czh-8 ^T	BBHE00000000.1	21.3
<i>M. parascrofulaceum</i>	HSC-68 ^T	ADNV00000000.1	22.9
<i>M. pseudoshottsii</i>	L15 ^T	BCND00000000.1	22.2
<i>M. pyrenivorans</i>	17A3 ^T	BBHB00000000.1	21.4
<i>M. rufum</i>	JS14 ^T	JROA00000000.1	19.9
<i>M. rutilum</i>	czh-117 ^T	BBHF00000000.1	23.6
<i>M. septicum</i>	W4964 ^T	CBMO00000000.1	19.6
<i>M. setense</i>	ABO-M06 ^T	JTJW00000000.1	19.4
<i>M. simiae</i>	ATCC 25275 ^T	CBMJ00000000.2	21.7
<i>M. smegmatis</i>	ATCC 19420 ^T	LN831039.1	19.8
<i>M. thermoresistibile</i>	ATCC 19527 ^T	BCTB00000000.1	19.9
<i>M. triplex</i>	90-1019 ^T	CCAU00000000.1	22.5
<i>M. tuberculosis</i>	H37Rv ^T	NC_000962.3	24
<i>M. vaccae</i>	ATCC 15483 ^T	BCRS00000000.1	19.7
<i>M. vanbaalenii</i>	PYR-1 ^T	NC_008726.1	19.7
<i>M. vulneris</i>	NLA000700772 ^T	CCBG00000000.1	19.9
<i>M. yongonense</i>	05-1390 ^T	NC_021715.1	22.6
<i>Nocardia asteroides</i>	NBRC 15531 ^T	BAFO00000000.2	19

Date: 12 JUL 2017

Signature:

BEI Resources Authentication

ATCC®, on behalf of BEI Resources, hereby represents and warrants that the material provided under this certificate has been subjected to the tests and procedures specified and that the results described, along with any other data provided in this certificate, are true and accurate to the best of ATCC®'s knowledge.

ATCC® is a trademark of the American Type Culture Collection.
You are authorized to use this product for research use only. It is not intended for human use.

