

US - OSHA SAFETY DATA SHEET

Issue Date 13-Feb-2018 Revision Date Not applicable. Version 1

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product Name Shiga Toxin Type 1, Recombinant from Escherichia coli

Product Code NR-857

Other means of identification

UN/ID No. UN3172.

Synonyms Toxin 1, Shigella dysenteriae.

Recommended use of the chemical and restrictions on use

Recommended UseMaterial is authorized for research, non-commercial purposes only.

Uses Advised Against Not available.

Details of the supplier of the safety data sheet

Supplier Address BEI Resources 10801 University Blvd., Manassas, VA, US, 20110-2204.

Emergency telephone number

Company Phone Number (800) 359-7370/ (703) 365-2727 **24 Hour Emergency Phone Number** Chemtrec (US): 1-800-424-9300.

Domestic: (703) 365-2710.

Domestic: (703) 365-2710. International: +1(703)-527-3887.

2. HAZARDS IDENTIFICATION

Classification

Health Hazards

Not classified.

Physical Hazards

Not classified.

OSHA Regulatory Status

This chemical has biological/pharmaceutical effects on animal or human bodily functions or systems, but does not reach the criteria of any specific GHS classification label. Therefore, it is considered hazardous by "other hazards" but not classified.

Label elements

Emergency Overview

Normal precautions common to safe manufacturing practice should be followed in handling and storage.

Appearance Clear liquid. Physical State Liquid. Odor Not available

Precautionary Statements - Prevention

Do not eat, drink, or smoke when using this product. Wash hands and face thoroughly after handling.

Precautionary Statements - Response

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. Specific treatment (see Product Sheet and seek Medical Treatment immediately). Rinse mouth.

Precautionary Statements - Storage

Store locked up.

Precautionary Statements - Disposal

Dispose of contents and container in accordance with applicable regional, national and local laws and regulations.

Hazards not otherwise classified (HNOC)

Biosafety Level 2

Other information

Not available.

3. COMPOSITION/INFORMATION ON INGREDIENTS

This product is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200; Revision 3).

Common name Shiga toxin type 1 (Stx1; composed of subunits A and B).

Synonyms Toxin 1, *Shigella dysenteriae*.

Chemical FamilyProtein.Chemical natureBacterial toxin.

Chemical Name	CAS No.	Weight-%
Phosphate Buffered Saline (PBS)	N/A	99.99
Shiga toxin type 1	N/A	0.01

4. FIRST AID MEASURES

First aid measures

Eye ContactRinse eyes cautiously with lukewarm, gently flowing water for several minutes, while

holding the eyelids open. Remove contact lenses, if present and easy to do. Continue rinsing for a duration of 15-20 minutes. Take care not to rinse contaminated water into the unaffected eye or onto the face. If eye irritation persists: Get medical advice/attention.

Skin ContactTake off immediately all contaminated clothing, shoes and leather goods (e.g. watchbands,

belts). Wash with plenty of lukewarm, gently flowing water for a duration of 15-20 minutes or until medical aid is available. Immediately call a POISON CENTER/doctor. Wash contaminated clothing before re-use or discard. If skin irritation occurs: Get medical

advice/attention.

Inhalation Remove source of exposure or move person to fresh air and keep comfortable for

breathing. If experiencing respiratory symptoms: Call a POISON CENTER/doctor. If breathing is difficult, trained personnel should administer emergency oxygen if advised to do so by the POISON CENTER/doctor. Immediately call a POISON CENTER/doctor.

Ingestion Rinse mouth. Immediately call a POISON CENTER/doctor. If breathing has stopped.

immediately start cardiopulmonary resuscitation (CPR) or automated external defibrillation (AED). Treatment of fluid and electrolyte loss is usually achieved through oral rehydration.

Most important symptoms and effects, both acute and delayed

NR-857

Symptoms Symptoms associated with Shiga toxin include dysentery, hemorrhagic colitis, and

hemolytic uremic syndrome. The name is dependent upon the causative organism and the symptoms, which may include severe diarrhea, abdominal pain, vomiting, and bloody urine (in the case of hemolytic uremic syndrome). The onset of symptoms is generally within a few hours, with higher doses leading to more rapid onset.

Indication of any immediate medical attention and special treatment needed

Note to Physicians Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media None known.

Specific hazards arising from the chemical

These toxins are combustible but not flammable.

Hazardous Combustion Products Not available.

Explosion data

Sensitivity to Mechanical Impact None known.
Sensitivity to Static Discharge None known.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions Wear appropriate personal protective equipment (see Section 8). Keep unnecessary

personnel away. Ensure adequate ventilation, especially in confined areas.

Environmental precautions

Environmental Precautions See Section 12 for additional ecological information.

Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for Cleaning Up Patient/Victim: Wash with soap and water. Work clothes should be laundered separately.

Launder contaminated clothing before re-use. Do not take clothing home.

Equipment/Environment: Allow aerosols to settle; wearing protective clothing, gently cover spill with paper towel and apply 1% sodium hypochlorite, starting at perimeter and working

towards the center; allow sufficient contact time before clean-up (30 min).

7. HANDLING AND STORAGE

Precautions for safe handling

following spills (Solutions of sodium hypochlorite 0.1% or sodium hydroxide 0.1 N readily inactivate the toxin). Standard microbiological practices should be followed. Do not get in

eyes, on skin or on clothing. Do not breathe vapors or mist. Use good personal hygiene practices. Eating, drinking and smoking in work areas is prohibited. Remove contaminated clothing and protective equipment before entering eating areas. Eyewash stations and showers should be available in areas where this material is used and stored. Access to the laboratory is restricted when work is being conducted. A biohazard sign with relevant information should be posted at the entrance. "Toxins in Use - Authorized Personnel Only" should be clearly posted. Frequent and careful hand-washing and laboratory decontamination should be strictly enforced. Ventilation Requirements: Use only with adequate ventilation to control air contaminants to their exposure limits. Required HEPA-filtered vacuum lines.

Conditions for safe storage, including any incompatibilities

Storage Conditions All containers must be properly labelled. Store in approved containers and protect against

physical damage. Keep containers securely sealed when not in use. Containers that have been opened must be carefully resealed to prevent leakage. Empty containers retain residue and may be dangerous. If frozen suspension, store intact at -70°C. If the item is freeze-dried, store at -20°C. Freeze-dried products are hygroscopic and must be protected

from exposure to moisture and oxygen during storage.

Packaging materials Packed aseptically in plastic cryovials.

Incompatible materials Strong oxidizing agents.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure GuidelinesThis product, as supplied, contains the following hazardous materials with occupational

exposure limits established by the region-specific regulatory bodies.

Appropriate engineering controls

Engineering Controls The health hazard risks of handling this material are dependent on factors, such as physical

form and quantity. Site-specific risk assessments should be conducted to determine the appropriate exposure control measures. Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain

airborne levels as low as reasonably achievable.

Individual protection measures, such as personal protective equipment

Eye/Face Protection In laboratory, medical or industrial settings, safety glasses with side shields are highly

recommended. The use of goggles or full face protection may be required depending on the industrial exposure setting. Contact a health and safety professional for specific information.

Skin and Body Protection In laboratory, medical or industrial settings, gloves and lab coats are recommended. The

use of additional personal protective equipment such as shoe coverings, gauntlets, hood or head coverings may be necessary. Contact a health and safety professional for specific

information.

Respiratory ProtectionRespirators may be required for certain laboratory and manufacturing tasks if engineering

controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (where the exposure limits have not been established). Workplace risk assessments should be completed before specifying and implementing respirator usage. All respirators must conform to specifications for efficiency

and performance indicated by OSHA Standard 29 CFR 1910.134.

General Hygiene Considerations Always observe good personal hygiene measures, such as washing after handling the

material and before eating, drinking, and/or smoking. Routinely wash work clothing and

protective equipment.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State Liquid.

Appearance Clear liquid. Not available. Odor Color Colorless. **Odor Threshold** Not available.

Property Values Remarks

pН

Not available. Not available. **Melting Point/Freezing Point** Boiling Point/Boiling Range Not available. Flash Point Not available. **Evaporation Rate** Not available. Flammability (solid, gas) Not available.

Flammability Limit in Air

Upper Flammability Limit: Not available. **Lower Flammability Limit:** Not available. **Vapor Pressure** Not available. Vapor Density Not available. **Specific Gravity** 0.22114

Water Solubility Readily soluble in water.

Solubility in Other Solvents Not available. **Partition Coefficient** Not available. **Autoignition Temperature** Not available. **Decomposition Temperature** Not available. Kinematic Viscosity Not available. **Dynamic Viscosity** Not available. **Explosive Properties** Not available. **Oxidizing Properties** Not available.

Other information

Softening Point Not available.

Molecular Weight Subunit A: 32,000 Da; subunit B: 7,700 Da

VOC Content (%) Not available. Density 1.84548 **Bulk Density** Not available.

10. STABILITY AND REACTIVITY

Reactivity

Not available.

Chemical stability

Relatively stable under ambient conditions.

Possibility of hazardous reactions

Not available.

Conditions to avoid

Keep away from heat and ignition sources.

Incompatible materials

Strong oxidizing agents.

Hazardous decomposition products

Not available.

11. TOXICOLOGICAL INFORMATION

Product Information

Acute Toxicity Lowest Published Toxic dose (intravenous) in rats was found to be 40 ng/kg that caused

urinary symptoms along with weight loss or decrease in weight gain.

Chemical Name	Oral LD50	Intraperitoneal LD50	Inhalation LC50	Intravenous LD50
Shiga toxin Type 1	<u>=</u>	250 ng/kg (Mouse)	-	450 ng/kg (Mouse)
N/A				

Information on toxicological effects

Symptoms Symptoms associated with Shiga toxin include dysentery, hemorrhagic colitis, and

hemolytic uremic syndrome. The name is dependent upon the causative organism and the symptoms, which may include severe diarrhea, abdominal pain, vomiting, and bloody urine (in the case of hemolytic uremic syndrome). The onset of symptoms is generally within a

few hours, with higher doses leading to more rapid onset.

Delayed and immediate effects as well as chronic effects from short- and long-term exposure

Skin Corrosion/Irritation No data available.

Serious Eye Damage/Eye Irritation No data available.

Sensitization No data available.

Germ Cell Mutagenicity Shiga toxin 1 exhibited cytotoxic activity in different mammalian cells such as HeLa cells,

mouse embryo fibroblasts, and Caco-2 cells (a human intestinal primary fibroblast cell line).

Carcinogenicity No data available.

Reproductive Toxicity No data available.

STOT - Single Exposure Not classified.

STOT - Repeated Exposure Not classified.

Aspiration Hazard Not applicable.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Not available.

Persistence and degradability

No data available.

Bioaccumulation

No data available.

Mobility

Not available.

Other adverse effects

No data available.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of Wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and local laws and

regulations. Do not reuse container.

US EPA Waste Number Not available.

California Hazardous Waste Codes Not available.

This product does not contain substances that are listed with the State of California as hazardous waste.

14. TRANSPORT INFORMATION

DOT Regulated. UN3172

Proper shipping name Toxins, extracted from living sources, liquid, n.o.s. (Shiga toxin, Type 1).

Hazard Class Class 6.1

Packing Group

IATARegulated.UN/ID No.UN3172

Proper shipping name Toxins, extracted from living sources, liquid, n.o.s. (Shiga toxin, Type 1).

Hazard Class 6.1

Packing Group

15. REGULATORY INFORMATION

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Acute Health Hazard
No
Chronic Health Hazard
No
Fire Hazard
No
Sudden Release of Pressure Hazard
No
Reactive Hazard
No

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, contains the following substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302).

US State Regulations

California Proposition 65

No component is on the Prop 65 list.

U.S. State Right-to-Know Regulations

Revision Date Not applicable.

NR-857

This product contains the following substances regulated by state right-to-know regulations.

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable.

16. OTHER INFORMATION

Prepared By
IES Engineers
Issue Date
Revision Date
Revision Note
New SDS.

Disclaimer

BEI Resources considers that the information contained in this Safety Data Sheet is accurate, and while it is provided in good faith, it is without warranty of any kind, expressed or implied. The information contained herein is designated only as guidance for safe handling, storage and use of the substance and is not a specification nor does it guarantee any specific properties. Only competent personnel, within a controlled environment should handle all chemicals. BEI Resources is not to be held liable for any loss, injury or damage from contact with the product.

End of Safety Data Sheet