Product Information Sheet for NR-4337

Salmonella enterica subsp. *enterica*, 2004 Pennsylvania Tomato Outbreak, Serovar Typhimurium, Isolate 5

Catalog No. NR-4337

For research use only. Not for human use.

Contributor:
Carol H. Sandt, Molecular Microbiology Section, Bureau of Laboratories, Pennsylvania Department of Health, Lionville, Pennsylvania

Product Description:
Bacteria Classification: *Enterobacteriaceae*, *Salmonella*
Species: *Salmonella enterica*
Subspecies: *Salmonella enterica* subsp. *enterica*[1,2]
Serogroup: B
Serovar: Typhimurium
Isolate: 5
Original Source: Human stool from a patient with diarrhea during the 2004 *Salmonella* outbreak in Pennsylvania
Comments: The 2004 *Salmonella* outbreak was linked to the consumption of Roma tomatoes from deli counters of a chain of 302 gas station convenience stores in Pennsylvania and four nearby states. Multiple serotypes of *Salmonella enterica* were implicated.[3,4]

Salmonella enterica (*S. enterica*) are Gram-negative, rod-shaped, flagellated bacteria. The species is divided into six subspecies (I, II, IIIa, IIIb, IV, VI) where only subspecies I, subsp. *enterica*, is considered of clinical relevance. Salmonellosis (non-typhoidal), due to the greater than 1500 serovars of *S. enterica* subsp. *enterica*, is one of the most common food-borne diseases with an estimated 2 million cases that occur in the United States every year.[5] Pathogenicity results from a variety of virulence factors found in plasmids, prophages, and five pathogenicity islands which allow these organisms to colonize and infect host organisms.[6]

S. enterica subsp. *enterica* serovar Typhimurium (formerly *Salmonella typhimurium*) is a major cause of gastroenteritis. These bacteria are host generalists that occur in humans and many other mammals. Additionally, this serovar causes typhoid-like disease in mice and is used as a mouse model of human typhoid fever.[7] The complete genome sequence of several strains of *S. enterica* subsp. *enterica* serovar Typhimurium are in progress [strain DT104 (Definitive Type 104; a multidrug resistant strain), strain SL1344 (a genetically marked subline of a calf-virulent isolate), and strain TR7095 (a wild-type strain)] and strain LT2 has been completed (GenBank: AE006468).[7]

Material Provided:
Each vial contains approximately 0.5 mL of bacterial culture in 0.5X Tryptic Soy Broth supplemented with 10% glycerol.

Note: If homogeneity is required for your intended use, please purify prior to initiating work.

Packaging/Storage:
NR-4337 was packaged aseptically, in screw-capped plastic cryovials. The product is provided frozen and should be stored at -70°C or colder immediately upon arrival. For long-term storage, the vapor phase of a liquid nitrogen freezer is recommended. Freeze-thaw cycles should be avoided.

Growth Conditions:
Media:
Tryptic Soy Broth or equivalent
Tryptic Soy Agar or equivalent
Incubation:
Temperature: 37°C
Atmosphere: Aerobic
Propagation:
1. Keep vial frozen until ready for use, then thaw.
2. Transfer the entire thawed aliquot into a single tube of broth.
3. Use several drops of the suspension to inoculate an agar slant and/or plate.
4. Incubate the tubes and plate at 37°C for 24 hours.

Citation:
Acknowledgment for publications should read "The following reagent was obtained through the NIH Biodefense and Emerging Infections Research Resources Repository, NIAID, NIH: *Salmonella enterica* subsp. *enterica*, 2004 Pennsylvania Tomato Outbreak, Serovar Typhimurium, Isolate 5, NR-4337."

Biosafety Level: 2
Appropriate safety procedures should always be used with this material. Laboratory safety is discussed in the following publication: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control and Prevention, and National Institutes of Health. Biosafety in Microbiological and Biomedical Laboratories. 5th ed. Washington, DC: U.S. Government Printing Office, 2007; see www.cdc.gov/od/ohs/biosfty/bmbl5/bmbl5toc.htm.

Disclaimers:
You are authorized to use this product for research use only. It is not intended for human use.

Use of this product is subject to the terms and conditions of the BEI Resources Material Transfer Agreement (MTA). The MTA is available on our Web site at www.beiresources.org.

While BEI Resources uses reasonable efforts to include accurate and up-to-date information on this product sheet, neither ATCC® nor the U.S. Government make any warranties or representations as to its accuracy. Citations from scientific literature and patents are provided for informational purposes only. Neither ATCC® nor the U.S. Government warrants that such information has been

Biodefense and Emerging Infections Research Resources Repository
P.O. Box 4137
Manassas, VA 20108-4137 USA
www.beiresources.org
800-359-7370
Fax: 703-365-2898
E-mail: contact@beiresources.org

confirmed to be accurate.

This product is sent with the condition that you are responsible for its safe storage, handling, use and disposal. ATCC® and the U.S. Government are not liable for any damages or injuries arising from receipt and/or use of this product. While reasonable effort is made to ensure authenticity and reliability of materials on deposit, the U.S. Government, ATCC®, their suppliers and contributors to BEI Resources are not liable for damages arising from the misidentification or misrepresentation of products.

Use Restrictions:

This material is distributed for internal research, non-commercial purposes only. This material, its product or its derivatives may not be distributed to third parties. Except as performed under a U.S. Government contract, individuals contemplating commercial use of the material, its products or its derivatives must contact the contributor to determine if a license is required. U.S. Government contractors may need a license before first commercial sale.

References:

1. Judicial Commission of the International Committee on Systematics of Prokaryotes. "The Type Species of the Genus *Salmonella* Lignierres 1900 Is *Salmonella enterica* (*ex* Kauffmann and Edwards 1952) Le Minor and Popoff 1987, with the Type Strain LT2^T, and Conservation of the Epithet *enterica* in *Salmonella enterica* over All Earlier Epithets that May Be Applied to This Species. Opinion 80." Int. J. Syst. Evol. Microbiol. 55 (2005): 519-520. PubMed: 15653929.
2. Tindall, B. J., et al. "Nomenclature and Taxonomy of the Genus *Salmonella*." Int. J. Syst. Evol. Microbiol. 55 (2005): 521-524. PubMed: 15653930.
3. Sandt, C. H., et al. "The Key Role of Pulsed-Field Gel Electrophoresis in Investigation of a Large Multiserotype and Multistate Food-Borne Outbreak of *Salmonella* Infections Centered in Pennsylvania." J. Clin. Microbiol. 44 (2006): 3208-3212. PubMed: 16954249.
4. Centers for Disease Control and Prevention (CDC). "Outbreaks of *Salmonella* Infections Associated with Eating Roma Tomatoes--United States and Canada, 2004." Morb. Mortal. Wkly. Rep. 54 (2005): 325-328. PubMed: 15815562.
5. Altekruse, S. F., M. L. Cohen, and D. L. Swerdlow. "Emerging Foodborne Diseases." Emerg. Infect. Dis. 3 (1997): 285-293. PubMed: 9284372.
6. Lavigne, J. P. and A. B. Blanc-Potard. "Molecular Evolution of *Salmonella enterica* Serovar Typhimurium and Pathogenic *Escherichia coli*: From Pathogenesis to Therapeutics." Infect. Genet. Evol. 8 (2008): 217-226. PubMed: 18226587.
7. McClelland, M., et al. "Complete Genome Sequence of *Salmonella enterica* Serovar Typhimurium LT2." Nature 413 (2001): 852-856. PubMed: 11677609. GenBank: AE006468.

Support Provided by NIAID

Biodefense and Emerging Infections Research Resources Repository
P.O. Box 4137
Manassas, VA 20108-4137 USA
www.beiresources.org

800-359-7370
Fax: 703-365-2898
E-mail: contact@beiresources.org