

**Propionibacterium acnes, Strain HL110PA4**

**Catalog No. HM-555**

**Product Description:** *Propionibacterium acnes* (*P. acnes*)<sup>1</sup>, strain HL110PA4 was isolated from human skin.

**Lot<sup>2,3</sup>: 70014600**

**Manufacturing Date: 20APR2018**

TEST	SPECIFICATIONS	RESULTS
<b>Phenotypic Analysis</b> Cellular morphology Colony morphology <sup>4</sup>  Motility (wet mount)	Gram-positive rods Report results  Report results	Gram-positive rods Circular, convex, entire, smooth and cream (Figure 1) Non-motile
<b>Genotypic Analysis</b> Sequencing of 16S ribosomal RNA gene (~ 1160 base pairs)	≥ 99% sequence identity to <i>P. acnes</i> , strain HL110PA4 (GenBank: ADYF01000025.1)	100% sequence identity to <i>P. acnes</i> , strain HL110PA4 (GenBank: ADYF01000025.1)
<b>Purity (post-freeze)</b> Anaerobic growth <sup>5</sup>  Aerobic growth <sup>6</sup>	Consistent with expected colony morphology Report results	Consistent with expected colony morphology No growth
<b>Viability (post-freeze)<sup>4</sup></b>	Growth	Growth

<sup>1</sup>Also referred to as *Cutibacterium acnes*

<sup>2</sup>Quality control of HMP material is only performed to demonstrate that the material distributed by BEI Resources is identical to the deposited material. It should not be considered a complete characterization of the deposited organism.

<sup>3</sup>*P. acnes*, strain HL110PA4 was deposited by Professor Huiying Li, Ph.D., Department of Molecular and Medical Pharmacology, University of California, Los Angeles (UCLA), Los Angeles, California, USA. HM-555 lot 70014600 was produced by the inoculation of BEI Resources HMS-555 lot 60687491 into Modified Reinforced Clostridial broth and grown 2 days at 37°C in an anaerobic atmosphere (< 5% O<sub>2</sub>; Remel™ Pack-Anaero™). The material from the initial growth was passaged once in Modified Reinforced Clostridial broth, which was grown 2 days at 37°C in an anaerobic atmosphere to produce this lot.

<sup>4</sup>2 days at 37°C in an anaerobic atmosphere on Tryptic Soy agar with 5% defibrinated sheep blood.

<sup>5</sup>Purity of this lot was assessed for 7 days at 37°C in an anaerobic atmosphere on Tryptic Soy agar with 5% defibrinated sheep blood.

<sup>6</sup>Purity of this lot was assessed for 7 days at 37°C in an aerobic atmosphere with 5% CO<sub>2</sub> on Tryptic Soy agar with 5% defibrinated sheep blood.

**Figure 1: Colony Morphology**



/Heather Couch/  
Heather Couch

22 AUG 2018

Program Manager or designee, ATCC Federal Solutions

ATCC®, on behalf of BEI Resources, hereby represents and warrants that the material provided under this certificate has been subjected to the tests and procedures specified and that the results described, along with any other data provided in this certificate, are true and accurate to the best of ATCC®'s knowledge.

ATCC® is a trademark of the American Type Culture Collection.

You are authorized to use this product for research use only. It is not intended for human use.

